

TABLE OF CONTENTS

Upright – Quick / Standard Response, 5.6 (81) K factor (VK160, VK184) G-1

Standard Response Pendant – 5.6 (81) K factor (VK150, VK154, VK158) G-2

Standard Response Horizontal Sidewall – 5.6 (81) K factor (VK152, VK156, VK162) G-3

Standard Response Pendant – 8.0 (115) K factor (VK166, VK163, VK164) G-4

Standard Response Horizontal Sidewall – 8.0 (115) K factor (VK2503, VK2523, VK2543) G-5

Standard Response Vertical Sidewall – 5.6 (81) K factor (VK153, VK157, VK161) G-6

Standard Response Pendant – Stainless Steel – 5.6 (81) K factor (VK168, VK169) G-7

Standard Response Pendant – Domed Concealed – 5.6 (81) / 8.0 K factor (VK190, VK192) G-8

Quick Response Pendant, 5.6 (81) K factor (VK172, VK176, VK180) G-9

Quick Response Horizontal Sidewall – 5.6 (81) K factor (VK174, VK178, VK182) G-10

Quick Response Pendant – 8.0 (115) K factor (VK173, VK177, VK181) G-11

Quick Response Horizontal Sidewall – 8.0 (115) K factor (VK2753, VK2773, VK2793) G-12

Quick Response Pendant – Fusible Link – 8.0 (115) K factor (VK282, VK286, VK290) G-13

Quick Response Horizontal Sidewall – Fusible Link – 8.0 (115) K factor (VK2843, VK2883, VK2923) G-14

Extended Coverage, Quick/Standard Response, Pendant / Sidewall – 5.6 (81) K factor (VK186/188) G-15

Extended Coverage, Quick Response Pendant – Domed Concealed – 5.6 (81) K factor (VK194/196) G-16

Recessed Flush, Quick Response Pendant – Fusible Link – 5.6 (81) K factor (VK482) G-17

Standard Response ELO – 11.2 (161.3) K factor (VK544, VK546, VK545) G-18

Quick Response ELO – 11.2 (161.3) K factor (VK547, VK549, VK548) G-19


Dry Sprinkler Order Form G-20-21

Notes

1. Viking’s “Dry Sprinkler Order Form” may be found on page G-20-21 and on the Viking web site.
2. Dry sprinklers are special ordered items and are not returnable. Any change made after order placement is subject to charges. Please check the information carefully before ordering.
3. List price for standard adjustable and recessed adjustable styles includes the escutcheon.
4. Replacement escutcheons and sprinkler guards are available on pages H-1 and H-5.
5. Refer to Viking technical data pages for complete product specifications, including maximum order lengths. You may print or download technical data by visiting www.vikinggroupinc.com.
6. List prices effective January 20, 2020. Supersedes January 2019 list price book.
7. All sales by Viking are subject to the Terms & Conditions found on the last page of this book.

Dry Sprinkler Ordering Instructions

To order dry sprinklers, start with the base part number for the desired product and then add the appropriate “finish”, “temperature”, and “length” suffixes. Please refer to the sprinkler’s technical data page for details on how to calculate the length dimension for each style of dry sprinkler (A or B dimension).



Finish Suffixes (f)	
Standard Brass	A
Polished Chrome	F
White Polyester	M_/W
Nickel PTFE (ENT)	JN
White w/ Chrome	
Escutcheon	MF_/W

Temperature Suffixes (t)	
155°F (68°C)	B
165°F (79°C)	C
175°F (79°C)	D
200°F (93°C)	E
205°F (93°C)	E
286°F (93°C)	G

Quick / Standard Response
5.6 (81) K Factor (1/2" orifice)
Standard Coverage
Upright / 1" NPT
Glass Bulb


To order, add finish, temperature and length suffix to base part number (length = B dimension, inches)

Ex: VK184, Brass, 155°F, 14 1/2" long

Part Number: 08417UAB145


VK160 (Std Response)	VK184 (Quick Response)
Plain Barrel	Plain Barrel
Base P/N: 08050	Base P/N: 08417U
	
order in 1/2" increments	order in 1/2" increments

Item Price Group: V187

VK160 - SR Upright base p/n - 08050(f)(t)(l)	Length (L) - B Dimension	LIST PRICES and Available Finishes	
		Standard Brass (A_)	White (M_/W)
	4 1/2 - 7 1/2" (114 - 191mm)	\$241.96	\$248.07
	8 - 10 1/2" (203 - 267mm)	\$255.42	P.O.A
	11 - 13 1/2" (279 - 343mm)	\$262.14	\$267.97
	14 - 16 1/2" (356 - 419mm)	\$289.02	P.O.A
	17 - 19 1/2" (432 - 495mm)	\$309.22	\$315.36
	20 - 22 1/2" (508 - 572mm)	\$322.64	P.O.A
	23 - 25 1/2" (584 - 648mm)	\$356.26	P.O.A
	26 - 28 1/2" (660 - 724mm)	\$376.42	P.O.A
	29 - 31 1/2" (737 - 800mm)	\$393.25	\$399.39
	32 - 34 1/2" (813 - 876mm)	\$406.63	P.O.A
	35 - 37 1/2" (889 - 953mm)	\$426.78	P.O.A

*contact customer service for lengths over standard

Item Price Group: V187

VK184 - QR Upright base p/n - 08417U(f)(t)(l)	Length (L) - B Dimension	LIST PRICES and Available Finishes	
		Standard Brass (A_)	White (M_/W)
	4 1/2 - 7 1/2" (114 - 191mm)	\$272.21	\$262.84
	8 - 10 1/2" (203 - 267mm)	\$278.92	\$285.07
	11 - 13 1/2" (279 - 343mm)	\$289.02	\$295.17
	14 - 16 1/2" (356 - 419mm)	\$315.96	\$322.01
	17 - 19 1/2" (432 - 495mm)	\$332.71	\$338.86
	20 - 22 1/2" (508 - 572mm)	\$352.85	\$358.89
	23 - 25 1/2" (584 - 648mm)	\$383.17	\$389.20
	26 - 28 1/2" (660 - 724mm)	\$399.97	P.O.A
	29 - 31 1/2" (737 - 800mm)	\$420.14	P.O.A
	32 - 34 1/2" (813 - 876mm)	\$436.91	\$442.94
	35 - 37 1/2" (889 - 953mm)	\$453.74	\$459.77

*contact customer service for lengths over standard

Additional Ordering Information

VK160 / VK184

Available Temp. Ratings / Suffix

155°F (68°C) = B
175°F (79°C) = D
200°F (93°C) = E
286°F (93°C) = G

Standard Wrench VK160 and VK184

07297W/B \$116.56

Sprinkler Guard for upright/pendent

08954 \$31.78

Dry Sprinkler Boot

22087M/W \$48.77

NOTE: Dry sprinklers are special ordered items and are not returnable. Changes made after order placement are subject to additional charges. Please check the information carefully before ordering.

Standard Response

5.6 (81) K Factor (1/2" orifice)

Standard Coverage

Pendent / 1" NPT

Glass Bulb

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: VK154, White, 175 °F, 9 1/2" length
Part Number: 07740UMD/W095

VK150
Plain Barrel
Base P/N: 07852U



order in 1/2" increments

VK154
Standard Adjustable
Base P/N: 07740U



order in 1/2" increments

VK158
Recessed Adjustable
Base P/N: 06530U




order in 1/4" increments

LIST PRICES and Available Finishes

Item Price Group: V187 (ENT Finish: IPG V188)

VK150 - Plain Barrel Length (L) - A Dimension
base p/n - 07852U(f)(t)(l)




Length (L) - A Dimension	LIST PRICES and Available Finishes		
	Standard Brass (A_)	Polished Chrome (F_)	ENT (JN) IPG V188
3 - 6" (76 - 152mm)	\$221.86	\$225.14	\$312.22
6 1/2 - 9" (165 - 229mm)	\$228.52	\$231.90	P.O.A
9 1/2 - 12" (241 - 305mm)	\$238.61	\$241.96	\$329.05
12 1/2 - 15" (318 - 381mm)	\$258.82	\$262.13	P.O.A
15 1/2 - 18" (394 - 457mm)	\$275.61	\$278.92	\$366.02
18 1/2 - 21" (470 - 533mm)	\$295.76	\$299.14	P.O.A
21 1/2 - 24" (546 - 610mm)	\$319.30	\$322.64	\$409.72
24 1/2 - 27" (622 - 686mm)	\$342.81	\$346.15	P.O.A
27 1/2 - 30" (699 - 762mm)	\$356.26	\$359.59	P.O.A
30 1/2 - 33" (775 - 838mm)	\$376.42	\$379.81	P.O.A
33 1/2 - 36" (851 - 914mm)	\$393.25	\$396.59	P.O.A

*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Item Price Group: V187 (ENT Finish: IPG V188)

VK154 - Standard Adj. Length (L) - A Dimension
base p/n - 07740U(f)(t)(l)




Length (L) - A Dimension	LIST PRICES and Available Finishes		
	Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
1 1/2 - 6" (38 - 152mm)	\$238.61	\$238.61	\$325.69
6 1/2 - 9" (165 - 229mm)	\$245.39	\$245.39	\$332.48
9 1/2 - 12" (241 - 305mm)	\$258.82	\$258.82	\$345.90
12 1/2 - 15" (318 - 381mm)	\$278.92	\$278.92	\$366.02
15 1/2 - 18" (394 - 457mm)	\$289.02	\$289.02	\$376.11
18 1/2 - 21" (470 - 533mm)	\$315.96	\$315.96	\$403.02
21 1/2 - 24" (546 - 610mm)	\$332.71	\$332.71	\$419.79
24 1/2 - 27" (622 - 686mm)	\$356.26	\$356.26	\$443.35
27 1/2 - 30" (699 - 762mm)	\$376.42	\$376.42	\$507.22
30 1/2 - 33" (775 - 838mm)	\$389.86	\$389.86	\$476.94
33 1/2 - 36" (851 - 914mm)	\$406.63	\$406.63	\$493.73

*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Item Price Group: V187 (ENT Finish: IPG V188)

VK158 - Recessed Adj. Length (L) - A Dimension
base p/n - 06530U(f)(t)(l)



Length (L) - A Dimension	LIST PRICES and Available Finishes		
	Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
3 1/4 - 6" (83 - 152mm)	\$238.61	\$245.39	\$332.48
6 1/4 - 9" (159 - 229mm)	\$248.75	\$255.42	\$342.48
9 1/4 - 12" (235 - 305mm)	\$262.13	\$268.89	\$355.97
12 1/4 - 15" (311 - 381mm)	\$282.36	\$289.02	\$376.11
15 1/4 - 18" (387 - 457mm)	\$299.14	\$305.84	\$392.91
18 1/4 - 21" (464 - 533mm)	\$315.96	\$322.64	\$409.72
21 1/4 - 24" (540 - 610mm)	\$342.81	\$349.54	\$436.62
24 1/4 - 27" (616 - 686mm)	\$359.59	\$366.36	\$453.45
27 1/4 - 30" (692 - 762mm)	\$383.17	\$389.86	\$476.93
30 1/4 - 33" (768 - 838mm)	\$393.25	\$399.97	\$487.05
33 1/4 - 36" (845 - 914mm)	\$420.14	\$426.78	\$513.87

Additional Ordering Information
VK150/154/158

Available Temp. Ratings / Suffix

- 155°F (68°C) = B
- 175°F (79°C) = D
- 200°F (93°C) = E
- 286°F (93°C) = G *
- * N/A with VK158

VK154 also available in white finish with chrome escutcheon at same price as white finish. Use suffix MF_/W

Standard Wrench
VK150 and VK154
07297W/B \$116.56

Recessed wrench for VK158 model
07565W/B \$149.61

Sprinkler Guard for upright/pendent
08954 \$31.78

Dry Spk Replacement Escutcheons

- Std. Adj. - Chrome
07741F \$7.90
- Std. Adj. - White
07741M/W \$7.90
- Rec. Adj. - Chrome
05459AF \$5.74
- Rec. Adj. - White
05459AM/W \$5.74

Dry Sprinkler Boot
22087M/W \$48.77

Standard Response
5.6 (81) K Factor (1/2" orifice)
Standard Coverage
Horizontal Sidewall / 1" NPT
Glass Bulb

VK152
Plain Barrel
Base P/N: 07858U



order in 1/2" increments

VK156
Standard Adjustable
Base P/N: 07857U



order in 1/2" increments

VK162
Recessed Adjustable
Base P/N: 07856U




order in 1/4" increments

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)
Ex: VK156, White, 175 °F, 9 1/2" length
Part Number: 07857UMD/W095

Item Price Group: V187 (ENT Finish: IPG V188)

VK152 - Plain Barrel
base p/n - 07858U(f)(t)(l)




		LIST PRICES and Available Finishes		
		Standard Brass (A_)	Polished Chrome (F_)	ENT (JN) IPG V188
Length (L) - A Dimension				
3 - 6" (76 - 152mm)		\$238.61	\$241.96	P.O.A
6 1/2 - 9" (165 - 229mm)		\$241.96	\$245.39	\$332.47
9 1/2 - 12" (241 - 305mm)		\$255.42	\$258.82	\$345.90
12 1/2 - 15" (318 - 381mm)		\$278.92	\$282.36	\$369.45
15 1/2 - 18" (394 - 457mm)		\$295.76	\$299.14	P.O.A
18 1/2 - 21" (470 - 533mm)		\$312.59	\$315.96	P.O.A
21 1/2 - 24" (546 - 610mm)		\$349.54	\$352.85	P.O.A
24 1/2 - 27" (622 - 686mm)		\$366.36	\$369.71	P.O.A
27 1/2 - 30" (699 - 762mm)		\$386.48	\$389.86	P.O.A
30 1/2 - 33" (775 - 838mm)		\$393.25	\$396.59	P.O.A
33 1/2 - 36" (851 - 914mm)		\$406.63	\$410.02	P.O.A

*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

VK156 - Standard Adj.
base p/n - 07857U(f)(t)(l)




		LIST PRICES and Available Finishes		
		Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
Length (L) - A Dimension				
1 1/2 - 6" (38 - 152mm)		\$245.39	\$245.39	\$332.48
6 1/2 - 9" (165 - 229mm)		\$258.82	\$258.82	\$345.90
9 1/2 - 12" (241 - 305mm)		\$268.89	\$268.89	\$355.97
12 1/2 - 15" (318 - 381mm)		\$299.14	\$299.14	\$386.22
15 1/2 - 18" (394 - 457mm)		\$312.59	\$312.59	\$399.67
18 1/2 - 21" (470 - 533mm)		\$329.38	\$329.38	\$416.47
21 1/2 - 24" (546 - 610mm)		\$366.36	\$366.36	\$453.45
24 1/2 - 27" (622 - 686mm)		\$383.17	\$383.18	\$470.25
27 1/2 - 30" (699 - 762mm)		\$399.97	\$399.97	P.O.A
30 1/2 - 33" (775 - 838mm)		\$406.63	\$406.64	P.O.A
33 1/2 - 36" (851 - 914mm)		\$426.78	\$426.78	P.O.A

*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

VK162 - Recessed Adj.
base p/n - 07856U(f)(t)(l)



		LIST PRICES and Available Finishes		
		Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
Length (L) - A Dimension				
3 1/4 - 6" (83 - 152mm)		\$255.42	\$262.13	\$349.20
6 1/4 - 9" (159 - 229mm)		\$265.51	\$272.21	\$359.30
9 1/4 - 12" (235 - 305mm)		\$272.21	\$278.92	\$366.03
12 1/4 - 15" (311 - 381mm)		\$302.49	\$309.22	\$396.31
15 1/4 - 18" (387 - 457mm)		\$315.96	\$322.64	\$409.73
18 1/4 - 21" (464 - 533mm)		\$336.09	\$342.81	P.O.A
21 1/4 - 24" (540 - 610mm)		\$373.03	\$379.81	P.O.A
24 1/4 - 27" (616 - 686mm)		\$389.86	\$396.59	P.O.A
27 1/4 - 30" (692 - 762mm)		\$403.28	\$410.02	P.O.A
30 1/4 - 33" (768 - 838mm)		\$426.78	\$433.58	P.O.A
33 1/4 - 36" (845 - 914mm)		\$440.29	\$447.01	P.O.A

Additional Ordering Information
VK152/156/162

Available Temp. Ratings / Suffix

155°F (68°C) = B
175°F (79°C) = D
200°F (93°C) = E
286°F (93°C) = G *
* N/A with VK162

VK156 also available in white finish with chrome escutcheon at same price as white finish. Use suffix MF_/W

Standard Wrench
VK152 and VK156
07297W/B \$116.56

Recessed Wrench for VK162 Model
07565W/B \$149.61

Dry Spk Replacement Escutcheons
Std. Adj. - Chrome
08086F \$7.90
Std. Adj. - White
08086M/W \$7.90
Rec. Adj. - Chrome
05459AF \$5.74
Rec. Adj. - White
05459AM/W \$5.74

Dry Sprinkler Boot
22087M/W \$48.77

Electroless Nickel PTFE (ENT) finish is for corrosion resistance.

Standard Response

8.0 (115) K Factor (17/32" orifice)




Standard Coverage

Pendent / 1" NPT

Glass Bulb


To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: **VK164, white, 200 °F, 12" length**
Part Number: **12811UME/W12**

VK166 Plain Barrel Base P/N: 12741U	VK163 Standard Adjustable Base P/N: 12810U	VK164 Recessed Adjustable Base P/N: 12811U
		
order in ½" increments	order in ½" increments	order in ¼" increments

Item Price Group: V187 (ENT Finish: IPG V188)

VK166 - Plain Barrel Length (L) - A Dimension
base p/n - 12741U(f)(t)(l)




LIST PRICES and Available Finishes			
Length (L) - A Dimension	Standard	Polished	ENT (JN)
	Brass (A_)	Chrome (F_)	IPG V188
3 - 6" (76 - 152mm)	\$248.75	\$251.10	P.O.A
6½ - 9" (165 - 229mm)	\$240.48	\$264.45	P.O.A
9½ - 12" (241 - 305mm)	\$268.89	\$271.23	\$358.32
12½ - 15" (318 - 381mm)	\$295.75	\$298.12	P.O.A
15½ - 18" (394 - 457mm)	\$315.94	\$318.28	\$405.37
18½ - 21" (470 - 533mm)	\$329.38	\$331.72	P.O.A
21½ - 24" (546 - 610mm)	\$362.95	\$365.30	P.O.A
24½ - 27" (622 - 686mm)	\$383.18	\$385.51	\$472.59
27½ - 30" (699 - 762mm)	\$399.97	\$402.34	P.O.A
30½ - 33" (775 - 838mm)	\$413.33	\$415.72	P.O.A
33½ - 36" (851 - 914mm)	\$433.58	P.O.A	P.O.A

*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

VK163 - Standard Adj. Length (L) - A Dimension
base p/n - 12810U(f)(t)(l)




LIST PRICES and Available Finishes			
Length (L) - A Dimension	Polished	White	ENT (JN)
	Chrome (F_)	(M_/W)	IPG V188
1½ - 6" (38 - 152mm)	\$262.14	\$262.14	P.O.A
6½ - 9" (165 - 229mm)	\$268.89	\$268.89	P.O.A
9½ - 12" (241 - 305mm)	\$275.61	\$275.61	\$362.70
12½ - 15" (318 - 381mm)	\$299.14	\$299.14	\$392.92
15½ - 18" (394 - 457mm)	\$309.22	\$309.22	\$396.31
18½ - 21" (470 - 533mm)	\$332.71	\$332.71	\$423.17
21½ - 24" (546 - 610mm)	\$352.85	\$352.85	\$450.02
24½ - 27" (622 - 686mm)	\$376.42	\$376.42	\$476.95
27½ - 30" (699 - 762mm)	\$393.25	\$393.25	\$483.67
30½ - 33" (775 - 838mm)	\$403.28	\$403.28	P.O.A
33½ - 36" (851 - 914mm)	\$426.78	\$426.78	\$530.72

*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

VK164 - Recessed Adj. Length (L) - A Dimension
base p/n - 12811U(f)(t)(l)



LIST PRICES and Available Finishes			
Length (L) - A Dimension	Polished	White	ENT (JN)
	Chrome (F_)	(M_/W)	IPG V188
3¼ - 6" (83 - 152mm)	\$262.14	\$268.89	P.O.A
6¼ - 9" (159 - 229mm)	\$268.89	\$275.61	P.O.A
9¼ - 12" (235 - 305mm)	\$275.61	\$282.36	\$369.43
12¼ - 15" (311 - 381mm)	\$299.14	\$305.84	P.O.A
15¼ - 18" (387 - 457mm)	\$315.94	\$322.64	\$409.73
18¼ - 21" (464 - 533mm)	\$336.09	\$342.81	P.O.A
21¼ - 24" (540 - 610mm)	\$356.26	\$362.95	\$450.04
24¼ - 27" (616 - 686mm)	\$383.18	\$389.86	P.O.A
27¼ - 30" (692 - 762mm)	\$396.59	\$396.59	P.O.A
30¼ - 33" (768 - 838mm)	\$410.02	\$416.74	P.O.A
33¼ - 36" (845 - 914mm)	\$436.91	\$443.64	\$530.72

Additional Ordering Information
VK166/163/164

Available Temp. Ratings / Suffix

- 155°F (68°C) = B
- 175°F (79°C) = D
- 200°F (93°C) = E
- 286°F (93°C) = G *
- * N/A with VK164

VK163 also available in white finish with chrome escutcheon at same price as white finish. Use suffix MF_/W

Standard Wrench VK166 and VK163
07297W/B \$116.56

Recessed Wrench for VK164 Model
07565W/B \$149.61

Sprinkler Guard for Upright/Pendent
08954 \$31.78

Dry Spk Replacement Escutcheons

- Std. Adj. - Chrome
07741F \$7.90
- Std. Adj. - White
07741M/W \$7.90
- Rec. Adj. - Chrome
05459AF \$5.74
- Rec. Adj. - White
05459AM/W \$5.74

Dry Sprinkler Boot
22087M/W \$48.77

Standard Response

8.0 (115) K Factor (17/32" orifice)

Standard Coverage




Horizontal Sidewall / 1" NPT

Glass Bulb

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)


Ex: **VK2543, chrome, 175 °F, 17 1/4" long**

Part Number: **21481UFD1725**

VK2503 Plain Barrel Base P/N: <u>21493U</u>	VK2523 Standard Adjustable Base P/N: <u>21487U</u>	VK2543 Recessed Adjustable Base P/N: <u>21481U</u>
		
NEW! Now cULus Listed with 12" deflector distance down from ceiling		
order in 1/2" increments	order in 1/2" increments	order in 1/4" increments

Item Price Group: V187 (ENT Finish: IPG V188)

VK2503 - Plain Barrel Length (L) - A Dimension
base p/n - 21493U(f)(t)(l)




LIST PRICES and Available Finishes			
Length (L) - A Dimension	Standard Brass (A_)	Polished Chrome (F_)	ENT (JN)
	IPG V188		
3 - 6" (76 - 152mm)	\$298.51	P.O.A	P.O.A
6 1/2 - 9" (165 - 229mm)	\$314.57	\$317.37	P.O.A
9 1/2 - 12" (241 - 305mm)	\$322.64	\$325.47	P.O.A
12 1/2 - 15" (318 - 381mm)	P.O.A	P.O.A	P.O.A
15 1/2 - 18" (394 - 457mm)	\$379.15	\$379.15	P.O.A
18 1/2 - 21" (470 - 533mm)	P.O.A	P.O.A	P.O.A
21 1/2 - 24" (546 - 610mm)	\$435.57	\$438.34	P.O.A
24 1/2 - 27" (622 - 686mm)	P.O.A	P.O.A	P.O.A
27 1/2 - 30" (699 - 762mm)	P.O.A	P.O.A	P.O.A
30 1/2 - 33" (775 - 838mm)	P.O.A	P.O.A	P.O.A
33 1/2 - 36" (851 - 914mm)	P.O.A	P.O.A	P.O.A

*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

VK2523 - Standard Adj. Length (L) - A Dimension
base p/n - 21487U(f)(t)(l)



LIST PRICES and Available Finishes			
Length (L) - A Dimension	Polished Chrome (F_)	White (M_/W)	ENT (JN)
	IPG V188		
1 1/2 - 6" (38 - 152mm)	\$314.57	P.O.A	P.O.A
6 1/2 - 9" (165 - 229mm)	\$322.64	P.O.A	P.O.A
9 1/2 - 12" (241 - 305mm)	\$330.76	\$330.76	P.O.A
12 1/2 - 15" (318 - 381mm)	P.O.A	\$358.98	P.O.A
15 1/2 - 18" (394 - 457mm)	\$371.09	\$371.09	P.O.A
18 1/2 - 21" (470 - 533mm)	\$399.27	\$399.27	P.O.A
21 1/2 - 24" (546 - 610mm)	\$423.45	\$423.45	\$510.51
24 1/2 - 27" (622 - 686mm)	P.O.A	P.O.A	P.O.A
27 1/2 - 30" (699 - 762mm)	P.O.A	P.O.A	\$558.96
30 1/2 - 33" (775 - 838mm)	P.O.A	P.O.A	P.O.A
33 1/2 - 36" (851 - 914mm)	P.O.A	P.O.A	P.O.A

*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

VK2543 - Recessed Adj. Length (L) - A Dimension
base p/n - 21481U(f)(t)(l)



LIST PRICES and Available Finishes			
Length (L) - A Dimension	Polished Chrome (F_)	White (M_/W)	ENT (JN)
	IPG V188		
3 1/4 - 6" (83 - 152mm)	P.O.A	P.O.A	P.O.A
6 1/4 - 9" (159 - 229mm)	P.O.A	P.O.A	P.O.A
9 1/4 - 12" (235 - 305mm)	\$330.76	P.O.A	P.O.A
12 1/4 - 15" (311 - 381mm)	P.O.A	P.O.A	P.O.A
15 1/4 - 18" (387 - 457mm)	P.O.A	P.O.A	P.O.A
18 1/4 - 21" (464 - 533mm)	P.O.A	P.O.A	P.O.A
21 1/4 - 24" (540 - 610mm)	P.O.A	P.O.A	P.O.A
24 1/4 - 27" (616 - 686mm)	P.O.A	P.O.A	P.O.A
27 1/4 - 30" (692 - 762mm)	P.O.A	P.O.A	P.O.A
30 1/4 - 33" (768 - 838mm)	P.O.A	P.O.A	P.O.A
33 1/4 - 36" (845 - 914mm)	P.O.A	P.O.A	P.O.A

Additional Ordering Information
VK2503/2523/2543

Available Temp. Ratings / Suffix

- 155°F (68°C) = B
- 175°F (79°C) = D
- 200°F (93°C) = E
- 286°F (93°C) = G *
- * N/A with VK254

VK2523 also available in white finish with chrome escutcheon at same price as white finish. Use suffix MF_/W

Standard Wrench
VK2503 and VK2523
07297W/B \$116.56

Recessed Wrench for VK2543 Model
07565W/B \$149.61

Dry Spk Replacement Escutcheons

- Std. Adj. - Chrome
08086F \$7.90
- Std. Adj. - White
08086M/W \$7.90
- Rec. Adj. - Chrome
05459AF \$5.74
- Rec. Adj. - White
05459AM/W \$5.74

Dry Sprinkler Boot
22087M/W \$48.77

Electroless Nickel PTFE (ENT) coating is for corrosion resistance.

Standard Response

5.6 (81) K Factor (1/2" orifice)

Standard Coverage

Vertical Sidewall* / 1" NPT

Glass Bulb

NOTE - Sprinklers are NOT Listed or Approved

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: **VK161, white, 155°F, 5 3/4" length**
Part Number: **09124UMB/W0575**

VK153
Plain Barrel
Base P/N: **09125U**



order in 1/2" increments

VK157
Standard Adjustable
Base P/N: **09123U**



order in 1/2" increments

VK161
Recessed Adjustable
Base P/N: **09124U**




order in 1/4" increments

LIST PRICES and Available Finishes

Item Price Group: V187

VK153 - Plain Barrel	Length (L) - A Dimension	Standard Brass (A_)	Polished Chrome (F_)
base p/n - 09125U(f)(t)(l)	4 1/2" - 7 1/2" (114 - 191mm)	\$272.40	\$276.05
	8 - 10 1/2" (203 - 267mm)	\$276.05	\$279.74
	11 - 13 1/2" (279 - 343mm)	\$287.14	\$290.81
	14 - 16 1/2" (356 - 419mm)	\$316.58	\$320.26
	17 - 19 1/2" (432 - 495mm)	\$331.30	\$334.95
	20 - 22 1/2" (508 - 572mm)	\$349.73	\$353.38
	23 - 25 1/2" (584 - 648mm)	\$390.13	\$393.88
	26 - 28 1/2" (660 - 724mm)	\$412.28	\$415.93
	29 - 31 1/2" (737 - 800mm)	\$430.67	\$434.38
	32 - 34 1/2" (813 - 876mm)	\$438.09	\$441.69
	35 - 37 1/2" (889 - 953mm)	\$452.75	\$456.49



*contact customer service for lengths over standard

Additional Ordering Information

VK153/157/161

Available Temp. Ratings / Suffix

- 155°F (68°C) = B
- 175°F (79°C) = D
- 200°F (93°C) = E
- 286°F (93°C) = G *
- * N/A with VK161


Standard Wrench
VK153 and VK157

07297W/B \$116.56

LIST PRICES and Available Finishes

Item Price Group: V187

VK157 - Standard Adj.	Length (L) - A Dimension	Polished Chrome (F_)	White (M_/W)
base p/n - 09123U(f)(t)(l)	3 - 6" (76 - 152mm)	\$279.73	\$279.74
	6 1/2" - 9" (165 - 229mm)	\$294.52	P.O.A
	9 1/2" - 12" (241 - 305mm)	\$301.86	\$301.84
	12 1/2" - 15" (318 - 381mm)	\$334.95	\$334.94
	15 1/2" - 18" (394 - 457mm)	\$349.73	\$349.73
	18 1/2" - 21" (470 - 533mm)	\$368.11	\$374.26
	21 1/2" - 24" (546 - 610mm)	\$412.28	\$412.28
	24 1/2" - 27" (622 - 686mm)	\$433.83	\$433.83
	27 1/2" - 30" (699 - 762mm)	\$445.41	\$445.40
	30 1/2" - 33" (775 - 838mm)	\$452.75	\$452.76
	33 1/2" - 36" (851 - 914mm)	\$478.55	\$478.55



*contact customer service for lengths over standard

Recessed Wrench for VK161 Model

07565W/B \$149.61

Dry Spk Replacement Escutcheons

- Std. Adj. - Chrome
07741F \$7.90
- Rec. Adj. - Chrome
05459AF \$5.74
- Rec. Adj. - White
05459AM/W \$5.74


Dry Sprinkler Boot

22087M/W \$48.77

LIST PRICES and Available Finishes

Item Price Group: V187

VK161 - Recessed Adj.	Length (L) - A Dimension	Polished Chrome (F_)	White (M_/W)
base p/n - 09124U(f)(t)(l)	3 1/4" - 6" (83 - 152mm)	\$287.14	\$294.52
	6 1/4" - 9" (159 - 229mm)	\$298.16	\$305.53
	9 1/4" - 12" (235 - 305mm)	\$305.53	\$312.91
	12 1/4" - 15" (311 - 381mm)	\$338.69	\$346.04
	15 1/4" - 18" (387 - 457mm)	\$353.38	\$360.53
	18 1/4" - 21" (464 - 533mm)	\$379.15	\$386.47
	21 1/4" - 24" (540 - 610mm)	\$415.96	\$423.31
	24 1/4" - 27" (616 - 686mm)	\$434.38	\$441.45
	27 1/4" - 30" (692 - 762mm)	\$448.86	\$456.18
	30 1/4" - 33" (768 - 838mm)	\$474.88	\$481.93
	33 1/4" - 36" (845 - 914mm)	\$493.24	\$500.33



IMPORTANT NOTE:
Viking's Dry Vertical Sidewall Sprinklers are NOT Listed or Approved.

Standard Response

5.6 (81) K Factor (1/2" orifice)

STAINLESS STEEL

Standard Coverage

Pendent / 1" NPT

Glass Bulb

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: VK169, stainless, 155°F, 10" long

Part Number: 10360UB10

VK168 (Stainless Steel)

Plain Barrel

Base P/N: 09798U



order in 1/2" increments

VK169 (Stainless Steel)

Recessed Adjustable


Base P/N: 10360U



order in 1/4" increments

Item Price Group: V187


VK168 - Plain Barrel	Length (L) - A Dimension	LIST PRICES
		Stainless Steel
base p/n - 09798U(t)(l)	3 - 6" (76 - 152mm)	\$661.16
	6½ - 9" (165 - 229mm)	\$667.91
	9½ - 12" (241 - 305mm)	\$674.58
	12½ - 15" (318 - 381mm)	\$701.38
	15½ - 18" (394 - 457mm)	\$714.83
	18½ - 21" (470 - 533mm)	\$731.56
	21½ - 24" (546 - 610mm)	\$758.42
	24½ - 27" (622 - 686mm)	\$778.52
	27½ - 30" (699 - 762mm)	\$795.30
	30½ - 33" (775 - 838mm)	\$815.40
	33½ - 36" (851 - 914mm)	\$828.83



*contact customer service for lengths over standard

Item Price Group: V187

VK169 - Recessed Adj.	Length (L) - A Dimension	LIST PRICES
		Stainless Steel
base p/n - 10360U(t)(l)	3¼ - 6" (83 - 152mm)	\$711.47
	6¼ - 9" (159 - 229mm)	\$718.17
	9¼ - 12" (235 - 305mm)	\$724.93
	12¼ - 15" (311 - 381mm)	\$751.66
	15¼ - 18" (387 - 457mm)	\$765.09
	18¼ - 21" (464 - 533mm)	\$781.86
	21¼ - 24" (540 - 610mm)	\$808.68
	24¼ - 27" (616 - 686mm)	\$828.83
	27¼ - 30" (692 - 762mm)	\$845.62
	30¼ - 33" (768 - 838mm)	\$865.69
	33¼ - 36" (845 - 914mm)	\$882.47



*contact customer service for lengths over standard

Additional Ordering Information
VK168 / VK169

Available Temp.

Ratings / Suffix

155°F (68°C) = B

175°F (79°C) = D

200°F (93°C) = E

286°F (93°C) = G

Standard Wrench

VK168

07297W/B \$116.56

Recessed Wrench

for VK169 model

07565W/B \$149.61

Sprinkler Guard

for Upright/Pendent

08954 \$31.78

Dry Spk Replacement

Escutcheons

Rec. Adj. - Chrome

05459AF \$5.74

Rec. Adj. - White

05459AM/W \$5.74

Dry Sprinkler Boot

22087M/W \$48.77

IMPORTANT NOTE:

Stainless Steel Dry Sprinklers NOT Listed or Approved.

Standard Response
5.6 (81) / 8.0 (115) K Factor
Standard Coverage
Pendent / 1" NPT
Glass Bulb

VK190 - 5.6 K Factor
DOMED CONCEALED
Base P/N: 12421UA



order in 1/4" increments

VK192 - 8.0 K Factor
DOMED CONCEALED
Base P/N: 12424UA




order in 1/4" increments

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)
Ex: VK190, 155 °F, 10" long
Part Number: 12421UAB10

Item Price Group: V187

VK190 - 5.6 K Factor base p/n - 12421U(f)(t)(l)	Length (L) - A Dimension	LIST PRICES
		Standard Brass (A_)
	4 - 6" (101 - 152mm)	\$276.36
	6 1/4 - 9" (159 - 229mm)	\$288.89
	9 1/4 - 12" (235 - 305mm)	\$303.95
	12 1/4 - 15" (311 - 381mm)	\$329.12
	15 1/4 - 18" (387 - 457mm)	\$351.72
	18 1/4 - 21" (464 - 533mm)	\$369.31
	21 1/4 - 24" (540 - 610mm)	\$404.50
	24 1/4 - 27" (616 - 686mm)	\$427.11
	27 1/4 - 30" (692 - 762mm)	\$454.75
	30 1/4 - 33" (768 - 838mm)	\$467.31
	33 1/4 - 36" (845 - 914mm)	\$502.48




*contact customer service for lengths over standard

Additional Ordering Information
VK190 / VK192
Available Temp. Ratings / Suffix
155°F (68°C) = B
175°F (79°C) = D
200°F (93°C) = E
Wrench - Domed Concealed
07565W/B \$149.61
Dry Sprinkler Boot
22087M/W \$48.77

Item Price Group: V187

VK192 - 8.0 K Factor base p/n - 12424U(f)(t)(l)	Length (L) - A Dimension	LIST PRICES
		Standard Brass (A_)
	4 - 6" (101 - 152mm)	\$303.95
	6 1/4 - 9" (159 - 229mm)	\$314.04
	9 1/4 - 12" (235 - 305mm)	\$329.12
	12 1/4 - 15" (311 - 381mm)	\$351.73
	15 1/4 - 18" (387 - 457mm)	\$369.31
	18 1/4 - 21" (464 - 533mm)	\$394.44
	21 1/4 - 24" (540 - 610mm)	\$419.58
	24 1/4 - 27" (616 - 686mm)	\$454.70
	27 1/4 - 30" (692 - 762mm)	\$472.32
	30 1/4 - 33" (768 - 838mm)	\$489.91
	33 1/4 - 36" (845 - 914mm)	\$522.56



*contact customer service for lengths over standard

Domed Cover Plates (sold separately)				
Finish	Temp	Part #	IPG	List Price
Chrome	135°F	12381FA	V214	\$44.03
Chrome	165°F	12381FC	V214	\$44.03
Painted White	135°F	12381MA/W	V214	\$44.03
Painted White	165°F	12381MC/W	V214	\$44.03
Painted Ivory	135°F	12381MA/I	V214	\$55.94
Painted Ivory	165°F	12381MC/I	V214	\$55.94
Painted Black	135°F	12381MA/B	V214	\$55.94
Painted Black	165°F	12381MC/B	V214	\$55.94

NOTE: Use 135°F/57°C cover plate with 155°F/68°C rated dry sprinklers. Use 165°F/74°C domed cover plate with 175°F/79°C and 200°F/93°C rated dry sprinklers.

Quick Response

5.6 (81) K Factor (1/2" orifice)

Standard Coverage

Pendent / 1" NPT

Glass Bulb

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: VK176, white, 286 °F, 20" long

Part Number: 08383UMG/W20

VK172
Plain Barrel
Base P/N: 08387U



order in 1/2" increments

VK176
Standard Adjustable
Base P/N: 08383U



order in 1/2" increments


VK180
Recessed Adjustable
Base P/N: 08385U



order in 1/4" increments

Item Price Group: V187

VK172 - Plain Barrel
base p/n - 08387U(f)(t)(l)




		LIST PRICES and Available Finishes		
		Standard Brass (A_)	Polished Chrome (F_)	ENT (JN)
		IPG V188		
Length (L) - A Dimension				
3 - 6" (76 - 152mm)		\$241.96	\$245.39	\$332.46
6½ - 9" (165 - 229mm)		\$255.42	\$258.82	P.O.A
9½ - 12" (241 - 305mm)		\$262.13	\$265.51	\$352.59
12½ - 15" (318 - 381mm)		\$285.71	\$289.02	\$376.11
15½ - 18" (394 - 457mm)		\$302.49	\$305.84	\$392.90
18½ - 21" (470 - 533mm)		\$319.30	\$322.64	P.O.A
21½ - 24" (546 - 610mm)		\$349.54	\$352.85	P.O.A
24½ - 27" (622 - 686mm)		\$366.36	\$369.71	\$456.77
27½ - 30" (699 - 762mm)		\$386.48	\$389.86	\$476.91
30½ - 33" (775 - 838mm)		\$399.97	\$403.28	\$490.37
33½ - 36" (851 - 914mm)		\$420.14	\$423.44	P.O.A

*contact customer service for lengths over standard

Item Price Group: V187

VK176 - Standard Adj.
base p/n - 08383U(f)(t)(l)




		LIST PRICES and Available Finishes		
		Polished Chrome (F_)	White (M_/W)	ENT (JN)
		IPG V188		
Length (L) - A Dimension				
1½ - 6" (38 - 152mm)		\$268.89	\$268.89	\$355.97
6½ - 9" (165 - 229mm)		\$275.61	\$275.60	\$362.69
9½ - 12" (241 - 305mm)		\$282.36	\$282.36	\$369.45
12½ - 15" (318 - 381mm)		\$309.22	\$309.22	\$396.31
15½ - 18" (394 - 457mm)		\$315.96	\$315.96	\$403.02
18½ - 21" (470 - 533mm)		\$346.15	\$346.15	\$433.23
21½ - 24" (546 - 610mm)		\$359.59	\$359.59	\$446.68
24½ - 27" (622 - 686mm)		\$383.17	\$383.17	\$470.26
27½ - 30" (699 - 762mm)		\$399.97	\$399.99	\$487.07
30½ - 33" (775 - 838mm)		\$410.02	\$410.02	\$497.12
33½ - 36" (851 - 914mm)		\$436.91	\$436.90	\$524.00

*contact customer service for lengths over standard

Item Price Group: V187

VK180 - Recessed Adj.
base p/n - 08385U(f)(t)(l)



		LIST PRICES and Available Finishes		
		Polished Chrome (F_)	White (M_/W)	ENT (JN)
		IPG V188		
Length (L) - A Dimension				
3¼ - 6" (83 - 152mm)		\$268.89	\$275.61	\$362.70
6¼ - 9" (159 - 229mm)		\$275.61	\$282.36	\$369.45
9¼ - 12" (235 - 305mm)		\$282.36	\$289.02	\$376.10
12¼ - 15" (311 - 381mm)		\$309.22	\$315.96	\$403.02
15¼ - 18" (387 - 457mm)		\$322.64	\$329.38	\$416.47
18¼ - 21" (464 - 533mm)		\$346.15	\$352.85	\$439.93
21¼ - 24" (540 - 610mm)		\$369.71	\$376.42	\$463.51
24¼ - 27" (616 - 686mm)		\$389.86	\$396.59	\$483.67
27¼ - 30" (692 - 762mm)		\$399.97	\$406.63	\$493.73
30¼ - 33" (768 - 838mm)		\$420.14	\$426.78	\$513.88
33¼ - 36" (845 - 914mm)		\$447.01	\$453.74	\$540.80

Additional Ordering Information
VK172/176/180

Available Temp. Ratings / Suffix

- 155°F (68°C) = B
- 175°F (79°C) = D
- 200°F (93°C) = E
- 286°F (93°C) = G *
- * N/A with VK180

Standard Wrench
VK172 and VK176

07297W/B \$116.56

Recessed wrench for VK180 model

07565W/B \$149.61

Sprinkler Guard for Upright/Pendent

08954 \$31.78

Dry Spk Replacement Escutcheons

Std. Adj. - Chrome
07741F \$7.90

Std. Adj. - White
07741M/W \$7.90

Rec. Adj. - Chrome
05459AF \$5.74

Rec. Adj. - White
05459AM/W \$5.74

Dry Sprinkler Boot

22087M/W \$48.77

Quick Response

5.6 (81) K Factor (1/2" orifice)

Standard Coverage

Horizontal Sidewall / 1" NPT

Glass Bulb

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: **VK174, brass, 155 °F, 11 1/2" long**

Part Number: 08388UAB115

VK174
Plain Barrel
Base P/N: 08388U



order in 1/2" increments

VK178
Standard Adjustable
Base P/N: 08384U



order in 1/2" increments

VK182
Recessed Adjustable
Base P/N: 08386U




order in 1/4" increments

LIST PRICES and Available Finishes

Item Price Group: V187 (ENT Finish: IPG V188)

VK174 - Plain Barrel	Length (L) - A Dimension	LIST PRICES and Available Finishes		
		Standard Brass (A_)	Polished Chrome (F_)	ENT (JN) IPG V188
base p/n - 08388U(f)(t)(l)	3 - 6" (76 - 152mm)	\$268.89	\$272.21	P.O.A
	6 1/2 - 9" (165 - 229mm)	\$272.21	\$275.61	P.O.A
	9 1/2 - 12" (241 - 305mm)	\$278.92	\$282.36	\$369.42
	12 1/2 - 15" (318 - 381mm)	\$309.22	\$312.59	\$399.64
	15 1/2 - 18" (394 - 457mm)	\$319.30	\$322.64	P.O.A
	18 1/2 - 21" (470 - 533mm)	\$339.46	\$342.81	P.O.A
	21 1/2 - 24" (546 - 610mm)	\$376.42	\$379.81	P.O.A
	24 1/2 - 27" (622 - 686mm)	\$393.25	\$396.58	P.O.A
	27 1/2 - 30" (699 - 762mm)	\$406.63	\$410.02	P.O.A
	30 1/2 - 33" (775 - 838mm)	\$420.14	\$423.44	P.O.A
	33 1/2 - 36" (851 - 914mm)	\$436.91	\$440.29	P.O.A




*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Item Price Group: V187 (ENT Finish: IPG V188)

VK178 - Standard Adj.	Length (L) - A Dimension	LIST PRICES and Available Finishes		
		Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
base p/n - 08384U(f)(t)(l)	1 1/2 - 6" (38 - 152mm)	\$275.61	\$275.60	\$362.70
	6 1/2 - 9" (165 - 229mm)	\$282.36	\$282.36	\$369.43
	9 1/2 - 12" (241 - 305mm)	\$292.42	\$292.42	\$379.50
	12 1/2 - 15" (318 - 381mm)	\$322.64	\$322.64	\$409.73
	15 1/2 - 18" (394 - 457mm)	\$336.09	\$336.09	\$423.17
	18 1/2 - 21" (470 - 533mm)	\$356.26	\$356.26	\$443.35
	21 1/2 - 24" (546 - 610mm)	\$393.25	\$393.25	\$480.33
	24 1/2 - 27" (622 - 686mm)	\$406.63	\$406.63	\$481.71
	27 1/2 - 30" (699 - 762mm)	\$426.78	\$426.79	\$513.88
	30 1/2 - 33" (775 - 838mm)	\$436.91	\$436.91	\$524.00
	33 1/2 - 36" (851 - 914mm)	\$453.74	\$453.74	\$540.79




*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Item Price Group: V187 (ENT Finish: IPG V188)

VK182 - Recessed Adj.	Length (L) - A Dimension	LIST PRICES and Available Finishes		
		Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
base p/n - 08386U(f)(t)(l)	3 1/4 - 6" (83 - 152mm)	\$282.36	\$289.02	\$376.10
	6 1/4 - 9" (159 - 229mm)	\$292.42	\$299.14	\$376.10
	9 1/4 - 12" (235 - 305mm)	\$299.14	\$305.84	\$392.91
	12 1/4 - 15" (311 - 381mm)	\$326.04	\$332.71	\$419.78
	15 1/4 - 18" (387 - 457mm)	\$346.15	\$352.85	\$439.93
	18 1/4 - 21" (464 - 533mm)	\$359.59	\$366.36	\$453.42
	21 1/4 - 24" (540 - 610mm)	\$396.59	\$403.28	\$490.39
	24 1/4 - 27" (616 - 686mm)	\$413.33	\$420.14	\$507.22
	27 1/4 - 30" (692 - 762mm)	\$433.58	\$440.29	\$527.34
	30 1/4 - 33" (768 - 838mm)	\$450.40	\$457.09	P.O.A
	33 1/4 - 36" (845 - 914mm)	\$463.80	\$470.56	\$557.62



Additional Ordering Information

VK174/178/182

Available Temp. Ratings / Suffix

- 155°F (68°C) = B
- 175°F (79°C) = D
- 200°F (93°C) = E
- 286°F (93°C) = G

VK178 also available in white finish with chrome escutcheon at same price as white finish. Use suffix MF_/W

Standard Wrench

VK174 and VK178 07297W/B \$116.56

Recessed Wrench for VK182 Model

07565W/B \$149.61

Dry Spk Replacement Escutcheons

Std. Adj. - Chrome 08086F \$7.90

Std. Adj. - White 08086M/W \$7.90

Rec. Adj. - Chrome 05459AF \$5.74

Rec. Adj. - White 05459AM/W \$5.74

Dry Sprinkler Boot

22087M/W \$48.77

Quick Response

8.0 (115) K Factor (17/32" orifice)

Standard Coverage

Pendent / 1" NPT

Glass Bulb

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: **VK177, chrome, 175 °F, 8" length**

Part Number: **13249UFD08**

VK173
Plain Barrel
Base P/N: **13248U**



order in 1/2" increments

VK177
Standard Adjustable
Base P/N: **13249U**



order in 1/2" increments

VK181
Recessed Adjustable
Base P/N: **13250U**




order in 1/4" increments

LIST PRICES and Available Finishes

Item Price Group: V187 (ENT Finish: IPG V188)

VK173 - Plain Barrel Length (L) - A Dimension
base p/n - 13248U(f)(t)(l)




Length (L) - A Dimension	LIST PRICES and Available Finishes		
	Standard Brass (A_)	Polished Chrome (F_)	ENT (JN) IPG V188
3 - 6" (76 - 152mm)	\$273.65	\$284.04	P.O.A
6½ - 9" (165 - 229mm)	\$296.50	\$298.34	P.O.A
9½ - 12" (241 - 305mm)	\$295.76	\$298.37	\$385.44
12½ - 15" (318 - 381mm)	\$334.53	\$337.18	P.O.A
15½ - 18" (394 - 457mm)	\$353.77	\$350.14	P.O.A
18½ - 21" (470 - 533mm)	\$372.58	\$364.89	P.O.A
21½ - 24" (546 - 610mm)	\$410.56	\$401.86	P.O.A
24½ - 27" (622 - 686mm)	P.O.A	P.O.A	P.O.A
27½ - 30" (699 - 762mm)	P.O.A	P.O.A	P.O.A
30½ - 33" (775 - 838mm)	P.O.A	P.O.A	P.O.A
33½ - 36" (851 - 914mm)	P.O.A	\$490.40	P.O.A

*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Item Price Group: V187 (ENT Finish: IPG V188)

VK177 - Standard Adj. Length (L) - A Dimension
base p/n - 13249U(f)(t)(l)




Length (L) - A Dimension	LIST PRICES and Available Finishes		
	Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
1½ - 6" (38 - 152mm)	\$288.35	\$288.35	\$352.69
6½ - 9" (165 - 229mm)	\$295.76	\$295.76	P.O.A
9½ - 12" (241 - 305mm)	\$303.18	\$303.18	\$390.26
12½ - 15" (318 - 381mm)	\$329.07	\$329.07	\$427.22
15½ - 18" (394 - 457mm)	\$340.15	\$340.15	\$427.22
18½ - 21" (470 - 533mm)	\$376.34	\$376.33	P.O.A
21½ - 24" (546 - 610mm)	\$388.14	\$388.17	\$475.21
24½ - 27" (622 - 686mm)	\$414.10	\$432.54	P.O.A
27½ - 30" (699 - 762mm)	\$432.53	\$444.81	\$531.90
30½ - 33" (775 - 838mm)	\$456.17	\$456.17	\$456.17
33½ - 36" (851 - 914mm)	\$482.80	\$482.80	P.O.A

*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Item Price Group: V187 (ENT Finish: IPG V188)

VK181 - Recessed Adj. Length (L) - A Dimension
base p/n - 13250U(f)(t)(l)



Length (L) - A Dimension	LIST PRICES and Available Finishes		
	Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
3¼ - 6" (83 - 152mm)	\$288.35	\$295.76	P.O.A
6¼ - 9" (159 - 229mm)	\$295.76	\$303.18	\$390.26
9¼ - 12" (235 - 305mm)	\$303.18	\$310.56	\$397.62
12¼ - 15" (311 - 381mm)	\$329.07	\$336.40	P.O.A
15¼ - 18" (387 - 457mm)	\$347.52	\$354.93	\$442.01
18¼ - 21" (464 - 533mm)	\$369.69	\$377.09	P.O.A
21¼ - 24" (540 - 610mm)	\$391.90	\$399.27	P.O.A
24¼ - 27" (616 - 686mm)	\$421.47	\$428.86	P.O.A
27¼ - 30" (692 - 762mm)	\$436.27	\$444.78	P.O.A
30¼ - 33" (768 - 838mm)	\$451.03	\$459.61	P.O.A
33¼ - 36" (845 - 914mm)	\$480.61	\$489.26	P.O.A

Additional Ordering Information

VK173/177/181

Available Temp. Ratings / Suffix

- 155°F (68°C) = B
- 175°F (79°C) = D
- 200°F (93°C) = E
- 286°F (93°C) = G *
- * N/A with VK181

Standard Wrench
VK173 and VK177

07297W/B \$116.56

Recessed Wrench
for VK181 Model

07565W/B \$149.61

Sprinkler Guard
for Upright/Pendent

08954 \$31.78

Dry Spk Replacement
Escutcheons

Std. Adj. - Chrome
07741F \$7.90

Std. Adj. - White
07741M/W \$7.90

Rec. Adj. - Chrome
05459AF \$5.74

Rec. Adj. - White
05459AM/W \$5.74

Dry Sprinkler Boot




22087M/W \$48.77

Quick Response

8.0 (115) K Factor (17/32" orifice)
Standard Coverage
Horizontal Sidewall / 1" NPT
Glass Bulb


To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: **VK2793, white, 175 °F, 3" length**
Part Number: 21483UMD/W03

VK2753 <i>Plain Barrel</i> Base P/N: <u>21495U</u>	VK2773 <i>Standard Adjustable</i> Base P/N: <u>21489U</u>	VK2793 <i>Recessed Adjustable</i> Base P/N: <u>21483U</u>
		
NEW! Now cULus Listed with 12" deflector distance down from ceiling		
order in ½" increments	order in ½" increments	order in ¼" increments

Item Price Group: V187 (ENT Finish: IPG V188)

VK2753 - Plain Barrel
base p/n - 21495U(f)(t)(l)




Length (L) - A Dimension	LIST PRICES and Available Finishes		
	Standard Brass (A_)	Polished Chrome (F_)	ENT (JN) IPG V188
3 - 6" (76 - 152mm)	\$323.35	\$326.42	P.O.A
6½ - 9" (165 - 229mm)	P.O.A	P.O.A	P.O.A
9½ - 12" (241 - 305mm)	\$349.50	\$352.57	P.O.A
12½ - 15" (318 - 381mm)	P.O.A	P.O.A	P.O.A
15½ - 18" (394 - 457mm)	\$410.72	P.O.A	P.O.A
18½ - 21" (470 - 533mm)	P.O.A	P.O.A	P.O.A
21½ - 24" (546 - 610mm)	P.O.A	P.O.A	P.O.A
24½ - 27" (622 - 686mm)	P.O.A	P.O.A	P.O.A
27½ - 30" (699 - 762mm)	P.O.A	P.O.A	P.O.A
30½ - 33" (775 - 838mm)	P.O.A	P.O.A	P.O.A
33½ - 36" (851 - 914mm)	P.O.A	P.O.A	P.O.A

*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

VK2773 - Standard Adj.
base p/n - 21489U(f)(t)(l)




Length (L) - A Dimension	LIST PRICES and Available Finishes		
	Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
1½ - 6" (38 - 152mm)	\$340.75	\$340.76	P.O.A
6½ - 9" (165 - 229mm)	\$349.50	P.O.A	P.O.A
9½ - 12" (241 - 305mm)	\$358.32	\$358.30	P.O.A
12½ - 15" (318 - 381mm)	\$388.88	P.O.A	P.O.A
15½ - 18" (394 - 457mm)	\$401.99	\$401.99	P.O.A
18½ - 21" (470 - 533mm)	\$432.50	P.O.A	\$519.59
21½ - 24" (546 - 610mm)	\$458.73	P.O.A	P.O.A
24½ - 27" (622 - 686mm)	P.O.A	P.O.A	P.O.A
27½ - 30" (699 - 762mm)	\$511.20	P.O.A	P.O.A
30½ - 33" (775 - 838mm)	P.O.A	P.O.A	P.O.A
33½ - 36" (851 - 914mm)	P.O.A	\$554.88	P.O.A

*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

VK2793 - Recessed Adj.
base p/n - 21483U(f)(t)(l)



Length (L) - A Dimension	LIST PRICES and Available Finishes		
	Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
3¼ - 6" (83 - 152mm)	\$340.75	P.O.A	P.O.A
6¼ - 9" (159 - 229mm)	P.O.A	P.O.A	P.O.A
9¼ - 12" (235 - 305mm)	\$358.32	P.O.A	P.O.A
12¼ - 15" (311 - 381mm)	P.O.A	P.O.A	P.O.A
15¼ - 18" (387 - 457mm)	\$410.73	\$419.43	P.O.A
18¼ - 21" (464 - 533mm)	P.O.A	P.O.A	P.O.A
21¼ - 24" (540 - 610mm)	\$463.14	P.O.A	P.O.A
24¼ - 27" (616 - 686mm)	\$498.15	P.O.A	P.O.A
27¼ - 30" (692 - 762mm)	P.O.A	P.O.A	P.O.A
30¼ - 33" (768 - 838mm)	\$537.40	P.O.A	P.O.A
33¼ - 36" (845 - 914mm)	P.O.A	P.O.A	P.O.A

Additional Ordering Information
VK2753/2773/2793

Available Temp. Ratings / Suffix

155°F (68°C) = B
175°F (79°C) = D
200°F (93°C) = E
286°F (93°C) = G *
* N/A with VK2793

VK2773 also available in white finish with chrome escutcheon at same price as white finish. Use suffix MF_/W

Standard Wrench
VK2753 and VK2773
07297W/B \$116.56

Recessed Wrench for VK2793 Model
07565W/B \$149.61

Dry Spk Replacement Escutcheons

Std. Adj. - Chrome
08086F \$7.90
Std. Adj. - White
08086M/W \$7.90
Rec. Adj. - Chrome
05459AF \$5.74
Rec. Adj. - White
05459AM/W \$5.74

Dry Sprinkler Boot
22087M/W \$48.77

Electroless Nickel PTFE (ENT) coating is for corrosion resistance.

Quick Response

8.0 (115) K Factor (17/32" orifice)

Standard Coverage

Pendent / 1" NPT

Fusible Link


To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: VK290, chrome, 205 °F, 15 3/4" long
Part Number: 13256UFE1575

VK282 Plain Barrel Base P/N: 13254U	VK286 Standard Adjustable Base P/N: 13255U	VK290 Recessed Adjustable Base P/N: 13256U
order in 1/2" increments	order in 1/2" increments	order in 1/4" increments

Item Price Group: V187

VK282- Plain Barrel	Length (L) - A Dimension
base p/n - 13254U(f)(t)(l)	3 - 6" (76 - 152mm)
	6 1/2 - 9" (165 - 229mm)
	9 1/2 - 12" (241 - 305mm)
	12 1/2 - 15" (318 - 381mm)
	15 1/2 - 18" (394 - 457mm)
	18 1/2 - 21" (470 - 533mm)
	21 1/2 - 24" (546 - 610mm)
	24 1/2 - 27" (622 - 686mm)
	27 1/2 - 30" (699 - 762mm)
	30 1/2 - 33" (775 - 838mm)
	33 1/2 - 36" (851 - 914mm)



*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Standard Brass (A_)	Polished Chrome (F_)
\$323.35	P.O.A
\$340.75	\$343.81
\$340.75	\$352.58
\$384.49	\$387.54
\$410.73	\$413.76
\$428.19	\$431.24
\$471.83	\$474.89
\$498.13	P.O.A
\$519.99	P.O.A
\$537.37	\$540.44
\$563.63	\$566.68

Additional Ordering Information
VK282/286/290

Available Temp. Ratings / Suffix

165°F (74°C) = C
205°F (96°C) = E
280°F (138°C) = G *
* N/A with VK290

Standard Wrench
VK282 and VK286

07297W/B \$116.56

Recessed Wrench for VK290 Model

07565W/B \$149.61

Sprinkler Guard for Upright/Pendent
08954 \$31.78

Dry Spk Replacement Escutcheons

Std. Adj. - Chrome
07741F \$7.90

Std. Adj. - White
07741M/W \$7.90


Rec. Adj. - Chrome
05459AF \$5.74

Rec. Adj. - White
05459AM/W \$5.74

Dry Sprinkler Boot
22087M/W \$48.77

Item Price Group: V187

VK286 - Standard Adj.	Length (L) - A Dimension
base p/n - 13255U(f)(t)(l)	1 1/2 - 6" (38 - 152mm)
	6 1/2 - 9" (165 - 229mm)
	9 1/2 - 12" (241 - 305mm)
	12 1/2 - 15" (318 - 381mm)
	15 1/2 - 18" (394 - 457mm)
	18 1/2 - 21" (470 - 533mm)
	21 1/2 - 24" (546 - 610mm)
	24 1/2 - 27" (622 - 686mm)
	27 1/2 - 30" (699 - 762mm)
	30 1/2 - 33" (775 - 838mm)
	33 1/2 - 36" (851 - 914mm)




*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Polished Chrome (F_)	White (M_/W)
\$340.75	\$340.75
\$349.51	\$349.51
\$358.32	\$358.30
\$388.88	\$388.88
\$401.99	\$401.99
\$432.51	\$432.51
\$458.73	\$458.73
\$489.37	\$489.38
\$511.20	\$511.23
\$524.29	\$524.28
\$554.86	\$554.86

Item Price Group: V187

VK290 - Recessed Adj.	Length (L) - A Dimension
base p/n - 13256U(f)(t)(l)	3 1/4 - 6" (83 - 152mm)
	6 1/4 - 9" (159 - 229mm)
	9 1/4 - 12" (235 - 305mm)
	12 1/4 - 15" (311 - 381mm)
	15 1/4 - 18" (387 - 457mm)
	18 1/4 - 21" (464 - 533mm)
	21 1/4 - 24" (540 - 610mm)
	24 1/4 - 27" (616 - 686mm)
	27 1/4 - 30" (692 - 762mm)
	30 1/4 - 33" (768 - 838mm)
	33 1/4 - 36" (845 - 914mm)



LIST PRICES and Available Finishes

Polished Chrome (F_)	White (M_/W)
\$340.75	\$349.52
\$349.51	\$358.30
\$358.32	\$367.03
\$388.88	\$397.57
\$410.73	\$419.43
\$436.89	\$445.68
\$463.14	\$471.83
\$498.13	\$506.82
\$515.61	\$524.29
\$533.03	P.O.A
\$568.00	\$576.72

Quick Response

8.0 (115) K Factor (17/32" orifice)
Standard Coverage
Horizontal Sidewall / 1" NPT
Fusible Link

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: **VK2843, brass, 165 °F, 33 ½" long**
Part Number: 21497UAC335

VK2843 Plain Barrel Base P/N: <u>21497U</u>	VK2883 Standard Adjustable Base P/N: <u>21491U</u>	VK2923 Recessed Adjustable Base P/N: <u>21485U</u>
NEW! Now cULus Listed with 12" deflector distance down from ceiling		
order in ½" increments	order in ½" increments	order in ¼" increments

Item Price Group: V187

VK2843 - Plain Barrel	Length (L) - A Dimension	Standard Brass (A_)	Polished Chrome (F_)
base p/n - 21497U(f)(t)(l) 	3 - 6" (76 - 152mm)	\$323.37	P.O.A
	6½ - 9" (165 - 229mm)	P.O.A	P.O.A
	9½ - 12" (241 - 305mm)	\$349.53	P.O.A
	12½ - 15" (318 - 381mm)	P.O.A	P.O.A
	15½ - 18" (394 - 457mm)	\$410.73	\$413.77
	18½ - 21" (470 - 533mm)	P.O.A	P.O.A
	21½ - 24" (546 - 610mm)	P.O.A	P.O.A
	24½ - 27" (622 - 686mm)	P.O.A	P.O.A
	27½ - 30" (699 - 762mm)	P.O.A	P.O.A
	30½ - 33" (775 - 838mm)	P.O.A	P.O.A
	33½ - 36" (851 - 914mm)	P.O.A	P.O.A

*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Additional Ordering Information
VK2843/2883/2923

Available Temp. Ratings / Suffix

165°F (74°C) = C
205°F (96°C) = E
280°F (138°C) = G *
* N/A with VK292

VK2883 also available in white finish with chrome escutcheon at same price as white finish. Use suffix MF_/W

Item Price Group: V187

VK2883 - Standard Adj.	Length (L) - A Dimension	Polished Chrome (F_)	White (M_/W)
base p/n - 21491U(f)(t)(l) 	1½ - 6" (38 - 152mm)	P.O.A	P.O.A
	6½ - 9" (165 - 229mm)	\$349.50	P.O.A
	9½ - 12" (241 - 305mm)	\$358.32	\$358.31
	12½ - 15" (318 - 381mm)	\$388.88	P.O.A
	15½ - 18" (394 - 457mm)	\$401.99	\$401.98
	18½ - 21" (470 - 533mm)	P.O.A	P.O.A
	21½ - 24" (546 - 610mm)	\$458.73	\$458.73
	24½ - 27" (622 - 686mm)	P.O.A	P.O.A
	27½ - 30" (699 - 762mm)	P.O.A	P.O.A
	30½ - 33" (775 - 838mm)	P.O.A	P.O.A
	33½ - 36" (851 - 914mm)	P.O.A	P.O.A

*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Standard Wrench
VK2843 and VK2883
07297W/B \$116.56

Recessed Wrench for VK2923 Model
07565W/B \$149.61

Dry Spk Replacement Escutcheons
Std. Adj. - Chrome
08086F \$7.90

Item Price Group: V187

VK2923 - Recessed Adj.	Length (L) - A Dimension	Polished Chrome (F_)	White (M_/W)
base p/n - 21485U(f)(t)(l) 	3¼ - 6" (83 - 152mm)	P.O.A	P.O.A
	6¼ - 9" (159 - 229mm)	P.O.A	P.O.A
	9¼ - 12" (235 - 305mm)	\$358.32	P.O.A
	12¼ - 15" (311 - 381mm)	\$388.88	P.O.A
	15¼ - 18" (387 - 457mm)	P.O.A	P.O.A
	18¼ - 21" (464 - 533mm)	P.O.A	P.O.A
	21¼ - 24" (540 - 610mm)	P.O.A	P.O.A
	24¼ - 27" (616 - 686mm)	P.O.A	P.O.A
	27¼ - 30" (692 - 762mm)	P.O.A	P.O.A
	30¼ - 33" (768 - 838mm)	P.O.A	P.O.A
	33¼ - 36" (845 - 914mm)	P.O.A	P.O.A

LIST PRICES and Available Finishes

Std. Adj. - White
08086M/W \$7.90
Rec. Adj. - Chrome
05459AF \$5.74
Rec. Adj. - White
05459AM/W \$5.74

Dry Sprinkler Boot
22087M/W \$48.77

Quick/Standard Response

5.6 (81) K Factor (1/2" orifice)

EXTENDED COVERAGE

Pendent / Sidewall (1" NPT)

Glass Bulb

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: **VK186, white, 155 °F, 6" length**
Part Number: **10541UMB/W06**

VK186 - Pendent
Recessed Adjustable
Base P/N: **10541U**



order in 1/4" increments


VK188 - Horiz. Sidewall
Recessed Adjustable
Base P/N: **10542U**



order in 1/4" increments

Item Price Group: V187 (ENT Finish: IPG V188)

VK186 - Recessed Adj. Length (L) - A Dimension
base p/n - 10541U(f)(t)(l)




		LIST PRICES and Available Finishes		
		Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
3 1/4" - 6" (83 - 152mm)		\$278.92	\$285.71	\$372.80
6 1/4" - 9" (159 - 229mm)		\$285.71	\$292.42	\$379.50
9 1/4" - 12" (235 - 305mm)		\$295.76	\$302.49	\$389.57
12 1/4" - 15" (311 - 381mm)		\$319.30	\$326.04	\$413.12
15 1/4" - 18" (387 - 457mm)		\$336.09	\$342.81	\$429.90
18 1/4" - 21" (464 - 533mm)		\$356.26	\$362.95	\$450.04
21 1/4" - 24" (540 - 610mm)		\$383.17	\$389.86	\$476.94
24 1/4" - 27" (616 - 686mm)		\$399.97	\$406.63	\$493.73
27 1/4" - 30" (692 - 762mm)		\$410.02	\$416.74	\$503.83
30 1/4" - 33" (768 - 838mm)		\$433.59	\$440.29	P.O.A
33 1/4" - 36" (845 - 914mm)		\$457.09	\$463.83	P.O.A

*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

VK188 - Recessed Adj. Length (L) - A Dimension
base p/n - 10542U(f)(t)(l)



		LIST PRICES and Available Finishes		
		Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
3 1/4" - 6" (83 - 152mm)		\$295.76	\$302.49	\$389.57
6 1/4" - 9" (159 - 229mm)		\$302.49	\$309.22	\$396.31
9 1/4" - 12" (235 - 305mm)		\$309.22	\$315.96	\$403.02
12 1/4" - 15" (311 - 381mm)		\$336.09	\$342.81	P.O.A
15 1/4" - 18" (387 - 457mm)		\$356.26	\$362.95	\$450.04
18 1/4" - 21" (464 - 533mm)		\$369.71	\$376.42	\$463.50
21 1/4" - 24" (540 - 610mm)		\$406.63	\$413.33	P.O.A
24 1/4" - 27" (616 - 686mm)		\$426.78	\$433.57	P.O.A
27 1/4" - 30" (692 - 762mm)		\$443.65	\$450.40	P.O.A
30 1/4" - 33" (768 - 838mm)		\$460.49	\$467.19	P.O.A
33 1/4" - 36" (845 - 914mm)		\$477.25	\$483.95	P.O.A

*contact customer service for lengths over standard

Additional Ordering Information
VK186 / VK188

Available Temp. Ratings / Suffix

155°F (68°C) = B
175°F (79°C) = D

Recessed Wrench for VK186 & VK188

07565W/B \$149.61

Sprinkler Guard for Upright/Pendent

08954 \$31.78

Dry Spk Replacement Escutcheons

Rec. Adj. - Chrome
05459AF \$5.74

Rec. Adj. - White
05459AM/W \$5.74



Dry Sprinkler Boot

22087M/W \$48.77

Electroless Nickel PTFE (ENT) coating is for corrosion resistance.


Quick/Standard Response
5.6 (81) K Factor (1/2" orifice)
Std /Ext Coverage
Pendent / 1" NPT
Glass Bulb

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)
Ex: VK196, brass, 155°F, 10.75" long
Part Number: 12423UAB1075

VK194 - Std. Coverage DOMED CONCEALED Base P/N: <u>12422U</u>	VK196 - Ext. Coverage DOMED CONCEALED Base P/N: <u>12423U</u>
	
order in 1/4" increments	order in 1/4" increments

Item Price Group: V187


VK194 - 5.6 K Factor base p/n - 12422U(f)(t)(l)	Length (L) - A Dimension	LIST PRICES
		Standard Brass (A_)
	4 - 6" (101 - 152mm)	\$314.04
	6 1/4 - 9" (159 - 229mm)	\$319.05
	9 1/4 - 12" (235 - 305mm)	\$329.12
	12 1/4 - 15" (311 - 381mm)	\$364.28
	15 1/4 - 18" (387 - 457mm)	\$379.38
	18 1/4 - 21" (464 - 533mm)	\$407.02
	21 1/4 - 24" (540 - 610mm)	\$439.67
	24 1/4 - 27" (616 - 686mm)	\$464.80
	27 1/4 - 30" (692 - 762mm)	\$477.36
	30 1/4 - 33" (768 - 838mm)	\$502.48
	33 1/4 - 36" (845 - 914mm)	\$535.12



*contact customer service for lengths over standard

Item Price Group: V187

VK196 - 5.6 K Factor base p/n - 12423U(f)(t)(l)	Length (L) - A Dimension	LIST PRICES
		Standard Brass (A_)
	4 - 6" (101 - 152mm)	\$326.63
	6 1/4 - 9" (159 - 229mm)	\$331.66
	9 1/4 - 12" (235 - 305mm)	\$344.19
	12 1/4 - 15" (311 - 381mm)	\$376.87
	15 1/4 - 18" (387 - 457mm)	\$394.42
	18 1/4 - 21" (464 - 533mm)	\$419.58
	21 1/4 - 24" (540 - 610mm)	\$454.75
	24 1/4 - 27" (616 - 686mm)	\$477.36
	27 1/4 - 30" (692 - 762mm)	\$489.92
	30 1/4 - 33" (768 - 838mm)	\$517.57
	33 1/4 - 36" (845 - 914mm)	\$547.71



*contact customer service for lengths over standard

Additional Ordering Information
VK194

Available Temp. Ratings / Suffix
155°F (68°C) = B
175°F (79°C) = D
200°F (93°C) = E

Additional Ordering Information
VK196

Available Temp. Ratings / Suffix
135°F (57°C) = A
155°F (68°C) = B
175°F (79°C) = D

Wrench - Domed Concealed
07565W/B \$149.61

Dry Sprinkler Boot
22087M/W \$48.77

Domed Cover Plates (sold separately)				
Finish	Temp	Part #	IPG	List Price
Chrome	135°F	12381FA	V15.3	\$44.03
Chrome	165°F	12381FC	V15.3	\$44.03
Painted White	135°F	12381MA/W	V15.3	\$44.03
Painted White	165°F	12381MC/W	V15.3	\$44.03
Painted Ivory	135°F	12381MA/I	V15.3	\$55.94
Painted Ivory	165°F	12381MC/I	V15.3	\$55.94
Painted Black	135°F	12381MA/B	V15.3	\$55.94
Painted Black	165°F	12381MC/B	V15.3	\$55.94

NOTE: Use 135°F/57°C cover plate with 155°F/68°C rated dry sprinklers. Use 165°F/74°C domed cover plate with 175°F/79°C and 200°F/93°C rated dry sprinklers.

Quick Response

Recessed Flush-Style Sprinkler

5.6 (81) K Factor (1/2" orifice)

Light and Ordinary Hazard

Pendent (1" NPT)

Fusible Link

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches)

Ex: VK482, white, 165 °F, 7- 1/4" length

Part Number: 18385MC/W0725

VK482 - Recessed
Flush-Style Pendent
Base p/n: 18385M(t) /W(l)



order in 1/4" increments

Item Price Group: V189

VK482-Flush Concealed base p/n - 18385(f)(t)(l)	Length (L) - A Dimension	LIST PRICES
		White (M_/W)
	4 1/2" - 6" (114 - 152mm)	\$356.72
	6 1/4" - 9" (159 - 229mm)	\$365.63
	9 1/4" - 12" (235 - 305mm)	\$374.53
	12 1/4" - 15" (311 - 381mm)	\$383.42
	15 1/4" - 18" (387 - 457mm)	\$392.44
	18 1/4" - 21" (464 - 533mm)	\$401.34
	21 1/4" - 24" (540 - 610mm)	\$410.24
	24 1/4" - 27" (616 - 686mm)	\$419.14
	27 1/4" - 30" (692 - 762mm)	\$428.05
	30 1/4" - 33" (768 - 838mm)	\$436.94
33 1/4" - 36" (845 - 914mm)	\$439.90	

Additional Ordering Information
VK482

Available Temp.
Ratings / Suffix
165°F (74°C) = C
205°F (96°C) = E

Recessed Wrench for VK482
18315W/B \$163.26

VK482 Replacement Escutcheon
White
18386M/W \$27.77

* Please contact customer service for list prices for lengths over 36 inches (914 mm)

Viking's Model VK482 dry sprinkler is cULus Listed to be installed with the element recessed up to 1/2 inch (12 mm) above the plane of the ceiling. See technical data sheet 111 a-g for details.

Standard Response - ELO




11.2 (161.3) K Factor (5/8" orifice)

Standard Coverage

Pendent / 1-1/4" NPT


Fusible Link

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches dry ELO sprinklers offered in standard lengths of 6 inch increments (12-48"))

VK544 <i>Plain Barrel</i> Base P/N: 19830	VK546 <i>Standard Adjustable</i> Base P/N: 19840	VK545 <i>Recessed Adjustable</i> Base P/N: 19835
		
1-1/4" NPT Thread Size	1-1/4" NPT Thread Size	1-1/4" NPT Thread Size

Item Price Group: V190

VK544 - Plain Barrel
base p/n - 19830(f)(t)(l)



Length (L) - A Dimension ¹	LIST PRICES and Available Finishes		
	Standard Brass (A_)	Polished Chrome (F_)	White (M_/W)
12" (305 mm)	\$664.20	\$664.20	\$664.20
18" (457 mm)	\$701.09	\$701.09	\$701.09
24" (610 mm)	\$737.99	\$737.99	\$737.99
30" (762 mm)	\$774.89	\$774.89	\$774.89
36" (914 mm)	\$811.79	\$811.79	\$811.79
42" (1067 mm)	\$848.68	\$848.68	\$848.68
48" (1219 mm)	\$873.29	\$873.29	\$873.29


Additional Ordering Information
VK544/546/545

Available Temp. Ratings / Suffix
165°F (74°C) = C
205°F (96°C) = E
280°F (138°C) = G *
* N/A with VK545

Recessed Wrench for VK545 Model²
19748W/B \$178.28

Item Price Group: V190

VK546 - Standard Adj.
base p/n - 19840(f)(t)(l)




Length (L) - A Dimension ¹	LIST PRICES and Available Finishes	
	Polished Chrome (F_)	White (M_/W)
12" (305 mm)	\$664.20	\$664.20
18" (457 mm)	\$701.09	\$701.09
24" (610 mm)	\$737.99	\$737.99
30" (762 mm)	\$774.89	\$774.89
36" (914 mm)	\$811.79	\$811.79
42" (1067 mm)	\$848.68	\$848.68
48" (1219 mm)	\$873.29	\$873.29

Dry ELO Replacement Escutcheons
Std. Adjustable
19730F \$7.75
19730M/W \$7.75
Rec. Adjustable
19728F \$7.90

Item Price Group: V190

VK545 - Recessed Adj.
base p/n - 19835(f)(t)(l)



Length (L) - A Dimension ¹	LIST PRICES and Available Finishes	
	Polished Chrome (F_)	White (M_/W)
12" (305 mm)	\$664.20	\$664.20
18" (457 mm)	\$701.09	\$701.09
24" (610 mm)	\$737.99	\$737.99
30" (762 mm)	\$774.89	\$774.89
36" (914 mm)	\$811.79	\$811.79
42" (1067 mm)	\$848.68	\$848.68
48" (1219 mm)	\$873.29	\$873.29

- (1) Additional lengths available on special request (FM Approved, 12-48").
- (2) Plain barrel and standard adjustable use a pipe wrench on inlet housing.

Quick Response - ELO

11.2 (161.3) K Factor (5/8" orifice)

Standard Coverage

Pendent / 1-1/4" NPT


Fusible Link

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches dry ELO sprinklers offered in standard lengths of 6 inch increments (12-48"))

<u>VK547</u> Plain Barrel Base P/N: <u>19828</u>	<u>VK549</u> Standard Adjustable Base P/N: <u>19838</u>	<u>VK548</u> Recessed Adjustable Base P/N: <u>19833</u>
1-1/4" NPT Thread Size	1-1/4" NPT Thread Size	1-1/4" NPT Thread Size

Item Price Group: V190

VK547 - Plain Barrel base p/n - 19828(f)(t)(l)	Length (L) - A Dimension¹	LIST PRICES and Available Finishes		
		Standard Brass (A_)	Polished Chrome (F_)	White (M_/W)
	12" (305 mm)	\$725.69	\$725.69	\$725.69
	18" (457 mm)	\$762.58	\$762.58	\$762.58
	24" (610 mm)	\$799.48	\$799.48	\$799.48
	30" (762 mm)	\$836.38	\$836.38	\$836.38
	36" (914 mm)	\$873.29	\$873.29	\$873.29
	42" (1067 mm)	\$910.18	\$910.18	\$910.18
	48" (1219 mm)	\$934.79	\$934.79	\$934.79




Additional Ordering Information
VK547/549/548
Available Temp. Ratings / Suffix
165°F (74°C) = C
205°F (96°C) = E
280°F (138°C) = G *
* N/A with VK548

Recessed Wrench for VK545 Model²
19748W/B \$178.28

Dry ELO Replacement Escutcheons
Std. Adjustable
19730F \$7.75
19730M/W \$7.75
Rec. Adjustable
19728F \$7.90


Item Price Group: V190

VK549 - Standard Adj. base p/n - 19838(f)(t)(l)	Length (L) - A Dimension¹	LIST PRICES and Available Finishes	
		Polished Chrome (F_)	White (M_/W)
	12" (305 mm)	\$725.69	\$725.69
	18" (457 mm)	\$762.58	\$762.58
	24" (610 mm)	\$799.48	\$799.48
	30" (762 mm)	\$836.38	\$836.38
	36" (914 mm)	\$873.29	\$873.29
	42" (1067 mm)	\$910.18	\$909.89
	48" (1219 mm)	\$934.79	\$934.79



VK548 - Recessed Adj. base p/n - 19833(f)(t)(l)	Length (L) - A Dimension¹	LIST PRICES and Available Finishes	
		Polished Chrome (F_)	White (M_/W)
	12" (305 mm)	\$725.69	\$725.69
	18" (457 mm)	\$762.58	\$762.58
	24" (610 mm)	\$799.48	\$799.48
	30" (762 mm)	\$836.38	\$836.38
	36" (914 mm)	\$873.29	\$873.29
	42" (1067 mm)	\$910.18	\$910.18
	48" (1219 mm)	\$934.79	\$934.79

Item Price Group: V190



- (1) Additional lengths available on special request (FM Approved, 12-48").
- (2) Plain barrel and standard adjustable use a pipe wrench on inlet housing.

VIKING DRY SPRINKLER ORDER FORM

Customer: _____

Ship to: _____

Date: _____


PO#/Job: _____

Dry sprinklers are custom made and NOT RETURNABLE.
Please follow these steps to ensure an accurate order

1. Check the desired SIN (Sprinkler Identification Number).
2. Check desired sprinkler finish and temperature.
 (Circle temp and finish for fusible link models.)
3. Enter A or B dimensions - see page 2 for dimensional references.
4. Enter order quantity.

A Dimension is the distance from the face of the fitting (tee) to desired finished surface of ceiling.

B Dimension is the distance from the face of the fitting (tee) to the top of the deflector - upright models only.



Standard Adjustable	Pendent	ELO Pendent	Horizontal Sidewall	Vertical Sidewall	Finish	Recessed Flush	Pendent	Finish
	<input type="checkbox"/> VK154 (SR) <input type="checkbox"/> VK163 (SR LO) <input type="checkbox"/> VK176 (QR) <input type="checkbox"/> VK177 (QR LO) <input type="checkbox"/> VK286 (QR LO*) *Fusible Link 165° 205° 280° (Circle temp)	<input type="checkbox"/> VK546 (SR ELO)* <input type="checkbox"/> VK549 (QR ELO)* *Fusible Link 165° 205° 280° Brass Chrome White (Circle temp and finish) Lengths in 6" increments, 12"-28" Note: Insulating boot included.	<input type="checkbox"/> VK156 (SR) <input type="checkbox"/> VK2523 (SR OH) <input type="checkbox"/> VK178 (QR) <input type="checkbox"/> VK2773 (QR OH) <input type="checkbox"/> VK2883 (QR OH*) *Fusible Link 165° 205° 280° (Circle temp)	<input type="checkbox"/> VK 157 (SR)* *Available in Chrome only 	<input type="checkbox"/> Chrome (F) <input type="checkbox"/> White (M) <input type="checkbox"/> White w/chrome escutcheon & sleeve (MF) <input type="checkbox"/> ENT (JN) Temperature <input type="checkbox"/> 155°F (68°C) (B) <input type="checkbox"/> 175°F (79°C) (D) <input type="checkbox"/> 200 °F (93°C) (E) <input type="checkbox"/> 286°F (141°C) (G)		<input type="checkbox"/> VK482 (QR) 	<input type="checkbox"/> White Polyester (M-/W) Temperature <input type="checkbox"/> 165°F (74°C) (C) <input type="checkbox"/> 205 °F (96°C) (E)
	Lengths in 1/2" increments					Lengths in 1/4" increments		

Recessed Adjustable	Pendent	ELO Pendent	Horizontal Sidewall	Vertical Sidewall	Finish	Concealed	Pendent	Finish
	<input type="checkbox"/> VK158 (SR) <input type="checkbox"/> VK164 (SR LO) <input type="checkbox"/> VK186 (SR**) <input type="checkbox"/> VK169 (SR***) <input type="checkbox"/> VK180 (QR) <input type="checkbox"/> VK181 (QR LO) <input type="checkbox"/> VK186 (QR**) <input type="checkbox"/> VK290 (QR LO*) *Fusible Link 165° 205° **Ext. Coverage 155° 175° (Circle temp) ***Stainless Steel	<input type="checkbox"/> VK545 (SR ELO)* <input type="checkbox"/> VK548 (QR ELO)* *Fusible Link 165° 205° 280° Brass Chrome White (Circle temp and finish) Lengths in 6" increments, 12"-28" Note: Insulating boot included.	<input type="checkbox"/> VK162 (SR) <input type="checkbox"/> VK2543 (SR OH) <input type="checkbox"/> VK188 (SR**) <input type="checkbox"/> VK182 (QR) <input type="checkbox"/> VK2793 (QR OH) <input type="checkbox"/> VK188 (QR**) <input type="checkbox"/> VK2923 (QR OH*) *Fusible Link 165° 205° **Ext. Coverage 155° 175° (Circle temp)	<input type="checkbox"/> VK161 (SR) 	<input type="checkbox"/> Chrome (F) <input type="checkbox"/> White (M) <input type="checkbox"/> ENT (JN) Temperature <input type="checkbox"/> 155°F (68°C) (B) <input type="checkbox"/> 175°F (79°C) (D) <input type="checkbox"/> 200 °F (93°C) (E)		<input type="checkbox"/> VK190 (SR) <input type="checkbox"/> VK192 (SR LO) <input type="checkbox"/> VK196 (SR**) <input type="checkbox"/> VK194 (QR) <input type="checkbox"/> VK196 (QR***) **SR Ext Cov 155° ***QR Ext Cov 135° 155° 175° (Circle temp)	<input type="checkbox"/> Chrome (F) <input type="checkbox"/> White (M) <input type="checkbox"/> Ivory (M-/I) <input type="checkbox"/> Black (M-/B) Temperature Sprinklers <input type="checkbox"/> 155°F (68°C) (B) <input type="checkbox"/> 175°F (79°C) (D) <input type="checkbox"/> 200 °F (93°C) (E) Covers <input type="checkbox"/> 135°F (57°C) (A) <input type="checkbox"/> 165°F (74°C) (C)
	Lengths in 1/4" increments					Lengths in 1/4" increments		

Plain Barrel	Pendent	ELO Pendent	Horizontal Sidewall	Vertical Sidewall	Upright	Finish	A or B Dim:	Qty:
	<input type="checkbox"/> VK150 (SR) <input type="checkbox"/> VK166 (SR LO) <input type="checkbox"/> VK168 (SR**) <input type="checkbox"/> VK172 (QR) <input type="checkbox"/> VK173 (QR LO) <input type="checkbox"/> VK282 (QR LO*) *Fusible Link 165° 205° 280° (Circle temp) **Stainless Steel	<input type="checkbox"/> VK544 (SR ELO)* <input type="checkbox"/> VK547 (QR ELO)* *Fusible Link 165° 205° 280° Brass Chrome White (Circle temp and finish) Lengths in 6" increments, 12"-48" Note: Insulating boot included.	<input type="checkbox"/> VK152 (SR) <input type="checkbox"/> VK2503 (SR OH) <input type="checkbox"/> VK174 (QR) <input type="checkbox"/> VK2753 (QR OH) <input type="checkbox"/> VK2843 (QR OH*) *Fusible Link (165°, 205°, 280°) (Circle temp)	<input type="checkbox"/> VK153 (SR) 	<input type="checkbox"/> VK160 (SR)* <input type="checkbox"/> VK184 (QR)* *Available in Brass only 	<input type="checkbox"/> Chrome (F) <input type="checkbox"/> Brass (A) <input type="checkbox"/> ENT (JN) Temperatures <input type="checkbox"/> 155°F (68°C) (B) <input type="checkbox"/> 175°F (79°C) (D) <input type="checkbox"/> 200 °F (93°C) (E) <input type="checkbox"/> 286°F (141°C) (G)	Lengths in 1/2" increments	_____ _____ _____ _____ _____ _____ _____ _____ _____ _____

All part numbers listed are NPT thread size.

