




# **TABLE OF CONTENTS**

Deluge System – Pneumatic Release	N-1 – N-2
Deluge System – Hydraulic Release	N-3 – N-4
Deluge System – Electric Release	N-5 – N-6
Components and Accessories (general)	N-7
Accessories (Pneumatic Release)	N-8
Accessories (Hydraulic Release)	N-8
Accessories (Electric Release)	<b>N</b> -9
Alarm Devices	N-10
Special Valves and Trim (Halar® coated valves, brass trim, stainless steel, etc.)	N-11 – N-12
Deluge Valve Model VXD	N-13

## **Notes**

- 1. Refer to Viking technical data pages for complete product specifications. You may print or download technical data by visiting <a href="https://www.vikinggroupinc.com">www.vikinggroupinc.com</a>.
- 2. List prices effective July 9, 2022. Supersedes February 2022 list price book.
- 3. All sales by Viking are subject to the terms & conditions found on the last page of this book.

#### **Deluge System - Pneumatic Release**



#### SYSTEM COMPONENTS

#### A. Valve

- A.1 Deluge Valve

  B. Deluge Valve Conventional Trim \*

  (See Deluge Valve Conventional Trim Charts)
  - B.1 Priming Valve (Normally Open)
    B.2 Strainer
    B.3 1/16" Restriction

  - B.3 1/16" Restriction
    B.4 Spring Loaded Check Valve
    B.5 Alarm Test Valve (Normally Closed)
    B.6 Auxiliary Drain Valve (Normally Closed)
    B.7 Drip Check Valve
    B.9 Drain Check Valve
    B.9 Alarm Shut-Off Valve (Normally Open)

  - B.10 Pressure Operated Relief Valve (P.O.R.V.) B.11 Emergency Release

  - B.12 Priming Pressure Water Gauge and Valve B.13 Water Supply Pressure Gauge and Valve

  - B.14 Drain cup B.15 Flow Test Valve (Normally Closed)
- C. Water Flow Alarm Equipment

  - C.1 Alarm Pressure Switch and/or C.2 Water Motor Alarm (Strainer Required)
  - C.3 Strainer
- D. Riser
  - D.1 Water Supply Control Valve
- D.1 Water output Conto Table

  Release System

  E.1 Pneumatic Actuator

  E.2 Pneumatic Release Module

  (See Pneumatic Release Module Trim Chart)
  - E.3 Air Pressure Gauge and Valve
  - E.4 Soft Seat Check Valve

  - E.5 Air Pressure Supervisory SwitchE.6 Thermostatic Release and/orE.7 Fixed Temperature Release and/or

  - E.8 Pilot Head (Sprinkler) E.9 Accelerator (Optional. See Inset.)
  - E.10 Accelerator Isolation Valve, (See Inset).

#### F. Air Supply

- F.1 Automatic Air Supply. Air Compressor and Tank shown for clarity.
- F.2 Air Supervisory Pressure Switch
- (Compressor On/Off Control Switch)
  F.3 Soft Seat Check Valve
- F.4 Shut Off Valve
- (Indicating Ball Valve recommended.)
- Dehydrator
- F.6 Air maintenance Device & By-Pass Trim

Dashed lines indicate pipe required but not included with Deluge Valve Conventional Trim Packages.

Viking Deluge Valve Trim Packages contain items B.1 through B.15 and associated nipples.
Viking Accessory Package for Conventional Deluge Valve Trim contains B.2 through B.5, B.7 through B.11, and B.14.

\*\* 1/2" (15 mm) NPT for Non-Interuptable Alarm Pressure Switch (Optional)

Above components are included in QuikPik packages as customized by user. See page N-2

#### Model F Deluge / Preaction Valve\* - STRAIGHT THROUGH

V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"				
Thread X	<u>12126</u>	<u>12059</u>	<u>12401</u>	N/A	N/A	N/A	N/A				
Thread	\$4,027.62	\$4,162.89	\$5,497.16	IVA	IVA	IVA	N/A				
Flange X	N/A	N/A	N/A	<u>12014</u>	<u>11953</u>	<u>11955</u>	<u>11991</u>				
Flange	N/A	N/A	IV/A	\$5,497.16	\$7,160.55	\$9,794.34	\$22,185.37				
Flange X	N/A	N/A	N/A	<u>12018</u>	<u>11952</u>	<u>11954</u>	N/A				
Groove	N/A	N/A	IV/A	\$5,497.16	\$7,160.55	\$9,794.34	N/A				
Groove X	<u>12125</u>	<u>12057</u>	<u>12403</u>	<u>12022</u>	<u>11513</u>	<u>11524</u>	<u>11018</u>				
Groove	\$4,027.62	\$4,162.89	\$5,497.16	\$5,497.16	\$7,160.55	\$9,794.34	\$22,185.37				

See page N-11/12 for additional valve and trim options, including Halar® coated valves, horizontal trim, and brass trim packages.

<sup>\*</sup> Valve is not included in trim packages. Please order separately. See following page for trim packages and equipment.



## **Deluge System - Pneumatic Release**

	i					-	_	
TrimPac®	V234	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Straight-Through		13788B-2	13788B-2	<u>13788B-2</u>	13788B-2	<u>13788B-2</u>	13788B-2	<u>13788B-2</u>
		\$7,023.02	\$7,023.02	\$7,023.02	\$7,023.02	\$7,023.02	\$7,023.02	\$7,023.02

TrimPac® includes conventional trim, releasing device (pneumatic actuator), releasing trim, and flexible hose kit.

Drain package for TrimPac® must be ordered separately (see below).

#### Drain Package (IPG V257)

Loose Trim-DOMESTIC<sup>1</sup>

(releasing device not incl.)

Use with TrimPac®	11894-1	<u>11894-2</u>	<u>11894-3</u>	<u>11894-3</u>	11894-4	<u>11894-4</u>	<u>11894-4</u>
(order separately)	\$738.33	\$597.20	\$676.78	\$676.78	\$868.61	\$868.61	\$868.61

	1-1/2"	2"	2-1/2"	3"	4"	6"	8"				
Trim (Vertical - Straight Through Valve) - Galvanized (IPG V236)											
Loose Trim	<u>14634-1</u>	14634-1	<u>14636-1</u>	14636-1	14639-1	<u>14641-1</u>	<u>14642-1</u>				
(incl. accessory pkg-09316)	\$4,488.91	\$4,488.91	\$4,392.98	\$4,392.98	\$4,596.80	\$4,607.59	\$6,674.29				
Modular Trim	14634-1P	14634-1P	14636-1P	14636-1P	14639-1P	14641-1P	14642-1P				
(incl. accessory pkg-09316)	\$4,894.21	\$4,894.21	\$4,798.23	\$4,798.23	\$5,003.98	\$5,014.73	\$7,081.44				

#### Trim (Vertical - Angle Style Valve) - Galvanized (IPG V236)

Loose Trim	<u>14629-1</u>	14630-1	N/A	14631-1	<u>14632-1</u>	<u>14633-1</u>	N/A
(incl. accessory pkg-09316)	\$4,700.66	\$4,524.53	N/A	\$4,600.19	\$4,813.68	\$4,824.92	IVA
Modular Trim	14629-1P	14630-1P	N/A	14631-1P	14632-1P	14633-1P	N/A
(incl. accessory pkg-09316)	\$5,105.93	\$4,929.83	IV/A	\$5,005.47	\$5,218.93	\$5,230.21	N/A

	1-1/2"	2"	2-1/2"	3"	4"	6"	8"				
Releasing Devices (IPG V226)											
Pneumatic Actuator	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>	06459B	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>				
	\$866.99	\$866.99	\$866.99	\$866.99	\$866.99	\$866.99	\$866.99				
Releasing Trim - Galvania	<b>zed</b> (IPG V238)										
Loose Trim	<u>10809</u>	<u>10809</u>	<u>10809</u>	<u>10809</u>	<u>10809</u>	<u>10809</u>	<u>10809</u>				
(releasing device not incl.)	\$135.84	\$135.84	\$135.84	\$135.84	\$135.84	\$135.84	\$135.84				
Modular Trim	10809P	10809P	10809P	10809P	10809P	10809P	10809P				
(releasing device not incl.)	\$605.38	\$605.38	\$605.38	\$605.38	\$605.38	\$605.38	\$605.38				

10809USA

\$181.12

10809USA

\$181.12

10809USA

\$181.12

10809USA

\$181.12

10809USA

\$181.12

Trim packages includes deluge valve accessory package (p/n 09316) - See page N-7 for package detail.

10809USA

\$181.12

10809USA


\$181.12

See pages N-11/N-12 for additional valve and trim options, including Halar® coated valves, domestic trim, horizontal trim, brass trim packages.

(1) Meets sourcing requirements of the Buy American Act, American Reinvestment and Recovery Act, and Buy American Law.



#### **Deluge System - Hydraulic Release**



- Dashed lines indicate pipe required but not included with Deluge Valve Conventional Trim Packages.
  - Viking Deluge Valve Trim Packages contain items B.1 through B.15 and associated nipples. Viking Accessory Package for Conventional Deluge Valve Trim contains B.2 through B.5, B.7 through B.11, and B.14.
  - \*\* 1/2" (15 mm) NPT for Non-Interuptable Alarm Pressure Switch (Optional)

#### SYSTEM COMPONENTS

#### A. Valve

A.1 Deluge Valve

B. Deluge Valve Conventional Trim \*

(See Deluge Valve Conventional Trim Charts)

- B.1 Priming Valve (Normally Open)
- B.2 Strainer
- B.3 1/16" Restriction
- B.4 Spring Loaded Check Valve
- B.5 Alarm Test Valve (Normally Closed)
- B.6 Auxiliary Drain Valve (Normally Closed)
- B.7 Drip Check Valve
- B.8 Drain Check Valve
- B.9 Alarm Shut-Off Valve (Normally Open)
- B.10 Pressure Operated Relief Valve (P.O.R.V.)
- B.11 Emergency Release
- B.12 Priming Pressure Water Gauge and Valve
- B.13 Water Supply Pressure Gauge and Valve
- B.14 Drain cup
- B.15 Flow Test Valve (Normally Closed)
- C. Water Flow Alarm Equipment
  - C.1 Alarm Pressure Switch and/or
  - C.2 Water Motor Alarm (Strainer Required)
  - C.3 Strainer

#### D. Riser

- D.1 Water Supply Control Valve
- E. Release System
  - E.1 Thermostatic Release and/or
  - E.2 Fixed Temperature Release and/or
  - E.3 Pilot Head (Sprinkler)

#### CAUTION

DO NOT EXCEED MAXIMUM HEIGHT ALLOWED FOR THE HYDRAULIC RELEASE PIPING ABOVE THE DELUGE VALVE.

FOR MAXIMUM HEIGHT ALLOWED, REFER TO CURRENT TECHNICAL DATA DESCRIBING THE VIKING DELUGE VALVE USED.

Components shown above are included in Quik Pik packages as customized by user. See page N-4.

#### Model F Deluge / Preaction Valve\* - STRAIGHT THROUGH

WOUCH DC	der Belage / Treation Valve Otto Introduction										
V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"				
Thread X	<u>12126</u>	<u>12059</u>	<u>12401</u>	N/A	N/A	N/A	N/A				
Thread	\$4,027.62	\$4,162.89	\$5,497.16	IVA	IVA	IVA	IV/A				
Flange X	N/A	N/A	N/A	<u>12014</u>	<u>11953</u>	<u>11955</u>	<u>11991</u>				
Flange	IVA	IV/A	IV/A	\$5,497.16	\$7,160.55	\$9,794.34	\$22,185.37				
Flange X	N/A	N/A	N/A	<u>12018</u>	<u>11952</u>	<u>11954</u>	N/A				
Groove	IVA	IV/A	IV/A	\$5,497.16	\$7,160.55	\$9,794.34	IV/A				
Groove X	<u>12125</u>	<u>12057</u>	<u>12403</u>	<u>12022</u>	<u>11513</u>	<u>11524</u>	<u>11018</u>				
Groove	\$4,027.62	\$4,162.89	\$5,497.16	\$5,497.16	\$7,160.55	\$9,794.34	\$22,185.37				

See page N-11/12 for additional valve and trim options, including Halar® coated valves, horizontal trim, and brass trim packages.



# **Deluge System - Hydraulic Release**

	1-1/2"	2"	2-1/2"	3"	4"	6"	8"				
Trim (Vertical - Straight Through Valve) - Galvanized (IPG V236)											
Loose Trim	<u>14634-1</u>	<u>14634-1</u>	<u>14636-1</u>	<u>14636-1</u>	<u>14639-1</u>	<u>14641-1</u>	14642-1				
(incl. accessory pkg-09316)	\$4,488.91	\$4,488.91	\$4,392.98	\$4,392.98	\$4,596.80	\$4,607.59	\$6,674.29				
Modular Trim	14634-1P	14634-1P	14636-1P	14636-1P	14639-1P	14641-1P	14642-1P				
(incl. accessory pkg-09316)	\$4.894.21	\$4.894.21	\$4.798.23	\$4.798.23	\$5.003.98	\$5.014.73	\$7.081.44				


Trim packages includes deluge valve accessory package (p/n 09316) - See page N-7 for package detail.

See pages N-11/12 for additional valve and trim options, including Halar® coated valves, horizontal trim, domestic trim, and brass trim packages.



#### **Deluge System - Electric Release**

Straight-through valve shown



#### SYSTEM COMPONENTS

#### A. Valve

A.1 Deluge Valve

B. Deluge Valve Conventional Trim \*

(See Deluge Valve Conventional Trim Charts)

**B.1** Priming Valve

B.2 Strainer
B.3 1/16\* Restricted Orifice
B.4 Spring Loaded Check Valve
B.5 Alarm Test Valve (Normally Closed)

B.6 Auxiliary Drain Valve (Normally Closed)

B.7 Drip Check Valve B.8 Drain Check Valve B.9 Alarm Shut-Off Valve (Normally Open)

B.10 Pressure Operated Relief Valve (P.O.R.V.)

B.11 Emergency Release B.12 Priming Pressure Water Gauge and Valve B.13 Water Supply Pressure Gauge and Valve

B.14 Drain Cup

B.15 Flow Test Valve (Normally Closed)

C. Water Flow Alarm Equipment

C.1 Alarm Pressure Switch and/or

C.2 Water Motor Alarm (Strainer Required)

C.3 Strainer

C.4 Electric Alarm Bell

D.1 Water Supply Control Valve

E. Release System

E.1 Solenoid Valve

E.2 Electric Release Module Trim

System Control Panel configured for Single Zone Deluge operation.

 E.4 Electric Detection System. Heat Detector

shown for clarity.

Dashed lines indicate pipe required but not listed in "System Components" Table.

Viking Deluge Valve Trim Packages contain items B.1 through B.15 and associated nipples. Viking Accessory Package for Conventional Deluge Valve Trim contains B.2 through B.5, B.7 through B.11, and B.14.

Dotted lines indicate electrical detection system wiring required but not listed in "System Components" Table. For additional wiring requirements refer to technical data for components used.

Components shown above are included in Quik Pik packages as customized by user. See page N-6.

#### Model F Deluge / Preaction Valve\* - STRAIGHT THROUGH

	- Polago, House and Tallo										
V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"				
Thread X	<u>12126</u>	<u>12059</u>	<u>12401</u>	N/A	N/A	N/A	N/A				
Thread	\$4,027.62	\$4,162.89	\$5,497.16	IVA	IVA	IVA	IV/A				
Flange X	N/A	N/A	N/A	<u>12014</u>	<u>11953</u>	<u>11955</u>	<u>11991</u>				
Flange	IVA	IVA	IVA	\$5,497.16	\$7,160.55	\$9,794.34	\$22,185.37				
Flange X	N/A	N/A	N/A	<u>12018</u>	<u>11952</u>	<u>11954</u>	N/A				
Groove	IN/A	IV/A	IV/A	\$5,497.16	\$7,160.55	\$9,794.34	IN/A				
Groove X	<u>12125</u>	<u>12057</u>	<u>12403</u>	12022	<u>11513</u>	<u>11524</u>	<u>11018</u>				
Groove	\$4,027.62	\$4,162.89	\$5,497.16	\$5,497.16	\$7,160.55	\$9,794.34	\$22,185.37				

See page N-11/12 for additional valve and trim options, including Halar® coated valves, horizontal trim, and brass trim packages.

<sup>\*</sup> Valve is not included in trim packages. Please order separately. See following page for trim packages and equipment.



# **Deluge System - Electric Release**

TrimPac®	IPG V234	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Straight-Throu	<u>ugh</u>	13787B-1						
		\$7,152.00	\$7,152.00	\$7,152.00	\$7,152.00	\$7,152.00	\$7,152.00	\$7,152.00

TrimPac® includes conventional trim, releasing device (solenoid valve), releasing trim, and flexible hose kit.

Drain package for TrimPac® must be ordered separately (see below).

#### Drain Package (IPG V257)

Use with TrimPac®	<u>11894-1</u>	<u>11894-2</u>	<u>11894-3</u>	<u>11894-3</u>	11894-4	<u>11894-4</u>	<u>11894-4</u>
(order separately)	\$738.33	\$597.20	\$676.78	\$676.78	\$868.61	\$868.61	\$868.61

	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Trim (Vertical - Straight Through Valve) - Galvanized (IPG V236)							
Loose Trim	14634-1	<u>14634-1</u>	<u>14636-1</u>	<u>14636-1</u>	<u>14639-1</u>	<u>14641-1</u>	<u>14642-1</u>
(incl. accessory pkg-09316)	\$4,488.91	\$4,488.91	\$4,392.98	\$4,392.98	\$4,596.80	\$4,607.59	\$6,674.29
Modular Trim	14634-1P	14634-1P	14636-1P	14636-1P	14639-1P	14641-1P	14642-1P
(incl. accessory pkg-09316)	\$4,894.21	\$4,894.21	\$4,798.23	\$4,798.23	\$5,003.98	\$5,014.73	\$7,081.44

#### Trim (Vertical - Angle Style Valve) - Galvanized (IPG V236)

Loose Trim	<u>14629-1</u>	<u>14630-1</u>	N/A	<u>14631-1</u>	14632-1	<u>14633-1</u>	N/A
(incl. accessory pkg-09316)	\$4,700.66	\$4,524.53	IVA	\$4,600.19	\$4,813.68	\$4,824.92	IVA
Modular Trim	14629-1P	14630-1P	N/A	14631-1P	14632-1P	14633-1P	N/A
(incl. accessory pkg-09316)	\$5,105.93	\$4,929.83	IV/A	\$5,005.47	\$5,218.93	\$5,230.21	IV/A

	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Releasing Devices (IPG V240)							
Solenoid Valve	<u>11601</u>						
	\$1,345.64	\$1,345.64	\$1,345.64	\$1,345.64	\$1,345.64	\$1,345.64	\$1,345.64

#### Releasing Trim - Galvanized (IPG V238)

<u>Loose Trim</u>	<u>10830</u>						
(releasing device not incl.)	\$140.24	\$140.24	\$140.24	\$140.24	\$140.24	\$140.24	\$140.24
Modular Trim	10830P						
(releasing device not incl.)	\$605.38	\$605.38	\$605.38	\$605.38	\$605.38	\$605.38	\$605.38
Loose Trim-DOMESTIC <sup>1</sup>	10830USA	10830USA	10830USA	10830USA	10830USA	10830USA	<u>10830USA</u>
(releasing device not incl.)	\$186.96	\$186.96	\$186.96	\$186.96	\$186.96	\$186.96	\$186.96

Trim packages includes deluge valve accessory package (p/n 09316) - See page N-7 for package detail.

See pages N-11/N-12 for additional valve and trim options, including Halar® coated valves, horizontal trim, domestic trim, and brass trim packages.

(1) Meets sourcing requirements of the Buy American Act, American Reinvestment and Recovery Act, and Buy American Law.

July 2022 Page N-6 vikinggroupinc.com



## Accessories and Additional Components

#### Deluge Valve Accessory Package

(use with straight through valves)

#### (included with deluge/preaction trim)

#### Includes:

- 1/16" Restricted Orifice Galvanized - Emergency Release 09316 - Drip Check \$3,102.90

- 1/4" / 8mm Check Valve

- 1/4" / 8mm Strainer Stainless Steel \*

- Drain Cup 09743 - PORV \$4.327.71 - Drain Check \* Does not include PORV

#### Pressure Operated Relief Valve (PORV) - Model D-3



- 1/2" Ball Valve

½" / DN15 **Brass** 

> 16970 \$2.024.12

#### IPG V242 Restricted Orifice



(use with trim to control speed of valve opening)



Galvanized 08780 \$2,219.48 Stainless Steel 11192 \$13,060.54

<u>Brass</u> \$2,615.07 11181

IPG V244

#### Pressure Operated Relief Valve (PORV) - Model D-4



½"/DN15 Corrosion Resistant 16971 \$3.114.04

**IPG V242** 

# Globe Valve for Gauges (side outlet)



**Drain Check Valve** 

1/4" / DN8

Corrosion Resistant

76V-25 \$26.52

1/4 " (DN8)

**IPG V226** 

\$134.80

\$282.00

**IPG V226** 

**IPG V226** 

**IPG V234** 

\$492.32

**IPG V226** 

1/16" (1.6mm)

10110 \$52.41

Corrosion Resistant

1/16" (1.6mm) 10110J

\$122.16

**IPG V226** 

#### **Ball Valve**

Brass

1/4"	0354US	\$46.60				
1/2"	0355US	\$46.60				
1"	10356	\$106.25				

Stainless Steel					
10644	\$372.50				
10645	\$374.63				
10646	\$597.54				
10647	\$724.32				
10648	\$1,380.7				
10649	\$1,874.1				

**IPG V226** 

**IPG V226** 

#### **Drain Cup**



1½" / DN40 01019B

1/2" / DN15

05781A

05781AJ

\$25.94

#### **Emergency Release**



1/2" (Galvanized) Model C-1 01553C \$517.81 **Brass** Model C-2 09387

\$863.74

Corrosion Resistant Model C-3 09734 \$1,059.68

#### Prime Shut-Off Valve



1/2" / DN15

10723 \$1,146.89 Corrosion Resistant

> 10724 \$2,049.98

#### **IPG V226 Drip Check Valve - Model D-1**



3/4" / DN20 10730 \$264.89 Corrosion Resistant

10733 \$399.55 IPG V25.1 IPG SR260

# Water Gauge



0-300 psi

**VWATERSF** \$29.92

# In-Line Check Valve



1/4" / DN8 04947A

\$125.39

#### Y Strainer

1/4" / DN15 14BYS

\$41.13

## **Restricted Orifice**





1/2" / DN15 11706

\$108.25

**IPG V234** 

**IPG V226** 

# Accessories for TrimPac®

# Air Line Trim

(not for use with Deluge TrimPac System)

Tank Mounted 13770 \$2,470,23 **Tankless** 13771 \$870.94

## Replacement Hose

PVC drain hose

12071 \$196.74

# Riser Mounting Kit

(when mounting TrimPac to riser)

Vertical 11900 \$1.366.22 **Horizontal** 11901 \$1,878.64

# Model A-2 Strainer Orifice Check VIv



1/4" (DN8)

06579B

Alarm Test/Alarm Shut-Off Valve



1/2" (DN15) 06174A

\$530.09 **IPG V226** 

#### Spring Loaded Check Valve

(with viton disc)



1/2" (DN15)

12WILC \$272.59 SR140

Accessories for Old Style Trim



#### **Accessories for Pneumatic Release Systems**

#### **Pneumatic Actuator**



1/2" (DN15) Model H-1

06459B \$866.99 <u>Corrosion Resistant (Model R-1)</u> 09733 \$1,955.91

IPG V226

IPG V226

#### Accelerator (Model E-1)



Model E-1 <u>List</u> 08055 \$2.143.90

<u>IPG V226</u>

Model D-2 - Air Pressure Maintenance Device

#### Model D-2 - Air Pressure Maintenance Device



 Size
 Part #
 List Price

 ½" / DN8
 02280C
 \$1,023.63

11

 Size
 Part #
 List Price

 ½" / DN15
 07459
 \$1,798.81

**DOMESTIC** 

<u>Size</u> <u>Part #</u> <u>List Price</u> ½" / DN15 07459USA \$2,398.40

#### **Dehydrator Package**

Includes:

- Desiccant <u>1/4" (DN8)</u>

- Mounting Brackets 16854 \$2,421.97

- Nipples <u>Extra Desiccant\*</u>

16855 \$548.37

IPG V226 \*one unit fills dehydrator

## Replacement Restriction

Release Line Air Supply



Part # List Price 02902B \$248.01

IPG V226

## **Accessories for Pneumatic and Hydraulic Systems**

# Thermostatic Release (Model C-1)

(Includes 155°F/68°C fixed temperature release)

- indoor and outdoor use



Standard

01432C

Nitrogen Tested

05006A \$2.470.35

IPG V226

**IPG V226** 

\$2,293.21

## Thermostatic Release (Model C-2)

(Includes 155°F/68°C fixed temperature release)

indoor and outdoor use Standard

corrosion resistant 03991C-18 \$2,728.86

for use in salt water Nitrogen Tested

environments 10367 \$2,906.02

IPG V226

#### Operation Indicator

Includes: 1/2" (DN15)

- indoor and outdoor use 02944A \$89.97

corrosion resistant

# Adjustment Kit

Includes:

indoor and outdoor use

- corrosion resistant



\$77.98

Model C-1 and C-2

01714A \$274.18

# Fixed Temperature Release (Model M HP - VK800)

1/2" (15 mm) - RATED TO 250 PSI (1724 kPa)

 DTO 250 PSI (1724 kPa)
 IPG V226

 Brass
 07848AB
 \$72.74

 Chrome
 07848FA
 \$77.98

 White
 07848MA/W
 \$77.98

Add the temperature suffix to the part number (135 shown): (°F/°C) A=135°/57°, B=155°/68°, D=175°/79°, E=200°/93°, G=286°/141°

#### **Replacement Fixed Temperature Release**

155°F/68°C



Model C-1 07848FB

Model C-2

07848CB \$92.98

**IPG V226** 

**IPG V226** 

**IPG V226** 

#### Release Line Hangers



- includes two screws/nuts

1" / DN25	09574	\$30.64
1¼" / DN32	09575	\$30.64
1½" / DN40	09576	\$30.64
2" / DN50	09577	\$30.64
2½" / DN65	09578	\$30.64
3" / DN80	09579	\$30.64

3½" / DN90	09580	\$30.64
4" / DN100	09581	\$44.80
5" / DN125	09582	\$44.80
6" / DN150	09583	\$44.80
8" / DN200	09584	\$44.80

Stainless steel available upon request at additional cost. Add suffix "SST" to base part number.

# **Accessories for Electric Release Systems**

SOLENOID VALVI	ES (1/2" / DN15)			IPG V240
Normally Closed	(rated to 250 psi (1724 kPa)			
	Deluge & Preaction, SureFire		Part No.	List Price
	NEMA 1,2,3,3S,4,4X	24 VDC	11601	\$1,345.64
	Explosion Proof			
	NEMA 3,3S,4,4X,6,6P,7,9	24 VDC	11602	\$2,248.90
Normally Closed	(rated to 300 psi (2068 kPa)			
	Firecycle III, TotalPac &			
	Special Application			
	NEMA 2,3,3S,4,4X	24 VDC	11591	\$1,718.09
	NEMA 1,2,3,3S,4,4X	110 VAC/50 HZ	11593	\$1,461.98
	NEMA 1,2,3,3S,4,4X	120 VAC/60 HZ	11594	\$1,988.14
9	Explosion Proof			
_	NEMA 3,3S,4,4X,6,6P,7,9	24 VDC	11592	\$2,248.90
	NEMA 3,3S,4,4X,6,6P,7,9	110 VAC/50 HZ	11594	\$1,988.14
	NEMA 3,3S,4,4X,6,6P,7,9	120 VAC/60 HZ	11594	\$1,988.14
	ATEX, EEx, mll, T4/T5	110 VAC/50 HZ	12359	\$2,360.56
	ATEX, EEx, mll, T4/T5	24 VDC	12360	\$2,621.35
Normally Open (ra	ated to 300 psi (2068 kPa)			
	Firecycle III			
	NEMA 2,3,3S,4,4X	24 VDC	11595	\$2,858.84
160	Surefire & TrimPac			
REAL SE	NEMA 2,3,3S,4,4X	24 VDC	13215	\$2,858.84
	Explosion Proof			
4	NEMA 3,3S,4,4X,6,6P,7,9	24 VDC	11596	\$3,985.58
	ATEX, EEx, mll, T4/T5	24 VDC	12358	\$4,357.96

## RELEASE CONTROL PANEL (VFR-500)

VFR-500 Release Control Panel

- Contains seven user-definable zones & menu-driven programming controls
- Up to 35 standard programs in memory and programmable cross-zoning
- Multi-directional navigation through the panel history and menus
- cULus Listed and FM Approved for agent and/or water-based extinguishing
- \* see below for accessories and optional modules

<u>Part No.</u> <u>List Price</u> 26107 \$5,790.17

IPG V241



Optional Modules / Accessories	Part No.	List Price	<b>Batteries</b>	(two req	uired per panel,
CA2Z Module (class A initiating device circuit):	14155	\$334.42		Part No.	List Price
CAM2 Module (class A indicating appliance circuit):	14156	\$384.58	8 Amp	07920	P.O.A.
ARM-1/ARM-2 Module (auxiliary relay module):	14157	\$484.91	12 Amp	07921	P.O.A.
RA-4410-RC (remote annunciator):	14154	\$1,755.69	18 Amp	09867	P.O.A.
	Part No.	List Price			
MR-101/T SPDT Relay Module:	14159	\$196.50	<b>Battery Cabine</b>	<b>t</b> (for 18 amp h	r battery)
MR-201 DPDT Relay Module:	14160	\$246.62			
MR801/T SPDT Relay w/Led Indicator:	14161	\$104.51	Part N	o. List F	<u>Price</u>
ELOD Resistor/Diode:	14162	\$50.16	098	66 \$978.8	5
ELOR Resistor:	14163	\$4.20			



#### **Alarm Devices**

#### Alarm Pressure Switch - SR020

#### Adjustable Range (4-20 psi)

1/2" / DN50

Single SPDT PS101A \$269.05 Dual SPDT PS102A \$324.36

\* Manufactured by Potter



Explosion Proof

Dual SPDT PS10-EX \$1,894.79 Dual SPDT PS40EX \$1,894.79

\* Cenelec approved

Сепеес аррго

Pressure Adj Access Key

10600 \$38.42

Cover Removal Key

10601 \$38.42

#### Pressure Supervisory Switch (Air, Nitrogen, Water) - IPG SR020

Adjustable Range (10-175 psi)

1/2" / DN50

 Single SPDT
 PS401A
 \$269.05

 Dual SPDT
 PS402A
 \$324.36



\* Manufactured by Potter

Cover Tamper Switch Kit

09601 \$196.51

# Explosion Proof

Dual SPDT 10379 \$2,531.67

\* Cenelec approved



Pressure Adj Access Key 10600 \$38.42

Cover Removal Key

10601 \$38.42

#### Flow Switch - SR010

Waterflow Indicators						
(adjustable ret	(adjustable retard up to 120 sec 2 SPDT contacts)					
Model VSR						
1-2" / DN40	VSRF0100	\$390.46				
2" / DN50	VSRF0200	\$422.48				
2½" / DN65	VSRF0250	\$422.48				
3" / DN80	VSRF0300	\$422.48				
3½" / DN90	VSRF0350	\$422.48				
4" / DN100	VSRF0400	\$422.48	W (2)			
5" / DN125	VSRF0500	\$422.48				
6" / DN150	VSRF0600	\$422.48	(ST)			
8" / DN200	VSRF0800	\$473.72				

#### Water Motor Alarm and Accessories - IPG V226

Water Motor Alarm	Closure Plate
Model F-2 07862 \$873.25	6 05820B \$178.23
Adjustable Shaft	Alarm Line Y Strainer
(wall thickness up to 30-1/4 in / 768 mm)	3/4 " (DN20)
03312B \$171.00	01489A \$260.03
Extension Cup	
05957B \$142.59	

<sup>\*</sup> Appropriate hex keys included with switches.

<sup>\*</sup> Appropriate hex keys included with switches.



# **Special Valves and Trim**

## HALAR® Coated Deluge / Preaction Valves (Model F-2)

Straight-Through (Model F-2)

IPG V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thread X	N/A	N/A	12402Q/B	N/A	N/A	N/A	N/A
Thread	N/A	N/A	\$8,612.28	N/A	14/74	N/A	IVA
Flange X	N/A	N/A	N/A	12015Q/B	11960Q/B	11962Q/B	11992Q/B
Flange	N/A	IVA	N/A	\$8,612.28	\$11,522.52	\$15,418.86	\$32,278.39
Flange X	N/A	N/A	N/A	12019Q/B	11959Q/B	11961Q/B	N/A
Groove	N/A	N/A	N/A	\$8,612.28	\$11,522.52	\$15,418.86	IN/A
Groove X	12127Q/B	12058Q/B	12404Q/B	12023Q/B	11514Q/B	11525Q/B	<u>11118Q/B</u>
Groove	\$6,380.79	\$6,398.15	\$8,612.28	\$8,612.28	\$11,522.52	\$15,418.86	\$30,719.06

# HORIZONTAL TRIM - Conventional Deluge / Preaction Trim

Galvanized (use with straight through valves)

IPG V236	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Loose Trim	<u>14635-1</u>	<u>14635-1</u>	<u>14637-1</u>	<u>14637-1</u>	<u>14638-1</u>	<u>14640-1</u>	<u>14643-1</u>
(incl. accessory pkg-09316)	\$4,488.91	\$4,488.91	\$4,392.98	\$4,392.98	\$4,596.80	\$4,607.59	\$6,674.29
Modular Trim	14635-1P	14635-1P	14637-1P	14637-1P	14638-1P	14640-1P	14643-1P
(incl. accessory pkg-09316)	\$4,894.21	\$4,894.21	\$4,798.23	\$4,798.23	\$5,003.98	\$5,014.73	\$7,081.44

<sup>\*</sup> Galvanized vertical trim found on page N-6.

# BRASS TRIMS - Conventional Deluge / Preaction Trim

#### **Angle Style Valves**

IPG V237	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Loose Trim	14629-2	14630-2	N/A	14631-2	14632-2	14633-2	N/A
(incl. accessory pkg-09316)	\$7,978.83	\$7,399.73	N/A	\$7,577.89	\$8,097.08	\$8,190.51	N/A
Modular Trim	14629-2P	14630-2P	N/A	14631-2P	14632-2P	14633-2P	N/A
(incl. accessory pkg-09316)	P.O.A.	\$7,827.15	IV/A	P.O.A.	\$8,524.48	\$8,618.02	IV/A

# Straight Through Valves - VERTICAL

IPG V237	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Loose Trim	<u>14634-2</u>	<u>14634-2</u>	<u>14636-2</u>	<u>14636-2</u>	14639-2	<u>14641-2</u>	<u>14642-2</u>
(incl. accessory pkg-09316)	\$7,619.45	\$7,619.45	\$7,236.54	\$7,236.54	\$7,732.33	\$7,821.58	\$9,745.79
Modular Trim	14634-2P	14634-2P	14636-2P	14636-2P	14639-2P	14641-2P	14642-2P
(incl. accessory pkg-09316)	\$8,046.95	\$8,046.95	\$7,664.04	\$7,664.04	\$8,159.83	\$8,249.06	\$10,152.94

#### Straight Through Valves - HORIZONTAL

IPG V237	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Loose Trim	14635-2	14635-2	<u>14637-2</u>	<u>14637-2</u>	14638-2	14640-2	<u>14643-2</u>
(incl. accessory pkg-09316)	\$7,619.45	\$7,619.45	\$7,236.54	\$7,236.54	\$7,732.33	\$7,821.58	\$9,745.79
Modular Trim	14635-2P	14635-2P	14637-2P	14637-2P	14638-2P	14640-2P	14643-2P
(incl. accessory pkg-09316)	\$8,046.95	\$8,046.95	P.O.A.	P.O.A.	P.O.A.	\$8,249.06	P.O.A.



# **Special Valves and Trim**

## **BRASS - Releasing Trims**

		Electric		Pneumatic	DOMESTIC <sup>1</sup>
V239	Pneumatic	Pneumatic	Electric	Pneumatic	Electric
Loose Trim	<u>10811</u>	<u>12661-2</u>	<u>10832</u>	12662-2	10832USA
(releasing device not incl.)	\$370.11	\$308.95	\$416.45	\$1,971.20	\$555.26
Modular Trim	<u>10811P</u>	126612P	10832P	126622P	10832USA-P
(releasing device not incl.)	\$809.80	P.O.A.	P.O.A.	P.O.A.	P.O.A.

# STAINLESS STEEL - Conventional Deluge Trim

Straight Through Valves - VERTICAL

V25	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Loose Trim	14649	14649	<u>14651</u>	<u>14651</u>	<u>14654</u>	<u>14656</u>	<u>14657</u>
	\$13,153.25	\$13,153.25	\$14,102.80	\$14,102.80	\$15,413.83	\$15,477.17	\$15,531.27
Modular Trim	14649P	14649P	<u>14651P</u>	<u>14651P</u>	<u>14654P</u>	<u>14656P</u>	<u>14657P</u>
	\$13,584.74	\$13,584.74	\$14,534.20	\$14,534.20	\$15,845.30	\$15,908.64	P.O.A.

# DOMESTIC TRIM 1 - Model F - Galvanized

Straight Through Valves - VERTICAL

V23	<b>1-1/2</b> "	2"	2-1/2"	3"	4"	6"	8"
Loose Trim	14634-1USA	14634-1USA	14636-1USA	14636-1USA	14639-1USA	14641-1USA	14642-1USA
	\$5,985.21	\$5,985.21	\$5,857.31	\$5,857.31	\$6,129.11	\$6,143.44	\$8,899.05

<sup>(1)</sup> Meets sourcing requirements of the Buy American Act, American Reinvestment and Recovery Act, and the Buy American Law. Contact customer service for availability.



## **Deluge Valve Model VXD**



#### VXD Deluge Valves - Pretrimmed Deluge Valves

Pre-trimmed Hydraulic Release Galvanized IPG V402

1-1/2"	2"	2-1/2"	3"	4"	6"	8"	10"
23543	<u>23575</u>	<u>23596</u>	<u>23617</u>	23638	23660	<u>23681</u>	<u>23702</u>
\$7,960.76	\$8,325.74	\$9,583.91	\$9,749.39	\$10,598.85	\$12,301.97	\$23,494.76	\$28,800.84

#### Pre-trimmed Pneumatic Release Galvanized IPG V402

1-1/2"	2"	2-1/2"	3"	4"	6"	8"	10"
<u>23549</u>	<u>23581</u>	<u>23602</u>	<u>23623</u>	<u>23644</u>	<u>23666</u>	<u>23687</u>	<u>23748</u>
\$9,170.62	\$9,535.59	\$10,606.30	\$10,771.78	\$11,679.14	\$13,324.15	\$24,858.45	\$30,192.99

#### Pre-trimmed Electric Release Galvanized IPG V402

1-1/2"	2"	2-1/2"	3"	4"	6"	8"	10"
<u>23546</u>	<u>23578</u>	23599	<u>23620</u>	<u>23641</u>	23663	<u>23684</u>	<u>23745</u>
\$9,237.83	\$9,602.80	\$10,860.97	\$11,026.45	\$11,875.93	\$13,579.07	\$24,771.86	\$30,077.90

# VXD Deluge Valves - Loose Valve and Trim

Model VXD Deluge Valve - Groove/Groove IPG V400

1-1/2"	2"	2-1/2"	3"	4"	6"	8"	10"
<u>23310</u>	<u>23311</u>	<u>23312</u>	<u>23313</u>	<u>23316</u>	<u>23319</u>	<u>23322</u>	<u>23325</u>
\$3,152.23	\$3,554.41	\$4,930.64	\$5,113.00	\$5,952.42	\$7,821.95	\$18,104.68	\$23,454.10

Model VXD Deluge Valve - Flange/Flange IPG V400

3"	4"	6"	8"	10"
23314	<u>23317</u>	<u>23320</u>	<u>23323</u>	<u>23326</u>
\$5,113.00	\$5,952.42	\$7,821.95	\$18,104.68	\$23,454.10

#### Loose Trim Hydraulic Release Galvanized IPG V401

1-1/2"	2"	2-1/2"	3"	4"	6"	8"	10"
23542-1	<u>23574-1</u>	<u>23595-1</u>	<u>23616-1</u>	<u>23637-1</u>	23659-1	<u>23680-1</u>	<u>23701-1</u>
\$3,728.67	\$3,728.67	\$3,737.22	\$3,737.22	\$3,818.26	\$3,824.32	\$5,543.92	\$5,961.06

#### Loose Trim Pneumatic Release Galvanized IPG V401

1-1/2"	2"	2-1/2"	3"	4"	6"	8"	10"
<u>23548-1</u>	<u>23580-1</u>	<u>23601-1</u>	23622-1	23643-1	<u>23665-1</u>	<u>23686-1</u>	<u>23747-1</u>
\$4,846.41	\$4,846.41	\$4,867.21	\$4,867.21	\$4,907.00	\$4,913.28	\$6,803.75	\$7,247.22

#### Loose Trim Electric Release Galvanized IPG V401

ı	1-1/2"	2"	2-1/2"	3"	4"	6"	8"	10"
	23545-1	<u>23577-1</u>	<u>23598-1</u>	<u>23619-1</u>	<u>23640-1</u>	23662-1	<u>23683-1</u>	<u>23744-1</u>
	\$4,908.50	\$4,908.50	\$4,917.05	\$4,917.05	\$4,998.09	\$5,004.15	\$6,723.76	\$7,140.89