



## **Section E** **Special Sprinklers**

### **TABLE OF CONTENTS**

|                                                                                                         |     |
|---------------------------------------------------------------------------------------------------------|-----|
| Institutional – VK426/VK427, VK650/VK651 5.6 (81) K factor, flush pendent/flush horizontal sidewall ... | E-1 |
| Model V-BB specific application attic sprinkler - VK684, VK685, VK686, VK681, VK682, VK683 .....        | E-2 |
| Model V-SD specific application attic sprinkler - VK693, VK694, VK695 .....                             | E-2 |
| Attic upright specific application sprinkler – VK696, VK697.....                                        | E-2 |
| Model V-HIP specific application attic sprinkler – VK660 .....                                          | E-2 |
| Model V-EP specific application attic sprinkler – VK690 .....                                           | E-2 |
| Combustible Interstitial Space - VK900, VK950, COIN®, upright .....                                     | E-3 |
| Window Sprinklers – VK960, VK962 pendent vertical sidewall and horizontal sidewall.....                 | E-3 |
| Cleanroom Sprinklers – VK850, VK851 pendent.....                                                        | E-4 |
| Window Sprinklers – VK852, VK853 pendent.....                                                           | E-4 |

### **Notes**

1. Unless otherwise indicated, all cover plates and escutcheons are sold separately.
2. Cover plates, escutcheons, and sprinklers are available in custom colors at an additional charge. See page F-8 for details.
3. Refer to Viking technical data pages for complete product specifications. You may print or download technical data by visiting [www.vikinggroupinc.com](http://www.vikinggroupinc.com).
4. List prices effective May 10, 2025. Supersedes July 2022 list price book.
5. All sales by Viking are subject to the Terms & Conditions found on the last page of this book.

*COIN® is a registered trademark of The Viking Corporation*

*Micromatic® is a registered trademark of The Viking Corporation*



**Institutional**  
**Quick Response**  
**Standard Coverage**  
**Fusible Link**  
**Flush Pendent**

SIN: VK426  
K Factor: 5.6 (81)  
Thread Size: 1/2 inch NPT  
Base Part #: 19663

| Finish          | Temp  | Part #          | IPG  | List Price |
|-----------------|-------|-----------------|------|------------|
| Polished Chrome | 165°F | 19663FC         | V173 | \$158.14   |
| Polished Chrome | 205°F | 19663FE         | V173 | \$158.14   |
| Painted White   | 165°F | 19663MC/W       | V173 | \$158.14   |
| Painted White   | 205°F | 19663ME/W       | V173 | \$158.14   |
| Painted Gray    | 165°F | 19663MC/RAL9006 | V173 | \$158.14   |
| Painted Gray    | 205°F | 19663ME/RAL9006 | V173 | \$158.14   |
| Socket Wrench   |       | 22847MB         | V207 | \$397.76   |



**Institutional**  
**Quick Response**  
**Standard Coverage**  
**Fusible Link**  
**Flush Horizontal Sidewall**

SIN: VK427  
K Factor: 5.6 (81)  
Thread Size: 1/2 inch NPT  
Base Part #: 22885

| Finish          | Temp  | Part #          | IPG  | List Price |
|-----------------|-------|-----------------|------|------------|
| Polished Chrome | 165°F | 22885FC         | V173 | \$182.47   |
| Polished Chrome | 205°F | 22885FE         | V173 | \$182.47   |
| Painted White   | 165°F | 22885MC/W       | V173 | \$182.47   |
| Painted White   | 205°F | 22885ME/W       | V173 | \$182.47   |
| Painted Gray    | 165°F | 22885MC/RAL9006 | V173 | \$182.47   |
| Painted Gray    | 205°F | 22885ME/RAL9006 | V173 | \$182.47   |
| Socket Wrench   |       | 22847MB         | V207 | \$397.76   |



**Institutional**  
**Quick Response**  
**Extended Coverage**  
**Fusible Link**  
**Flush Pendent**

SIN: VK650  
K Factor: 5.6 (81)  
Thread Size: 1/2 inch NPT  
Base Part #: 19876

| Finish          | Temp  | Part #          | IPG  | List Price |
|-----------------|-------|-----------------|------|------------|
| Polished Chrome | 165°F | 19876FC         | V173 | \$170.30   |
| Polished Chrome | 205°F | 19876FE         | V173 | \$170.30   |
| Painted White   | 165°F | 19876MC/W       | V173 | \$170.30   |
| Painted White   | 205°F | 19876ME/W       | V173 | \$170.30   |
| Painted Gray    | 165°F | 19876MC/RAL9006 | V173 | \$170.30   |
| Painted Gray    | 205°F | 19876ME/RAL9006 | V173 | \$170.30   |
| Socket Wrench   |       | 22847MB         | V207 | \$397.76   |



**Institutional**  
**Quick Response**  
**Extended Coverage**  
**Fusible Link**  
**Flush Horizontal Sidewall**

SIN: VK651  
K Factor: 5.6 (81)  
Thread Size: 1/2 inch NPT  
Base Part #: 22884

| Finish          | Temp  | Part #          | IPG  | List Price |
|-----------------|-------|-----------------|------|------------|
| Polished Chrome | 165°F | 22884FC         | V173 | \$194.63   |
| Polished Chrome | 205°F | 22884FE         | V173 | \$194.63   |
| Painted White   | 165°F | 22884MC/W       | V173 | \$194.63   |
| Painted White   | 205°F | 22884ME/W       | V173 | \$194.63   |
| Painted Gray    | 165°F | 22884MC/RAL9006 | V173 | \$194.63   |
| Painted Gray    | 205°F | 22884ME/RAL9006 | V173 | \$194.63   |
| Socket Wrench   |       | 22847MB         | V207 | \$397.76   |



**Institutional**  
**Escutcheon**

| Finish          | Part #            | IPG  | List Price |
|-----------------|-------------------|------|------------|
| Polished Chrome | 3" 23196F         | V173 | \$18.25    |
| Painted White   | 3" 23196M/W       | V173 | \$18.25    |
| Painted Gray    | 3" 23196M/RAL9006 | V173 | \$34.47    |
| Polished Chrome | 4" 23197F         | V173 | \$24.33    |
| Painted White   | 4" 23197M/W       | V173 | \$24.33    |
| Painted Gray    | 4" 23197M/RAL9006 | V173 | \$38.52    |



**Institutional**  
**Optional Retaining Flange and Screw Assembly<sup>1</sup>**

| Finish          | Part # | IPG  | List Price |
|-----------------|--------|------|------------|
| Polished Chrome | 10599  | V173 | \$72.97    |

(1) Set screw requires a 1/8" allen wrench not available from Viking.

**Specific Application Attic Sprinklers**



**Back-to-Back (Model V-BB) Attic Sprinkler, Specific Application, Glass Bulb, 1/2 and 3/4 inch NPT**

| K Factor  | Roof Pitch    | SIN   | Part #   | Temp  | Finish            | IPG    | List Price |
|-----------|---------------|-------|----------|-------|-------------------|--------|------------|
| 5.6 (81)  | 4:12 < 7:12   | VK684 | 19627AE  | 200°F | Standard Brass    | V174   | \$ 609.93  |
| 5.6 (81)  | 4:12 < 7:12   | VK684 | 19627JNE | 200°F | Nickel PTFE (ENT) | V188.A | \$ 717.14  |
| 5.6 (81)  | 7:12 < 10:12  | VK685 | 19801AE  | 200°F | Standard Brass    | V174   | \$ 609.93  |
| 5.6 (81)  | 7:12 < 10:12  | VK685 | 19801JNE | 200°F | Nickel PTFE (ENT) | V188.A | \$ 717.14  |
| 5.6 (81)  | 10:12 ≤ 12:12 | VK686 | 19754AE  | 200°F | Standard Brass    | V174   | \$ 609.93  |
| 5.6 (81)  | 10:12 ≤ 12:12 | VK686 | 19754JNE | 200°F | Nickel PTFE (ENT) | V188.A | \$ 717.14  |
| 8.0 (115) | 4:12 < 7:12   | VK681 | 19626AE  | 200°F | Standard Brass    | V174   | \$ 711.94  |
| 8.0 (115) | 4:12 < 7:12   | VK681 | 19626JNE | 200°F | Nickel PTFE (ENT) | V188.A | \$ 875.31  |
| 8.0 (115) | 7:12 < 10:12  | VK682 | 19798AE  | 200°F | Standard Brass    | V174   | \$ 711.94  |
| 8.0 (115) | 7:12 < 10:12  | VK682 | 19798JNE | 200°F | Nickel PTFE (ENT) | V188.A | \$ 875.31  |
| 8.0 (115) | 10:12 ≤ 12:12 | VK683 | 19751AE  | 200°F | Standard Brass    | V174   | \$ 711.94  |
| 8.0 (115) | 10:12 ≤ 12:12 | VK683 | 19751JNE | 200°F | Nickel PTFE (ENT) | V188.A | \$ 875.31  |



**Single Directional (Model V-SD) Attic Sprinkler, Specific Application, Glass Bulb, 1/2 inch NPT**

| K Factor | Roof Pitch    | SIN   | Part #   | Temp  | Finish            | IPG    | List Price |
|----------|---------------|-------|----------|-------|-------------------|--------|------------|
| 5.6 (81) | 4:12 < 7:12   | VK693 | 19578AE  | 200°F | Standard Brass    | V174   | \$ 609.93  |
| 5.6 (81) | 4:12 < 7:12   | VK693 | 19578JNE | 200°F | Nickel PTFE (ENT) | V188.A | \$ 717.14  |
| 5.6 (81) | 7:12 < 10:12  | VK694 | 19799AE  | 200°F | Standard Brass    | V174   | \$ 609.93  |
| 5.6 (81) | 7:12 < 10:12  | VK694 | 19799JNE | 200°F | Nickel PTFE (ENT) | V188.A | \$ 717.14  |
| 5.6 (81) | 10:12 ≤ 12:12 | VK695 | 19759AE  | 200°F | Standard Brass    | V174   | \$ 609.93  |
| 5.6 (81) | 10:12 ≤ 12:12 | VK695 | 19759JNE | 200°F | Nickel PTFE (ENT) | V188.A | \$ 717.14  |



**Attic Upright Sprinkler, Specific Application, Glass Bulb, 1/2 inch NPT**

| K Factor | Roof Pitch    | SIN   | Part #   | Temp  | Finish            | IPG    | List Price |
|----------|---------------|-------|----------|-------|-------------------|--------|------------|
| 4.2 (57) | 4:12 to 12:12 | VK696 | 19538AE  | 200°F | Standard Brass    | V175   | \$ 90.18   |
| 4.2 (57) | 4:12 to 12:12 | VK696 | 19538JNE | 200°F | Nickel PTFE (ENT) | V188.A | \$ 120.91  |
| 5.6 (81) | 4:12 to 12:12 | VK697 | 21716AE  | 200°F | Standard Brass    | V175   | \$ 103.00  |
| 5.6 (81) | 4:12 to 12:12 | VK697 | 21716JNE | 200°F | Nickel PTFE (ENT) | V188.A | \$ 157.58  |



**Attic HIP (Model V-HIP), Specific Application, Glass Bulb, 1/2 inch NPT**

| K Factor | Roof Pitch    | SIN   | Part #   | Temp  | Finish            | IPG    | List Price |
|----------|---------------|-------|----------|-------|-------------------|--------|------------|
| 5.6 (81) | 4:12 to 12:12 | VK660 | 20952AE  | 200°F | Standard Brass    | V174   | \$ 609.93  |
| 5.6 (81) | 4:12 to 12:12 | VK660 | 20952JNE | 200°F | Nickel PTFE (ENT) | V188.A | \$ 716.72  |



**Attic Sprinkler (Model V-EP), Specific Application (Eave Protection), Glass Bulb, 1/2 inch NPT**

| K Factor | Roof Pitch      | SIN   | Part #   | Temp  | Finish            | IPG    | List Price |
|----------|-----------------|-------|----------|-------|-------------------|--------|------------|
| 5.6 (81) | 2 1/2:12 ≤ 6:12 | VK690 | 22768AE  | 200°F | Standard Brass    | V174   | \$ 609.93  |
| 5.6 (81) | 2 1/2:12 ≤ 6:12 | VK690 | 22768JNE | 200°F | Nickel PTFE (ENT) | V188.A | \$ 717.13  |

| Installation Wrench | Part #   | IPG  | List Price |
|---------------------|----------|------|------------|
| Standard Wrench     | 21475M/B | V207 | \$ 123.38  |



**COIN®**  
**Quick Response**  
**CCombustible Interstitial**  
**Glass Bulb**  
**Upright (Specific Application)**  
SIN: VK900  
K Factor: 4.2 (60)  
Thread Size: 1/2 inch NPT  
Base Part #: 12493

| Finish                                          | Temp  | Part #   | IPG    | List Price |
|-------------------------------------------------|-------|----------|--------|------------|
| Standard Brass                                  | 175°F | 12493AD  | V172   | \$113.47   |
| Nickel PTFE (ENT)                               | 175°F | 12493JND | V188.A | \$141.85   |
| <b>FUSIBLE LINK - VK901 (4.2 (60) K Factor)</b> |       |          |        |            |
| Standard Brass                                  | 205°F | 12676AE  | V172   | \$126.06   |
| Nickel PTFE (ENT)                               | 205°F | 12676JNE | V188.A | \$157.79   |
| Std Sprinkler Wrench                            |       | 21475M/B | V207   | \$123.38   |




**COIN®**  
**Quick Response**  
**CCombustible Interstitial**  
**Glass Bulb**  
**Upright (Specific Application)**  
SIN: VK950  
K Factor: 5.6 (80)  
Thread Size: 1/2 inch NPT  
Base Part #: 20757

| Finish               | Temp  | Part #   | IPG    | List Price |
|----------------------|-------|----------|--------|------------|
| Standard Brass       | 200°F | 20757AE  | V172   | \$138.98   |
| Nickel PTFE (ENT)    | 200°F | 20757JNE | V188.A | \$174.88   |
| Std Sprinkler Wrench |       | 21475M/B | V207   | \$123.38   |



**Window Sprinkler**  
**Quick Response**  
**Glass Bulb**  
**Pendant Vertical Sidewall**  
**(Specific Application)**  
SIN: VK960  
K Factor: 5.6 (81)  
Thread Size: 1/2 inch NPT  
Base Part #: 23832

| Finish               | Temp  | Part #    | IPG  | List Price |
|----------------------|-------|-----------|------|------------|
| Standard Brass       | 155°F | 23832AB   | V193 | \$736.89   |
| Standard Brass       | 200°F | 23832AE   | V193 | \$736.89   |
| Polished Chrome      | 155°F | 23832FB   | V193 | \$766.36   |
| Polished Chrome      | 200°F | 23832FE   | V193 | \$766.36   |
| White-Polyester      | 155°F | 23832MB/W | V193 | \$766.36   |
| White-Polyester      | 200°F | 23832ME/W | V193 | \$766.36   |
| Black-Polyester      | 155°F | 23832MB/B | V193 | \$766.36   |
| Black-Polyester      | 200°F | 23832ME/B | V193 | \$766.36   |
| Nickel PTFE (ENT)    | 155°F | 23832JNB  | V193 | \$854.79   |
| Nickel PTFE (ENT)    | 200°F | 23832JNE  | V193 | \$854.79   |
| Std Sprinkler Wrench |       | 23559MB   | V207 | \$123.38   |



**Window Sprinkler**  
**Quick Response**  
**Glass Bulb**  
**Horizontal Sidewall**  
**(Specific Application)**  
SIN: VK962  
K Factor: 5.6 (81)  
Thread Size: 1/2 inch NPT  
Base Part #: 23834

| Finish               | Temp  | Part #    | IPG  | List Price |
|----------------------|-------|-----------|------|------------|
| Standard Brass       | 155°F | 23834AB   | V193 | \$736.89   |
| Standard Brass       | 200°F | 23834AE   | V193 | \$736.89   |
| Polished Chrome      | 155°F | 23834FB   | V193 | \$766.36   |
| Polished Chrome      | 200°F | 23834FE   | V193 | \$766.36   |
| White-Polyester      | 155°F | 23834MB/W | V193 | \$766.36   |
| White-Polyester      | 200°F | 23834ME/W | V193 | \$766.36   |
| Black-Polyester      | 155°F | 23834MB/B | V193 | \$766.36   |
| Black-Polyester      | 200°F | 23834ME/B | V193 | \$766.36   |
| Nickel PTFE (ENT)    | 155°F | 23834JNB  | V193 | \$854.79   |
| Nickel PTFE (ENT)    | 200°F | 23834JNE  | V193 | \$854.79   |
| Std Sprinkler Wrench |       | 23559MB   | V207 | \$123.38   |



**Cleanroom Sprinkler**  
**Standard Response**  
**Glass bulb**  
**Pendant**

SIN: VK850  
K Factor: K5.6  
Thread Size: 1/2" NPT  
Base Part #: 24583

| Finish               | Temp  | Part #    | IPG    | List Price |
|----------------------|-------|-----------|--------|------------|
| Standard Brass       | 135°F | 24583AA   | V101   | \$52.54    |
| Standard Brass       | 155°F | 24583AB   | V101   | \$45.87    |
| Standard Brass       | 175°F | 24583AD   | V101   | \$52.53    |
| Standard Brass       | 200°F | 24583AE   | V101   | \$45.87    |
| Standard Brass       | 286°F | 24583AG   | V101   | \$53.46    |
| Painted White        | 135°F | 24583MA/W | V101   | \$50.53    |
| Painted White        | 155°F | 24583MB/W | V101   | \$50.53    |
| Painted White        | 175°F | 24583MD/W | V101   | \$50.53    |
| Painted White        | 200°F | 24583ME/W | V101   | \$53.36    |
| Painted White        | 286°F | 24583MG/W | V101   | \$54.29    |
| Painted Black        | 135°F | 24583MB/B | V101   | \$93.29    |
| Painted Black        | 155°F | 24583MD/B | V101   | \$93.29    |
| Painted Black        | 175°F | 24583ME/B | V101   | \$93.29    |
| Painted Black        | 200°F | 24583MG/B | V101   | \$93.29    |
| Painted Black        | 286°F | 24583AG   | V101   | \$53.46    |
| Nickel PTFE (ENT)    | 135°F | 24583JNA  | V188.A | \$109.51   |
| Nickel PTFE (ENT)    | 155°F | 24583JNB  | V188.A | \$109.51   |
| Nickel PTFE (ENT)    | 175°F | 24583JND  | V188.A | \$109.51   |
| Nickel PTFE (ENT)    | 200°F | 24583JNE  | V188.A | \$109.51   |
| Nickel PTFE (ENT)    | 286°F | 24583JNG  | V188.A | \$109.51   |
| Std Sprinkler Wrench |       | 23559MB   | V207   | \$123.38   |
| Rec Socket Wrennch   |       | 23560MB   | V207   | \$237.78   |



**Cleanroom Sprinkler**  
**Standard Response**  
**Glass bulb**  
**Pendant**

SIN: VK851  
K Factor: K8.0  
Thread Size: 1/2" NPT  
Base Part #: 24584

| Finish               | Temp  | Part #    | IPG    | List Price |
|----------------------|-------|-----------|--------|------------|
| Standard Brass       | 135°F | 24584AA   | V113   | \$52.49    |
| Standard Brass       | 155°F | 24584AB   | V113   | \$52.49    |
| Standard Brass       | 175°F | 24584AD   | V113   | \$52.49    |
| Standard Brass       | 200°F | 24584AE   | V113   | \$52.49    |
| Standard Brass       | 286°F | 24584AG   | V113   | \$52.49    |
| Painted White        | 135°F | 24584MA/W | V113   | \$63.28    |
| Painted White        | 155°F | 24584MB/W | V113   | \$63.28    |
| Painted White        | 175°F | 24584MD/W | V113   | \$63.28    |
| Painted White        | 200°F | 24584ME/W | V113   | \$63.28    |
| Painted White        | 286°F | 24584MG/W | V113   | \$63.28    |
| Painted Black        | 135°F | 24584MA/B | V113   | \$81.73    |
| Painted Black        | 155°F | 24584MB/B | V113   | \$81.73    |
| Painted Black        | 175°F | 24584MD/B | V113   | \$81.73    |
| Painted Black        | 200°F | 24584ME/B | V113   | \$81.73    |
| Painted Black        | 286°F | 24584MG/B | V113   | \$81.73    |
| Nickel PTFE (ENT)    | 135°F | 24584JNA  | V188.A | \$173.48   |
| Nickel PTFE (ENT)    | 155°F | 24584JNB  | V188.A | \$173.48   |
| Nickel PTFE (ENT)    | 175°F | 24584JND  | V188.A | \$173.48   |
| Nickel PTFE (ENT)    | 200°F | 24584JNE  | V188.A | \$173.48   |
| Nickel PTFE (ENT)    | 286°F | 24584JNG  | V188.A | \$173.48   |
| Std Sprinkler Wrench |       | 23559MB   | V207   | \$123.38   |
| Rec Socket Wrennch   |       | 23560MB   | V207   | \$237.78   |



**Cleanroom Sprinkler**  
**Quick Response**  
**Glass bulb**  
**Pendent**

SIN: VK852  
K Factor: K5.6  
Thread Size: 1/2" NPT  
Base Part #: 24321

| Finish               | Temp  | Part #    | IPG    | List Price |
|----------------------|-------|-----------|--------|------------|
| Standard Brass       | 135°F | 24321AA   | V120   | \$54.14    |
| Standard Brass       | 155°F | 24321AB   | V120   | \$50.33    |
| Standard Brass       | 175°F | 24321AD   | V120   | \$111.66   |
| Standard Brass       | 200°F | 24321AE   | V120   | \$50.33    |
| Standard Brass       | 286°F | 24321AG   | V120   | \$50.33    |
| Painted White        | 135°F | 24321MA/W | V120   | \$53.38    |
| Painted White        | 155°F | 24321MB/W | V120   | \$53.38    |
| Painted White        | 175°F | 24321MD/W | V120   | \$53.38    |
| Painted White        | 200°F | 24321ME/W | V120   | \$101.44   |
| Painted White        | 286°F | 24321MG/W | V120   | \$56.19    |
| Painted Black        | 135°F | 24321MA/B | V120   | \$95.81    |
| Painted Black        | 155°F | 24321MB/B | V120   | \$95.81    |
| Painted Black        | 175°F | 24321MD/B | V120   | \$95.81    |
| Painted Black        | 200°F | 24321ME/B | V120   | \$95.81    |
| Painted Black        | 286°F | 24321MG/B | V120   | \$95.81    |
| Nickel PTFE (ENT)    | 135°F | 24321JNA  | V188.A | \$120.91   |
| Nickel PTFE (ENT)    | 155°F | 24321JNB  | V188.A | \$120.91   |
| Nickel PTFE (ENT)    | 175°F | 24321JND  | V188.A | \$120.91   |
| Nickel PTFE (ENT)    | 200°F | 24321JNE  | V188.A | \$120.91   |
| Nickel PTFE (ENT)    | 286°F | 24321JNG  | V188.A | \$120.91   |
| Std Sprinkler Wrench |       | 23559MB   | V207   | \$123.38   |
| Rec Socket Wrennch   |       | 23560MB   | V207   | \$237.78   |



**Cleanroom Sprinkler**  
**Quick Response**  
**Glass bulb**  
**Pendent**

SIN: VK853  
K Factor: K8.0  
Thread Size: 1/2" NPT  
Base Part #: 24580

| Finish               | Temp  | Part #    | IPG    | List Price |
|----------------------|-------|-----------|--------|------------|
| Standard Brass       | 135°F | 24580AA   | V130   | \$93.24    |
| Standard Brass       | 155°F | 24580AB   | V130   | \$93.24    |
| Standard Brass       | 175°F | 24580AD   | V130   | \$93.24    |
| Standard Brass       | 200°F | 24580AE   | V130   | \$93.24    |
| Standard Brass       | 286°F | 24580AG   | V130   | \$93.24    |
| Painted White        | 135°F | 24580MA/W | V130   | \$101.60   |
| Painted White        | 155°F | 24580MB/W | V130   | \$101.60   |
| Painted White        | 175°F | 24580MD/W | V130   | \$101.60   |
| Painted White        | 200°F | 24580ME/W | V130   | \$101.60   |
| Painted White        | 286°F | 24580MG/W | V130   | \$101.60   |
| Painted Black        | 135°F | 24580MA/B | V130   | \$101.60   |
| Painted Black        | 155°F | 24580MB/B | V130   | \$101.60   |
| Painted Black        | 175°F | 24580MD/B | V130   | \$101.60   |
| Painted Black        | 200°F | 24580ME/B | V130   | \$101.60   |
| Painted Black        | 286°F | 24580MG/B | V130   | \$101.95   |
| Nickel PTFE (ENT)    | 135°F | 24580JNA  | V188.A | \$299.44   |
| Nickel PTFE (ENT)    | 155°F | 24580JNB  | V188.A | \$299.44   |
| Nickel PTFE (ENT)    | 175°F | 24580JND  | V188.A | \$299.44   |
| Nickel PTFE (ENT)    | 200°F | 24580JNE  | V188.A | \$299.44   |
| Nickel PTFE (ENT)    | 286°F | 24580JNG  | V188.A | \$299.44   |
| Std Sprinkler Wrench |       | 23559MB   | V207   | \$123.38   |
| Rec Socket Wrennch   |       | 23560MB   | V207   | \$237.78   |