

TABLE OF CONTENTS


Upright – Quick / Standard Response, 5.6 (81) K factor (VK184)	G-1
Standard Response Pendent – 5.6 (81) K factor (VK150, VK154, VK158)	G-2
Standard Response Horizontal Sidewall – 5.6 (81) K factor (VK152, VK156, VK162)	G-3
Standard Response Pendent – 8.0 (115) K factor (VK166, VK163, VK164)	G-4
Standard Response Horizontal Sidewall – 8.0 (115) K factor (VK2503, VK2523, VK2543)	G-5
Standard Response Vertical Sidewall – 5.6 (81) K factor (VK153, VK157, VK161)	G-6
Standard Response Pendent – Stainless Steel – 5.6 (81) K factor (VK168, VK169)	G-7
<u>Standard Response Pendent – Domed Concealed – 5.6 (81) / 8.0 K factor (VK190, VK192)</u>	<u>G-8</u>
Quick Response Pendent, 5.6 (81) K factor (VK172, VK176, VK180)	G-9
Quick Response Horizontal Sidewall – 5.6 (81) K factor (VK174, VK178, VK182)	G-10
Quick Response Pendent – 8.0 (115) K factor (VK173, VK177, VK181)	G-11
Quick Response Horizontal Sidewall – 8.0 (115) K factor (VK2753, VK2773, VK2793)	G-12
Quick Response Pendent – Fusible Link – 8.0 (115) K factor (VK282, VK286, VK290)	G-13
<u>Quick Response Horizontal Sidewall – Fusible Link – 8.0 (115) K factor (VK2843, VK2883, VK2923)</u>	<u>G-14</u>
Extended Coverage, Quick/Standard Response, Pendent / Sidewall – 5.6 (81) K factor (VK186/188)	G-15
Extended Coverage, Quick Response Pendent – Domed Concealed – 5.6 (81) K factor (VK194/196)	G-16
Recessed Flush, Quick Response Pendent – Fusible Link – 5.6 (81) K factor (VK482)	G-17
Standard Response ELO – 11.2 (161.3) K factor (VK544, VK546, VK545)	G-18
<u>Quick Response ELO – 11.2 (161.3) K factor (VK547, VK549, VK548)</u>	<u>G-19</u>

Notes

1. Viking's "Dry Sprinkler Order Form" can be found by visiting <https://webtools.vikingcorp.com/dry/>.
2. Dry sprinklers are special ordered items and are not returnable. Any change made after order placement is subject to charges. Please check the information carefully before ordering.
3. List price for standard adjustable and recessed adjustable styles includes the escutcheon.
4. Replacement escutcheons and sprinkler guards are available on pages H-1 and H-5.
5. Residential Dry Sprinklers can be found on page F-9.
6. Refer to Viking technical data pages for complete product specifications, including maximum order lengths. You may print or download technical data by visiting www.vikinggroupinc.com.
7. List prices effective May 10, 2025. Supersedes July 2022 list price book.
8. All sales by Viking are subject to the Terms & Conditions found on the last page of this book.

Dry Sprinkler Ordering Instructions

To order dry sprinklers, start with the base part number for the desired product and then add the appropriate "finish", "temperature", and "length" suffixes. Please refer to the sprinkler's technical data page for details on how to calculate the length dimension for each style of dry sprinkler (A or B dimension).



Finish Suffixes (f)	
Standard Brass	A
Polished Chrome	F
White Polyester	M_/W
Nickel PTFE (ENT)	JN
White w/ Chrome	
Escutcheon	MF_/W

Temperature Suffixes (t)	
155°F (68°C)	B
165°F (79°C)	C
175°F (79°C)	D
200°F (93°C)	E
205°F (93°C)	E
286°F (93°C)	G

Quick / Standard Response

5.6 (81) K Factor (1/2" orifice)

Standard Coverage

Upright / 1" NPT

Glass Bulb

To order, add finish, temperature
and length suffix to base part number
(length = B dimension, inches)

Ex: VK184, Brass, 155°F, 14 1/2" long

Part Number: 08417UAB145

VK184 (Quick Response)

Plain Barrel

Base P/N: 08417U




order in 1/2" increments

Item Price Group: V187

VK184 - QR Upright

base p/n - 08417U(f)(t)(l)



*contact customer service for lengths over standard

LIST PRICES and Available Finishes

	Standard Brass (A_)	White (M_/W)
4 1/2 - 7 1/2" (114 - 191mm)	\$426.99	\$412.29
8 - 10 1/2" (203 - 267mm)	\$437.51	\$447.15
11 - 13 1/2" (279 - 343mm)	\$453.35	\$462.99
14 - 16 1/2" (356 - 419mm)	\$495.60	\$505.10
17 - 19 1/2" (432 - 495mm)	\$521.89	\$531.53
20 - 22 1/2" (508 - 572mm)	\$553.47	\$562.95
23 - 25 1/2" (584 - 648mm)	\$601.02	\$610.48
26 - 28 1/2" (660 - 724mm)	\$627.38	P.O.A
29 - 31 1/2" (737 - 800mm)	\$659.02	P.O.A
32 - 34 1/2" (813 - 876mm)	\$685.33	\$694.79
35 - 37 1/2" (889 - 953mm)	\$711.72	\$721.18

**Additional Ordering
Information**

VK184

Available Temp.

Ratings / Suffix

155°F (68°C) = B

175°F (79°C) = D

200°F (93°C) = E

286°F (93°C) = G

Standard Wrench

VK184

07297W/B \$185.24

Sprinkler Guard

for upright/pendent

08954 \$50.79

Dry Sprinkler Boot

22087M/W \$76.51

NOTE: Dry sprinklers are special ordered items and are not returnable. Changes made after order placement are subject to additional charges. Please check the information carefully before ordering.

Standard Response

5.6 (81) K Factor (1/2" orifice)

Standard Coverage

Pendent / 1" NPT

Glass Bulb

To order, add finish, temperature
and length suffix to base part number
(length = A dimension, inches)

Ex: VK154, White, 175 °F, 9 1/2" length

Part Number: 07740UMD/W095

VK150

Plain Barrel

Base P/N: 07852U



order in 1/2" increments

VK154

Standard Adjustable

Base P/N: 07740U



order in 1/2" increments

VK158

Recessed Adjustable


Base P/N: 06530U



order in 1/4" increments

Item Price Group: V187 (ENT Finish: IPG V188)

VK150 - Plain Barrel	Length (L) - A Dimension
base p/n - 07852U(f)(t)(l)	3 - 6" (76 - 152mm)
	6 1/2 - 9" (165 - 229mm)
	9 1/2 - 12" (241 - 305mm)
	12 1/2 - 15" (318 - 381mm)
	15 1/2 - 18" (394 - 457mm)
	18 1/2 - 21" (470 - 533mm)
	21 1/2 - 24" (546 - 610mm)
	24 1/2 - 27" (622 - 686mm)
	27 1/2 - 30" (699 - 762mm)
	30 1/2 - 33" (775 - 838mm)
	33 1/2 - 36" (851 - 914mm)



*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Standard Brass (A _)	Polished Chrome (F _)	ENT (JN) IPG V188
\$348.00	\$353.15	\$489.73
\$358.45	\$363.74	P.O.A
\$374.28	\$379.53	\$516.13
\$405.98	\$411.17	P.O.A
\$432.32	\$437.51	\$574.13
\$463.92	\$469.22	P.O.A
\$500.84	\$506.09	\$642.67
\$537.72	\$542.97	P.O.A
\$558.82	\$564.05	P.O.A
\$590.45	\$595.76	P.O.A
\$616.84	\$622.08	P.O.A

Additional Ordering

Information
VK150/154/158

Available Temp.

Ratings / Suffix

155°F (68°C) = B

175°F (79°C) = D

200°F (93°C) = E

286°F (93°C) = G *

* N/A with VK158

VK154 also available
in white finish

with chrome

escutcheon at


same price as

white finish. Use

suffix MF_/W

Item Price Group: V187 (ENT Finish: IPG V188)

VK154 - Standard Adj.	Length (L) - A Dimension
base p/n - 07740U(f)(t)(l)	1 1/2 - 6" (38 - 152mm)
	6 1/2 - 9" (165 - 229mm)
	9 1/2 - 12" (241 - 305mm)
	12 1/2 - 15" (318 - 381mm)
	15 1/2 - 18" (394 - 457mm)
	18 1/2 - 21" (470 - 533mm)
	21 1/2 - 24" (546 - 610mm)
	24 1/2 - 27" (622 - 686mm)
	27 1/2 - 30" (699 - 762mm)
	30 1/2 - 33" (775 - 838mm)
	33 1/2 - 36" (851 - 914mm)



*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Polished Chrome (F _)	White (M_/W)	ENT (JN) IPG V188
\$374.28	\$374.28	\$510.87
\$384.92	\$384.92	\$521.52
\$405.98	\$405.98	\$542.56
\$437.51	\$437.51	\$574.13
\$453.35	\$453.35	\$589.95
\$495.60	\$495.60	\$632.17
\$521.89	\$521.89	\$658.47
\$558.82	\$558.82	\$695.43
\$590.45	\$590.45	\$795.61
\$611.53	\$611.53	\$748.11
\$637.83	\$637.83	\$774.45

Standard Wrench

VK150 and VK154

07297W/B \$185.24

Recessed wrench

for VK158 model

07565W/B \$237.78


Sprinkler Guard

for upright/pendent

08954 \$50.79

Item Price Group: V187 (ENT Finish: IPG V188)

VK158 - Recessed Adj.	Length (L) - A Dimension
base p/n - 06530U(f)(t)(l)	3 1/4 - 6" (83 - 152mm)
	6 1/4 - 9" (159 - 229mm)
	9 1/4 - 12" (235 - 305mm)
	12 1/4 - 15" (311 - 381mm)
	15 1/4 - 18" (387 - 457mm)
	18 1/4 - 21" (464 - 533mm)
	21 1/4 - 24" (540 - 610mm)
	24 1/4 - 27" (616 - 686mm)
	27 1/4 - 30" (692 - 762mm)
	30 1/4 - 33" (768 - 838mm)
	33 1/4 - 36" (845 - 914mm)



LIST PRICES and Available Finishes

Polished Chrome (F _)	White (M_/W)	ENT (JN) IPG V188
\$374.28	\$384.92	\$521.52
\$390.18	\$400.64	\$537.21
\$411.17	\$421.78	\$558.37
\$442.90	\$453.35	\$589.95
\$469.22	\$479.73	\$616.31
\$495.60	\$506.09	\$642.67
\$537.72	\$548.28	\$684.87
\$564.05	\$574.66	\$711.27
\$601.02	\$611.53	\$748.09
\$616.84	\$627.38	\$763.97
\$659.02	\$669.43	\$806.04

Dry Spk Replacement

Escutcheons

Std. Adj. - Chrome

07741F \$12.39

Std. Adj. - White

07741M/W \$12.39

Rec. Adj. - Chrome

05459AF \$9.00

Rec. Adj. - White

05459AM/W \$9.00

Dry Sprinkler Boot

22087M/W \$76.51

Standard Response

5.6 (81) K Factor (1/2" orifice)

Standard Coverage

Horizontal Sidewall / 1" NPT

Glass Bulb

To order, add finish, temperature
and length suffix to base part number
(length = A dimension, inches)

Ex: VK156, White, 175 °F, 9 1/2" length

Part Number: 07857UMD/W095

VK152
Plain Barrel
Base P/N: **07858U**



order in 1/2" increments

VK156
Standard Adjustable
Base P/N: **07857U**



order in 1/2" increments


VK162
Recessed Adjustable
Base P/N: **07856U**



order in 1/4" increments

Item Price Group: V187 (ENT Finish: IPG V188)

VK152 - Plain Barrel	Length (L) - A Dimension
base p/n - 07858U(f)(t)(l)	3 - 6" (76 - 152mm)
	6 1/2 - 9" (165 - 229mm)
	9 1/2 - 12" (241 - 305mm)
	12 1/2 - 15" (318 - 381mm)
	15 1/2 - 18" (394 - 457mm)
	18 1/2 - 21" (470 - 533mm)
	21 1/2 - 24" (546 - 610mm)
	24 1/2 - 27" (622 - 686mm)
	27 1/2 - 30" (699 - 762mm)
	30 1/2 - 33" (775 - 838mm)
	33 1/2 - 36" (851 - 914mm)



*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Standard Brass (A_)	Polished Chrome (F_)	ENT (JN) IPG V188
\$374.28	\$379.53	P.O.A
\$379.53	\$384.92	\$521.50
\$400.64	\$405.98	\$542.56
\$437.51	\$442.90	\$579.50
\$463.92	\$469.22	P.O.A
\$490.32	\$495.60	P.O.A
\$548.28	\$553.47	P.O.A
\$574.66	\$579.92	P.O.A
\$606.23	\$611.53	P.O.A
\$616.84	\$622.08	P.O.A
\$637.83	\$643.15	P.O.A

**Additional Ordering
Information**

VK152/156/162

Available Temp.

Ratings / Suffix

155°F (68°C) = B

175°F (79°C) = D

200°F (93°C) = E

286°F (93°C) = G *

* N/A with VK162

**VK156 also available
in white finish
with chrome
escutcheon at
same price as
white finish. Use
suffix MF_/W**

Standard Wrench
VK152 and VK156

07297W/B \$185.24

Recessed Wrench
for VK162 Model

07565W/B \$237.78

**Dry Spk Replacement
Escutcheons**

Std. Adj. - Chrome
08086F \$12.39

Std. Adj. - White
08086M/W \$12.39

Rec. Adj. - Chrome
05459AF \$9.00

Rec. Adj. - White
05459AM/W \$9.00


Dry Sprinkler Boot

22087M/W \$76.51

Electroless Nickel PTFE
(ENT) finish is for corrosion
resistance.

Item Price Group: V187 (ENT Finish: IPG V188)

VK156 - Standard Adj.	Length (L) - A Dimension
base p/n - 07857U(f)(t)(l)	1 1/2 - 6" (38 - 152mm)
	6 1/2 - 9" (165 - 229mm)
	9 1/2 - 12" (241 - 305mm)
	12 1/2 - 15" (318 - 381mm)
	15 1/2 - 18" (394 - 457mm)
	18 1/2 - 21" (470 - 533mm)
	21 1/2 - 24" (546 - 610mm)
	24 1/2 - 27" (622 - 686mm)
	27 1/2 - 30" (699 - 762mm)
	30 1/2 - 33" (775 - 838mm)
	33 1/2 - 36" (851 - 914mm)




*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
\$384.92	\$384.92	\$521.52
\$405.98	\$405.98	\$542.56
\$421.78	\$421.78	\$558.37
\$469.22	\$469.22	\$605.81
\$490.32	\$490.32	\$626.91
\$516.66	\$516.66	\$653.27
\$574.66	\$574.66	\$711.27
\$601.02	\$601.04	\$737.63
\$627.38	\$627.38	P.O.A
\$637.83	\$637.85	P.O.A
\$669.43	\$669.43	P.O.A

Item Price Group: V187 (ENT Finish: IPG V188)

VK162 - Recessed Adj.	Length (L) - A Dimension
base p/n - 07856U(f)(t)(l)	3 1/4 - 6" (83 - 152mm)
	6 1/4 - 9" (159 - 229mm)
	9 1/4 - 12" (235 - 305mm)
	12 1/4 - 15" (311 - 381mm)
	15 1/4 - 18" (387 - 457mm)
	18 1/4 - 21" (464 - 533mm)
	21 1/4 - 24" (540 - 610mm)
	24 1/4 - 27" (616 - 686mm)
	27 1/4 - 30" (692 - 762mm)
	30 1/4 - 33" (768 - 838mm)
	33 1/4 - 36" (845 - 914mm)



LIST PRICES and Available Finishes

Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
\$400.64	\$411.17	\$547.75
\$416.46	\$426.99	\$563.59
\$426.99	\$437.51	\$574.15
\$474.48	\$485.04	\$621.64
\$495.60	\$506.09	\$642.69
\$527.18	\$537.72	P.O.A
\$585.13	\$595.76	P.O.A
\$611.53	\$622.08	P.O.A
\$632.57	\$643.15	P.O.A
\$669.43	\$680.10	P.O.A
\$690.62	\$701.16	P.O.A

Standard Response

8.0 (115) K Factor (17/32" orifice)

Standard Coverage

Pendent / 1" NPT

Glass Bulb

To order, add finish, temperature
and length suffix to base part number
(length = A dimension, inches)

Ex: VK164, white, 200 °F, 12" length

Part Number: 12811UME/W12

VK166

Plain Barrel

Base P/N: 12741U



order in ½" increments

VK163

Standard Adjustable

Base P/N: 12810U



order in ½" increments

VK164

Recessed Adjustable

Base P/N: 12811U




order in ¼" increments

Item Price Group: V187 (ENT Finish: IPG V188)

VK166 - Plain Barrel

base p/n - 12741U(f)(t)(l)



Length (L) - A Dimension	
3 - 6" (76 - 152mm)	
6½ - 9" (165 - 229mm)	
9½ - 12" (241 - 305mm)	
12½ - 15" (318 - 381mm)	
15½ - 18" (394 - 457mm)	
18½ - 21" (470 - 533mm)	
21½ - 24" (546 - 610mm)	
24½ - 27" (622 - 686mm)	
27½ - 30" (699 - 762mm)	
30½ - 33" (775 - 838mm)	
33½ - 36" (851 - 914mm)	

*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Standard Brass (A_)	Polished Chrome (F_)	ENT (JN)
		IPG V188
\$390.18	\$393.86	P.O.A
\$377.22	\$414.81	P.O.A
\$421.78	\$425.45	\$562.05
\$463.91	\$467.63	P.O.A
\$495.58	\$499.25	\$635.85
\$516.66	\$520.33	P.O.A
\$569.31	\$572.99	P.O.A
\$601.04	\$604.71	\$741.29
\$627.38	\$631.10	P.O.A
\$648.33	\$652.09	P.O.A
\$680.10	P.O.A	P.O.A

Additional Ordering

Information
VK166/163/164

Available Temp.

Ratings / Suffix

155°F (68°C) = B

175°F (79°C) = D

200°F (93°C) = E

286°F (93°C) = G *

* N/A with VK164

VK163 also available

in white finish

with chrome

escutcheon at

same price as


white finish. Use

suffix MF_/W

Item Price Group: V187 (ENT Finish: IPG V188)

VK163 - Standard Adj.

base p/n - 12810U(f)(t)(l)



Length (L) - A Dimension	
1½ - 6" (38 - 152mm)	
6½ - 9" (165 - 229mm)	
9½ - 12" (241 - 305mm)	
12½ - 15" (318 - 381mm)	
15½ - 18" (394 - 457mm)	
18½ - 21" (470 - 533mm)	
21½ - 24" (546 - 610mm)	
24½ - 27" (622 - 686mm)	
27½ - 30" (699 - 762mm)	
30½ - 33" (775 - 838mm)	
33½ - 36" (851 - 914mm)	

*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Polished Chrome (F_)	White (M_/W)	ENT (JN)
		IPG V188
\$411.19	\$411.19	P.O.A
\$421.78	\$421.78	P.O.A
\$432.32	\$432.32	\$568.92
\$469.22	\$469.22	P.O.A
\$485.04	\$485.04	\$621.64
\$521.89	\$521.89	\$663.77
\$553.47	\$553.47	\$705.89
\$590.45	\$590.45	\$748.13
\$616.84	\$616.84	\$758.67
\$632.57	\$632.57	P.O.A
\$669.43	\$669.43	\$832.47

Standard Wrench

VK166 and VK163

07297W/B \$185.24

Recessed Wrench

for VK164 Model

07565W/B \$237.78

Sprinkler Guard


for Upright/Pendent

08954 \$50.79

Item Price Group: V187 (ENT Finish: IPG V188)

VK164 - Recessed Adj.

base p/n - 12811U(f)(t)(l)



Length (L) - A Dimension	
3¼ - 6" (83 - 152mm)	
6¼ - 9" (159 - 229mm)	
9¼ - 12" (235 - 305mm)	
12¼ - 15" (311 - 381mm)	
15¼ - 18" (387 - 457mm)	
18¼ - 21" (464 - 533mm)	
21¼ - 24" (540 - 610mm)	
24¼ - 27" (616 - 686mm)	
27¼ - 30" (692 - 762mm)	
30¼ - 33" (768 - 838mm)	
33¼ - 36" (845 - 914mm)	

LIST PRICES and Available Finishes

Polished Chrome (F_)	White (M_/W)	ENT (JN)
		IPG V188
\$411.19	\$421.78	P.O.A
\$421.78	\$432.32	P.O.A
\$432.32	\$442.90	\$579.48
\$469.22	\$479.73	P.O.A
\$495.58	\$506.09	\$642.69
\$527.18	\$537.72	P.O.A
\$558.82	\$569.31	\$705.91
\$601.04	\$611.53	P.O.A
\$622.08	\$622.08	P.O.A
\$643.15	\$653.69	P.O.A
\$685.33	\$695.89	\$832.47

Dry Spk Replacement
Escutcheons

Std. Adj. - Chrome

07741F \$12.39

Std. Adj. - White

07741M/W \$12.39

Rec. Adj. - Chrome

05459AF \$9.00

Rec. Adj. - White

05459AM/W \$9.00

Dry Sprinkler Boot

22087M/W \$76.51

Standard Response

8.0 (115) K Factor (17/32" orifice)

Standard Coverage

Horizontal Sidewall / 1" NPT

Glass Bulb

To order, add finish, temperature
and length suffix to base part number
(length = A dimension, inches)

Ex: VK2543, chrome, 175°F, 17½" long

Part Number: 21481UFD1725

<u>VK2503</u> Plain Barrel Base P/N: <u>21493U</u>	<u>VK2523</u> Standard Adjustable Base P/N: <u>21487U</u>	<u>VK2543</u> Recessed Adjustable Base P/N: <u>21481U</u>
		
cULus Listed with 12" deflector distance down from ceiling		
order in ½" increments	order in ½" increments	order in ¼" increments

Item Price Group: V187 (ENT Finish: IPG V188)

<u>VK2503 - Plain Barrel</u> base p/n - 21493U(f)(t)(l)	Length (L) - A Dimension	LIST PRICES and Available Finishes		
		Standard Brass (A_)	Polished Chrome (F_)	ENT (JN) IPG V188
	3 - 6" (76 - 152mm)	\$468.23	P.O.A	P.O.A
	6½ - 9" (165 - 229mm)	\$493.42	\$497.82	P.O.A
	9½ - 12" (241 - 305mm)	\$506.08	\$510.53	P.O.A
	12½ - 15" (318 - 381mm)	P.O.A	P.O.A	P.O.A
	15½ - 18" (394 - 457mm)	\$594.72	\$594.73	P.O.A
	18½ - 21" (470 - 533mm)	P.O.A	P.O.A	P.O.A
	21½ - 24" (546 - 610mm)	\$683.23	\$687.57	P.O.A
	24½ - 27" (622 - 686mm)	P.O.A	P.O.A	P.O.A
	27½ - 30" (699 - 762mm)	P.O.A	P.O.A	P.O.A
	30½ - 33" (775 - 838mm)	P.O.A	P.O.A	P.O.A
	33½ - 36" (851 - 914mm)	P.O.A	P.O.A	P.O.A

*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

<u>VK2523 - Standard Adj.</u> base p/n - 21487U(f)(t)(l)	Length (L) - A Dimension	LIST PRICES and Available Finishes		
		Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
	1½ - 6" (38 - 152mm)	\$493.42	P.O.A	P.O.A
	6½ - 9" (165 - 229mm)	\$506.08	P.O.A	P.O.A
	9½ - 12" (241 - 305mm)	\$518.82	\$518.82	P.O.A
	12½ - 15" (318 - 381mm)	P.O.A	\$563.08	P.O.A
	15½ - 18" (394 - 457mm)	\$582.07	\$582.07	P.O.A
	18½ - 21" (470 - 533mm)	\$626.28	\$626.28	P.O.A
	21½ - 24" (546 - 610mm)	\$664.21	\$664.21	\$800.77
	24½ - 27" (622 - 686mm)	P.O.A	P.O.A	P.O.A
	27½ - 30" (699 - 762mm)	P.O.A	P.O.A	\$876.77
	30½ - 33" (775 - 838mm)	P.O.A	P.O.A	P.O.A
	33½ - 36" (851 - 914mm)	P.O.A	P.O.A	P.O.A

*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

<u>VK2543 - Recessed Adj.</u> base p/n - 21481U(f)(t)(l)	Length (L) - A Dimension	LIST PRICES and Available Finishes		
		Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
	3¼ - 6" (83 - 152mm)	P.O.A	P.O.A	P.O.A
	6¼ - 9" (159 - 229mm)	P.O.A	P.O.A	P.O.A
	9¼ - 12" (235 - 305mm)	\$518.83	P.O.A	P.O.A
	12¼ - 15" (311 - 381mm)	P.O.A	P.O.A	P.O.A
	15¼ - 18" (387 - 457mm)	P.O.A	P.O.A	P.O.A
	18¼ - 21" (464 - 533mm)	P.O.A	P.O.A	P.O.A
	21¼ - 24" (540 - 610mm)	P.O.A	P.O.A	P.O.A
	24¼ - 27" (616 - 686mm)	P.O.A	P.O.A	P.O.A
	27¼ - 30" (692 - 762mm)	P.O.A	P.O.A	P.O.A
	30¼ - 33" (768 - 838mm)	P.O.A	P.O.A	P.O.A
	33¼ - 36" (845 - 914mm)	P.O.A	P.O.A	P.O.A

Additional Ordering
Information

VK2503/2523/2543

Available Temp.

Ratings / Suffix

155°F (68°C) = B

175°F (79°C) = D

200°F (93°C) = E

286°F (93°C) = G *

* N/A with VK254

VK2523 also available

in white finish

with chrome

escutcheon at

same price as

white finish. Use

suffix MF_/W

Standard Wrench

VK2503 and VK2523

07297W/B \$185.24

Recessed Wrench

for VK2543 Model

07565W/B \$237.78

Dry Spk Replacement

Escutcheons

Std. Adj. - Chrome

08086F \$12.39

Std. Adj. - White

08086M/W \$12.39

Rec. Adj. - Chrome

05459AF \$9.00

Rec. Adj. - White

05459AM/W \$9.00

Dry Sprinkler Boot

22087M/W \$76.51

Electroless Nickel PTFE

(ENT) coating is for

corrosion resistance.

Standard Response

5.6 (81) K Factor (1/2" orifice)

Standard Coverage

Vertical Sidewall* / 1" NPT

Glass Bulb

NOTE - Sprinklers are NOT Listed or Approved

To order, add finish, temperature
and length suffix to base part number
(length = A dimension, inches)

Ex: VK161, white, 155 °F, 5 3/4" length

Part Number: 09124UMB/W0575

VK153

Plain Barrel

Base P/N: 09125U



order in 1/2" increments

VK157

Standard Adjustable

Base P/N: 09123U



order in 1/2" increments

VK161


Recessed Adjustable

Base P/N: 09124U




order in 1/4" increments

Item Price Group: V187

VK153 - Plain Barrel	Length (L) - A Dimension	LIST PRICES and Available Finishes	
		Standard Brass (A _)	Polished Chrome (F _)
	4 1/2" - 7 1/2" (114 - 191mm)	\$427.28	\$433.00
	8 - 10 1/2" (203 - 267mm)	\$433.00	\$438.79
	11 - 13 1/2" (279 - 343mm)	\$450.40	\$456.15
	14 - 16 1/2" (356 - 419mm)	\$496.57	\$502.35
	17 - 19 1/2" (432 - 495mm)	\$519.67	\$525.39
	20 - 22 1/2" (508 - 572mm)	\$548.58	\$554.30
	23 - 25 1/2" (584 - 648mm)	\$611.95	\$617.83
	26 - 28 1/2" (660 - 724mm)	\$646.68	\$652.42
	29 - 31 1/2" (737 - 800mm)	\$675.54	\$681.35
	32 - 34 1/2" (813 - 876mm)	\$687.18	\$692.82
	35 - 37 1/2" (889 - 953mm)	\$710.17	\$716.03


*contact customer service for lengths over standard

Item Price Group: V187

VK157 - Standard Adj.	Length (L) - A Dimension	LIST PRICES and Available Finishes	
		Polished Chrome (F _)	White (M _/W)
	3 - 6" (76 - 152mm)	\$438.77	\$438.79
	6 1/2" - 9" (165 - 229mm)	\$461.98	P.O.A
	9 1/2" - 12" (241 - 305mm)	\$473.49	\$473.46
	12 1/2" - 15" (318 - 381mm)	\$525.39	\$525.37
	15 1/2" - 18" (394 - 457mm)	\$548.58	\$548.58
	18 1/2" - 21" (470 - 533mm)	\$577.41	\$587.05
	21 1/2" - 24" (546 - 610mm)	\$646.68	\$646.68
	24 1/2" - 27" (622 - 686mm)	\$680.49	\$680.49
	27 1/2" - 30" (699 - 762mm)	\$698.65	\$698.64
	30 1/2" - 33" (775 - 838mm)	\$710.17	\$710.18
	33 1/2" - 36" (851 - 914mm)	\$750.64	\$750.64

*contact customer service for lengths over standard

Item Price Group: V187

VK161 - Recessed Adj.	Length (L) - A Dimension	LIST PRICES and Available Finishes	
		Polished Chrome (F _)	White (M _/W)
	3 1/4" - 6" (83 - 152mm)	\$450.40	\$461.98
	6 1/4" - 9" (159 - 229mm)	\$467.68	\$479.25
	9 1/4" - 12" (235 - 305mm)	\$479.25	\$490.82
	12 1/4" - 15" (311 - 381mm)	\$531.25	\$542.78
	15 1/4" - 18" (387 - 457mm)	\$554.30	\$565.51
	18 1/4" - 21" (464 - 533mm)	\$594.72	\$606.21
	21 1/4" - 24" (540 - 610mm)	\$652.46	\$663.99
	24 1/4" - 27" (616 - 686mm)	\$681.35	\$692.44
	27 1/4" - 30" (692 - 762mm)	\$704.06	\$715.56
	30 1/4" - 33" (768 - 838mm)	\$744.88	\$755.94
	33 1/4" - 36" (845 - 914mm)	\$773.68	\$784.81

Additional Ordering Information
VK153/157/161

Available Temp.

Ratings / Suffix

155°F (68°C) = B

175°F (79°C) = D

200°F (93°C) = E

286°F (93°C) = G *

* N/A with VK161

Standard Wrench

VK153 and VK157

07297W/B \$185.24

Recessed Wrench

for VK161 Model

07565W/B \$237.78

Dry Spk Replacement

Escutcheons

Std. Adj. - Chrome

07741F \$12.39

Rec. Adj. - Chrome

05459AF \$9.00

Rec. Adj. - White

05459AM/W \$9.00

Dry Sprinkler Boot

22087M/W \$76.51

IMPORTANT NOTE:
Viking's Dry Vertical
Sidewall Sprinklers are
NOT Listed or Approved.

Standard Response

5.6 (81) K Factor (1/2" orifice)

STAINLESS STEEL

Standard Coverage

Pendent / 1" NPT

Glass Bulb

To order, add finish, temperature
and length suffix to base part number
(length = A dimension, inches)

Ex: VK169, stainless, 155 °F, 10" long
Part Number: 10360UB10

VK168 (Stainless Steel)

Plain Barrel

Base P/N: 09798U



order in 1/2" increments

VK169 (Stainless Steel)

Recessed Adjustable

Base P/N: 10360U



order in 1/4" increments

Item Price Group: V187

VK168 - Plain Barrel	Length (L) - A Dimension	LIST PRICES
		Stainless Steel
base p/n - 09798U(t)(l)	3 - 6" (76 - 152mm)	P.O.A.
	6½ - 9" (165 - 229mm)	\$1,047.66
	9½ - 12" (241 - 305mm)	\$1,058.13
	12½ - 15" (318 - 381mm)	\$1,100.16
	15½ - 18" (394 - 457mm)	\$1,121.26
	18½ - 21" (470 - 533mm)	\$1,147.51
	21½ - 24" (546 - 610mm)	\$1,189.63
	24½ - 27" (622 - 686mm)	\$1,221.16
	27½ - 30" (699 - 762mm)	\$1,247.49
	30½ - 33" (775 - 838mm)	\$1,279.02
	33½ - 36" (851 - 914mm)	\$1,300.08

*contact customer service for lengths over standard

Item Price Group: V187

VK169 - Recessed Adj.	Length (L) - A Dimension	LIST PRICES
		Stainless Steel
base p/n - 10360U(t)(l)	3¾ - 6" (83 - 152mm)	\$1,116.00
	6¾ - 9" (159 - 229mm)	\$1,126.50
	9¾ - 12" (235 - 305mm)	\$1,137.10
	12¾ - 15" (311 - 381mm)	\$1,179.04
	15¾ - 18" (387 - 457mm)	\$1,200.10
	18¾ - 21" (464 - 533mm)	\$1,226.41
	21¾ - 24" (540 - 610mm)	\$1,268.48
	24¾ - 27" (616 - 686mm)	\$1,300.08
	27¾ - 30" (692 - 762mm)	\$1,326.42
	30¾ - 33" (768 - 838mm)	\$1,357.90
	33¾ - 36" (845 - 914mm)	\$1,384.22

*contact customer service for lengths over standard

Additional Ordering Information
VK168 / VK169

Available Temp.

Ratings / Suffix

155°F (68°C) = B

175°F (79°C) = D

200°F (93°C) = E

286°F (93°C) = G

Standard Wrench

VK168

07297W/B \$185.24

Recessed Wrench

for VK169 model

07565W/B \$237.78

Sprinkler Guard

for Upright/Pendent

08954 \$50.79

Dry Spk Replacement

Escutcheons

Rec. Adj. - Chrome

05459AF \$9.00

Rec. Adj. - White

05459AM/W \$9.00

Dry Sprinkler Boot

22087M/W \$76.51

IMPORTANT NOTE:

Stainless Steel Dry
Sprinklers NOT Listed
or Approved.

Standard Response

5.6 (81) / 8.0 (115) K Factor

Standard Coverage

Pendent / 1" NPT

Glass Bulb

To order, add finish, temperature
and length suffix to base part number
(length = A dimension, inches)

Ex: VK190, 155°F, 10" long

Part Number: 12421UAB10

VK190 - 5.6 K Factor

DOMED CONCEALED

Base P/N: 12421UA



order in ¼" increments

VK192 - 8.0 K Factor

DOMED CONCEALED


Base P/N: 12424UA



order in ¼" increments

Item Price Group: V187


VK190 - 5.6 K Factor	Length (L) - A Dimension	LIST PRICES
		Standard Brass (A_)
base p/n - 12421U(f)(t)(l)	4 - 6" (101 - 152mm)	\$433.49
	6¼ - 9" (159 - 229mm)	\$453.14
	9¼ - 12" (235 - 305mm)	\$476.77
	12¼ - 15" (311 - 381mm)	\$516.24
	15¼ - 18" (387 - 457mm)	\$551.69
	18¼ - 21" (464 - 533mm)	\$579.28
	21¼ - 24" (540 - 610mm)	\$634.49
	24¼ - 27" (616 - 686mm)	\$669.95
	27¼ - 30" (692 - 762mm)	\$713.30
	30¼ - 33" (768 - 838mm)	\$733.01
	33¼ - 36" (845 - 914mm)	\$788.18



*contact customer service for lengths over standard

Item Price Group: V187

VK192 - 8.0 K Factor	Length (L) - A Dimension	LIST PRICES
		Standard Brass (A_)
base p/n - 12424U(f)(t)(l)	4 - 6" (101 - 152mm)	\$476.77
	6¼ - 9" (159 - 229mm)	\$492.59
	9¼ - 12" (235 - 305mm)	\$516.24
	12¼ - 15" (311 - 381mm)	\$551.71
	15¼ - 18" (387 - 457mm)	\$579.28
	18¼ - 21" (464 - 533mm)	\$618.71
	21¼ - 24" (540 - 610mm)	\$658.14
	24¼ - 27" (616 - 686mm)	\$713.23
	27¼ - 30" (692 - 762mm)	\$740.87
	30¼ - 33" (768 - 838mm)	\$768.46
	33¼ - 36" (845 - 914mm)	\$819.68



*contact customer service for lengths over standard

Domed Cover Plates (sold separately)				
Finish	Temp	Part #	IPG	List Price
Chrome	139°F	12381FA	V214	\$70.38
Chrome	165°F	12381FC	V214	\$70.38
Painted White	139°F	12381MA/W	V214	\$70.38
Painted White	165°F	12381MC/W	V214	\$70.38
Painted Ivory	139°F	12381MA/I	V214	\$89.42
Painted Ivory	165°F	12381MC/I	V214	\$89.42
Painted Black	139°F	12381MA/B	V214	\$89.42
Painted Black	165°F	12381MC/B	V214	\$89.42

NOTE: Use 139°F/59°C cover plate with 155°F/68°C rated dry sprinklers. Use 165°F/74°C domed cover plate with 175°F/79°C and 200°F/93°C rated dry sprinklers.

Additional Ordering Information
VK190 / VK192

Available Temp. Ratings / Suffix

155°F (68°C) = B

175°F (79°C) = D

200°F (93°C) = E

Wrench - Domed Concealed

07565W/B \$237.78

Quick Response

5.6 (81) K Factor (1/2" orifice)

Standard Coverage

Pendent / 1" NPT

Glass Bulb

To order, add finish, temperature
and length suffix to base part number
(length = A dimension, inches)

Ex: VK176, white, 286 °F, 20" long

Part Number: 08383UMG/W20

VK172

Plain Barrel

Base P/N: 08387U



order in 1/2" increments

VK176

Standard Adjustable

Base P/N: 08383U



order in 1/2" increments

VK180

Recessed Adjustable

Base P/N: 08385U




order in 1/4" increments

Item Price Group: V187

VK172 - Plain Barrel

base p/n - 08387U(f)(t)(l)



Length (L) - A Dimension

3 - 6" (76 - 152mm)
6 1/2 - 9" (165 - 229mm)
9 1/2 - 12" (241 - 305mm)
12 1/2 - 15" (318 - 381mm)
15 1/2 - 18" (394 - 457mm)
18 1/2 - 21" (470 - 533mm)
21 1/2 - 24" (546 - 610mm)
24 1/2 - 27" (622 - 686mm)
27 1/2 - 30" (699 - 762mm)
30 1/2 - 33" (775 - 838mm)
33 1/2 - 36" (851 - 914mm)

LIST PRICES and Available Finishes


Standard Brass (A_)	Polished Chrome (F_)	ENT (JN)
\$379.53	\$384.92	\$521.48
\$400.64	\$405.98	P.O.A
\$411.17	\$416.46	\$553.07
\$448.16	\$453.35	\$589.95
\$474.48	\$479.73	\$616.29
\$500.84	\$506.09	P.O.A
\$548.28	\$553.47	P.O.A
\$574.66	\$579.92	\$716.47
\$606.23	\$611.53	\$748.07
\$627.38	\$632.57	\$769.17
\$659.02	\$664.19	P.O.A

*contact customer service for lengths over standard

Item Price Group: V187

VK176 - Standard Adj.

base p/n - 08383U(f)(t)(l)



Length (L) - A Dimension

1 1/2 - 6" (38 - 152mm)
6 1/2 - 9" (165 - 229mm)
9 1/2 - 12" (241 - 305mm)
12 1/2 - 15" (318 - 381mm)
15 1/2 - 18" (394 - 457mm)
18 1/2 - 21" (470 - 533mm)
21 1/2 - 24" (546 - 610mm)
24 1/2 - 27" (622 - 686mm)
27 1/2 - 30" (699 - 762mm)
30 1/2 - 33" (775 - 838mm)
33 1/2 - 36" (851 - 914mm)

LIST PRICES and Available Finishes


Polished Chrome (F_)	White (M_/W)	ENT (JN)
\$421.78	\$421.78	\$558.37
\$432.32	\$432.30	\$568.91
\$442.90	\$442.90	\$579.50
\$485.04	\$485.04	\$621.64
\$495.60	\$495.60	\$632.17
\$542.97	\$542.97	\$679.55
\$564.05	\$564.05	\$700.65
\$601.02	\$601.02	\$737.64
\$627.38	\$627.42	\$764.00
\$643.15	\$643.15	\$779.77
\$685.33	\$685.31	\$821.93

*contact customer service for lengths over standard

Item Price Group: V187

VK180 - Recessed Adj.

base p/n - 08385U(f)(t)(l)



Length (L) - A Dimension

3 1/4 - 6" (83 - 152mm)
6 1/4 - 9" (159 - 229mm)
9 1/4 - 12" (235 - 305mm)
12 1/4 - 15" (311 - 381mm)
15 1/4 - 18" (387 - 457mm)
18 1/4 - 21" (464 - 533mm)
21 1/4 - 24" (540 - 610mm)
24 1/4 - 27" (616 - 686mm)
27 1/4 - 30" (692 - 762mm)
30 1/4 - 33" (768 - 838mm)
33 1/4 - 36" (845 - 914mm)

LIST PRICES and Available Finishes

Polished Chrome (F_)	White (M_/W)	ENT (JN)
\$421.78	\$432.32	\$568.92
\$432.32	\$442.90	\$579.50
\$442.90	\$453.35	\$589.93
\$485.04	\$495.60	\$632.17
\$506.09	\$516.66	\$653.27
\$542.97	\$553.47	\$690.06
\$579.92	\$590.45	\$727.05
\$611.53	\$622.08	\$758.67
\$627.38	\$637.83	\$774.45
\$659.02	\$669.43	\$806.06
\$701.16	\$711.72	\$848.29

Additional Ordering

Information

VK172/176/180

Available Temp.

Ratings / Suffix

155°F (68°C) = B

175°F (79°C) = D

200°F (93°C) = E

286°F (93°C) = G *

* N/A with VK180

Standard Wrench

VK172 and VK176

07297W/B \$185.24

Recessed wrench

for VK180 model

07565W/B \$237.78

Sprinkler Guard

for Upright/Pendent

08954 \$50.79

Dry Spk Replacement

Escutcheons

Std. Adj. - Chrome

07741F \$12.39

Std. Adj. - White

07741M/W \$12.39

Rec. Adj. - Chrome

05459AF \$9.00

Rec. Adj. - White

05459AM/W \$9.00

Dry Sprinkler Boot

22087M/W \$76.51

Quick Response

5.6 (81) K Factor (1/2" orifice)

Standard Coverage

Horizontal Sidewall / 1" NPT

Glass Bulb

To order, add finish, temperature
and length suffix to base part number
(length = A dimension, inches)

Ex: VK174, brass, 155 °F, 11 1/2" long

Part Number: 08388UAB115

VK174
Plain Barrel
Base P/N: 08388U



order in 1/2" increments

VK178
Standard Adjustable
Base P/N: 08384U




order in 1/2" increments

VK182
Recessed Adjustable
Base P/N: 08386U




order in 1/4" increments

Item Price Group: V187 (ENT Finish: IPG V188)

VK174 - Plain Barrel	Length (L) - A Dimension	LIST PRICES and Available Finishes		
		Standard Brass (A_)	Polished Chrome (F_)	ENT (JN) IPG V188
	3 - 6" (76 - 152mm)	\$421.78	\$426.99	P.O.A
	6 1/2 - 9" (165 - 229mm)	\$426.99	\$432.32	P.O.A
	9 1/2 - 12" (241 - 305mm)	\$437.51	\$442.90	\$579.46
	12 1/2 - 15" (318 - 381mm)	\$485.04	\$490.32	P.O.A
	15 1/2 - 18" (394 - 457mm)	\$500.84	\$506.09	P.O.A
	18 1/2 - 21" (470 - 533mm)	\$532.46	\$537.72	P.O.A
	21 1/2 - 24" (546 - 610mm)	\$590.45	\$595.76	P.O.A
	24 1/2 - 27" (622 - 686mm)	\$616.84	\$622.07	P.O.A
	27 1/2 - 30" (699 - 762mm)	\$637.83	\$643.15	P.O.A
	30 1/2 - 33" (775 - 838mm)	\$659.02	\$664.19	P.O.A
	33 1/2 - 36" (851 - 914mm)	\$685.33	\$690.62	P.O.A


*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

VK178 - Standard Adj.	Length (L) - A Dimension	LIST PRICES and Available Finishes		
		Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
	1 1/2 - 6" (38 - 152mm)	\$432.32	\$432.30	\$568.92
	6 1/2 - 9" (165 - 229mm)	\$442.90	\$442.90	\$579.48
	9 1/2 - 12" (241 - 305mm)	\$458.68	\$458.68	\$595.27
	12 1/2 - 15" (318 - 381mm)	\$506.09	\$506.09	\$642.69
	15 1/2 - 18" (394 - 457mm)	\$527.18	\$527.18	\$663.77
	18 1/2 - 21" (470 - 533mm)	\$558.82	\$558.82	\$695.43
	21 1/2 - 24" (546 - 610mm)	\$616.84	\$616.84	\$753.43
	24 1/2 - 27" (622 - 686mm)	\$637.83	\$637.83	\$755.59
	27 1/2 - 30" (699 - 762mm)	\$669.43	\$669.45	\$806.06
	30 1/2 - 33" (775 - 838mm)	\$685.33	\$685.33	\$821.93
	33 1/2 - 36" (851 - 914mm)	\$711.72	\$711.72	\$848.27

*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

VK182 - Recessed Adj.	Length (L) - A Dimension	LIST PRICES and Available Finishes		
		Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
	3 1/4 - 6" (83 - 152mm)	\$442.90	\$453.35	\$589.93
	6 1/4 - 9" (159 - 229mm)	\$458.68	\$469.22	\$589.93
	9 1/4 - 12" (235 - 305mm)	\$469.22	\$479.73	\$616.31
	12 1/4 - 15" (311 - 381mm)	\$511.42	\$521.89	\$658.45
	15 1/4 - 18" (387 - 457mm)	\$542.97	\$553.47	\$690.06
	18 1/4 - 21" (464 - 533mm)	\$564.05	\$574.66	\$711.23
	21 1/4 - 24" (540 - 610mm)	\$622.08	\$632.57	\$769.21
	24 1/4 - 27" (616 - 686mm)	\$648.33	\$659.02	\$795.61
	27 1/4 - 30" (692 - 762mm)	\$680.10	\$690.62	\$827.17
	30 1/4 - 33" (768 - 838mm)	\$706.48	\$716.98	P.O.A
	33 1/4 - 36" (845 - 914mm)	\$727.51	\$738.10	\$874.67

Additional Ordering Information

VK174/178/182

Available Temp. Ratings / Suffix

155°F (68°C) = B
175°F (79°C) = D
200°F (93°C) = E
286°F (93°C) = G

VK178 also available
in white finish
with chrome
escutcheon at
same price as
white finish. Use
suffix MF_/W

Standard Wrench
VK174 and VK178

07297W/B \$185.24

Recessed Wrench
for VK182 Model

07565W/B \$237.78

Dry Spk Replacement Escutcheons

Std. Adj. - Chrome
08086F \$12.39

Std. Adj. - White
08086M/W \$12.39

Rec. Adj. - Chrome
05459AF \$9.00

Rec. Adj. - White
05459AM/W \$9.00

Dry Sprinkler Boot

22087M/W \$76.51

Quick Response

8.0 (115) K Factor (17/32" orifice)

Standard Coverage

Pendent / 1" NPT

Glass Bulb

To order, add finish, temperature
and length suffix to base part number
(length = A dimension, inches)

Ex: VK177, chrome, 175 °F, 8" length

Part Number: 13249UFD08

VK173

Plain Barrel

Base P/N: **13248U**



order in ½" increments

VK177

Standard Adjustable

Base P/N: **13249U**



order in ½" increments

VK181

Recessed Adjustable

Base P/N: **13250U**




order in ¼" increments

Item Price Group: V187 (ENT Finish: IPG V188)

VK173 - Plain Barrel

base p/n - 13248U(f)(t)(l)



Length (L) - A Dimension

	Standard Brass (A_)	Polished Chrome (F_)	ENT (JN) IPG V188
3 - 6" (76 - 152mm)	\$429.24	\$445.54	P.O.A
6½ - 9" (165 - 229mm)	\$465.08	\$467.98	P.O.A
9½ - 12" (241 - 305mm)	\$463.92	\$468.01	\$604.60
12½ - 15" (318 - 381mm)	\$524.73	\$528.89	P.O.A
15½ - 18" (394 - 457mm)	\$554.92	\$549.22	P.O.A
18½ - 21" (470 - 533mm)	\$584.41	\$572.35	P.O.A
21½ - 24" (546 - 610mm)	\$643.99	\$630.35	P.O.A
24½ - 27" (622 - 686mm)	P.O.A	P.O.A	P.O.A
27½ - 30" (699 - 762mm)	P.O.A	P.O.A	P.O.A
30½ - 33" (775 - 838mm)	P.O.A	P.O.A	P.O.A
33½ - 36" (851 - 914mm)	P.O.A	\$769.23	P.O.A

*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Standard Brass (A_)	Polished Chrome (F_)	ENT (JN) IPG V188
\$429.24	\$445.54	P.O.A
\$465.08	\$467.98	P.O.A
\$463.92	\$468.01	\$604.60
\$524.73	\$528.89	P.O.A
\$554.92	\$549.22	P.O.A
\$584.41	\$572.35	P.O.A
\$643.99	\$630.35	P.O.A
P.O.A	P.O.A	P.O.A
P.O.A	P.O.A	P.O.A
P.O.A	P.O.A	P.O.A
P.O.A	\$769.23	P.O.A

Additional Ordering Information

VK173/177/181

Available Temp.

Ratings / Suffix

155°F (68°C) = B

175°F (79°C) = D

200°F (93°C) = E

286°F (93°C) = G *

* N/A with VK181

Standard Wrench


VK173 and VK177

07297W/B \$185.24

Item Price Group: V187 (ENT Finish: IPG V188)

VK177 - Standard Adj.

base p/n - 13249U(f)(t)(l)



Length (L) - A Dimension

	Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
1½ - 6" (38 - 152mm)	\$452.30	\$452.30	\$553.21
6½ - 9" (165 - 229mm)	\$463.92	\$463.92	P.O.A
9½ - 12" (241 - 305mm)	\$475.56	\$475.56	\$612.15
12½ - 15" (318 - 381mm)	\$516.17	\$516.17	\$670.13
15½ - 18" (394 - 457mm)	\$533.55	\$533.55	\$670.13
18½ - 21" (470 - 533mm)	\$590.32	\$590.30	P.O.A
21½ - 24" (546 - 610mm)	\$608.83	\$608.87	\$745.40
24½ - 27" (622 - 686mm)	\$649.54	\$678.47	P.O.A
27½ - 30" (699 - 762mm)	\$678.45	\$697.72	\$834.32
30½ - 33" (775 - 838mm)	\$715.54	\$715.54	\$852.10
33½ - 36" (851 - 914mm)	\$757.31	\$757.31	P.O.A

*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
\$452.30	\$452.30	\$553.21
\$463.92	\$463.92	P.O.A
\$475.56	\$475.56	\$612.15
\$516.17	\$516.17	\$670.13
\$533.55	\$533.55	\$670.13
\$590.32	\$590.30	P.O.A
\$608.83	\$608.87	\$745.40
\$649.54	\$678.47	P.O.A
\$678.45	\$697.72	\$834.32
\$715.54	\$715.54	\$852.10
\$757.31	\$757.31	P.O.A

Recessed Wrench

for VK181 Model

07565W/B \$237.78

Sprinkler Guard

for Upright/Pendent

08954 \$50.79

Dry Spk Replacement

Escutcheons

Std. Adj. - Chrome

07741F \$12.39

Std. Adj. - White

07741M/W \$12.39

Rec. Adj. - Chrome

05459AF \$9.00

Rec. Adj. - White

05459AM/W \$9.00


Dry Sprinkler Boot

22087M/W \$76.51

Item Price Group: V187 (ENT Finish: IPG V188)

VK181 - Recessed Adj.

base p/n - 13250U(f)(t)(l)



Length (L) - A Dimension

	Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
3¼ - 6" (83 - 152mm)	\$452.30	\$463.92	P.O.A
6¼ - 9" (159 - 229mm)	\$463.92	\$475.56	\$612.15
9¼ - 12" (235 - 305mm)	\$475.56	\$487.13	\$623.70
12¼ - 15" (311 - 381mm)	\$516.17	\$527.66	P.O.A
15¼ - 18" (387 - 457mm)	\$545.11	\$556.73	\$693.32
18¼ - 21" (464 - 533mm)	\$579.89	\$591.49	P.O.A
21¼ - 24" (540 - 610mm)	\$614.72	\$626.28	P.O.A
24¼ - 27" (616 - 686mm)	\$661.11	\$672.70	P.O.A
27¼ - 30" (692 - 762mm)	\$684.32	\$697.66	P.O.A
30¼ - 33" (768 - 838mm)	\$707.47	\$720.93	P.O.A
33¼ - 36" (845 - 914mm)	\$753.87	\$767.43	P.O.A

LIST PRICES and Available Finishes

Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
\$452.30	\$463.92	P.O.A
\$463.92	\$475.56	\$612.15
\$475.56	\$487.13	\$623.70
\$516.17	\$527.66	P.O.A
\$545.11	\$556.73	\$693.32
\$579.89	\$591.49	P.O.A
\$614.72	\$626.28	P.O.A
\$661.11	\$672.70	P.O.A
\$684.32	\$697.66	P.O.A
\$707.47	\$720.93	P.O.A
\$753.87	\$767.43	P.O.A

Quick Response

8.0 (115) K Factor (17/32" orifice)

Standard Coverage

Horizontal Sidewall / 1" NPT

Glass Bulb

To order, add finish, temperature
and length suffix to base part number
(length = A dimension, inches)

Ex: **VK2793, white, 175 °F, 3" length**
Part Number: **21483UMD/W03**

VK2753

Plain Barrel

Base P/N: **21495U**



VK2773

Standard Adjustable

Base P/N: **21489U**



VK2793

Recessed Adjustable

Base P/N: **21483U**



cULus Listed with 12" deflector distance down from ceiling


order in ½" increments

order in ½" increments

order in ¼" increments

Item Price Group: V187 (ENT Finish: IPG V188)


VK2753 - Plain Barrel	Length (L) - A Dimension	LIST PRICES and Available Finishes		
		Standard Brass (A)	Polished Chrome (F)	ENT (JN) IPG V188
base p/n - 21495U(f)(t)(l)	3 - 6" (76 - 152mm)	\$507.20	\$512.01	P.O.A
	6½ - 9" (165 - 229mm)	P.O.A	P.O.A	P.O.A
	9½ - 12" (241 - 305mm)	\$548.22	\$553.03	P.O.A
	12½ - 15" (318 - 381mm)	P.O.A	P.O.A	P.O.A
	15½ - 18" (394 - 457mm)	\$644.24	P.O.A	P.O.A
	18½ - 21" (470 - 533mm)	P.O.A	P.O.A	P.O.A
	21½ - 24" (546 - 610mm)	P.O.A	P.O.A	P.O.A
	24½ - 27" (622 - 686mm)	P.O.A	P.O.A	P.O.A
	27½ - 30" (699 - 762mm)	P.O.A	P.O.A	P.O.A
	30½ - 33" (775 - 838mm)	P.O.A	P.O.A	P.O.A
	33½ - 36" (851 - 914mm)	P.O.A	P.O.A	P.O.A



*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

VK2773 - Standard Adj.	Length (L) - A Dimension	LIST PRICES and Available Finishes		
		Polished Chrome (F)	White (M/W)	ENT (JN) IPG V188
base p/n - 21489U(f)(t)(l)	1½ - 6" (38 - 152mm)	\$534.50	\$534.50	P.O.A
	6½ - 9" (165 - 229mm)	\$548.22	P.O.A	P.O.A
	9½ - 12" (241 - 305mm)	\$562.05	\$562.01	P.O.A
	12½ - 15" (318 - 381mm)	\$609.99	P.O.A	P.O.A
	15½ - 18" (394 - 457mm)	\$630.56	\$630.56	P.O.A
	18½ - 21" (470 - 533mm)	\$678.41	P.O.A	\$815.02
	21½ - 24" (546 - 610mm)	\$719.56	P.O.A	P.O.A
	24½ - 27" (622 - 686mm)	P.O.A	P.O.A	P.O.A
	27½ - 30" (699 - 762mm)	\$801.85	P.O.A	P.O.A
	30½ - 33" (775 - 838mm)	P.O.A	P.O.A	P.O.A
	33½ - 36" (851 - 914mm)	P.O.A	\$870.36	P.O.A



*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

VK2793 - Recessed Adj.	Length (L) - A Dimension	LIST PRICES and Available Finishes		
		Polished Chrome (F)	White (M/W)	ENT (JN) IPG V188
base p/n - 21483U(f)(t)(l)	3¼ - 6" (83 - 152mm)	\$534.50	P.O.A	P.O.A
	6¼ - 9" (159 - 229mm)	P.O.A	P.O.A	P.O.A
	9¼ - 12" (235 - 305mm)	\$562.05	P.O.A	P.O.A
	12¼ - 15" (311 - 381mm)	P.O.A	P.O.A	P.O.A
	15¼ - 18" (387 - 457mm)	\$644.26	\$657.91	P.O.A
	18¼ - 21" (464 - 533mm)	P.O.A	P.O.A	P.O.A
	21¼ - 24" (540 - 610mm)	\$726.47	P.O.A	P.O.A
	24¼ - 27" (616 - 686mm)	\$781.38	P.O.A	P.O.A
	27¼ - 30" (692 - 762mm)	P.O.A	P.O.A	P.O.A
	30¼ - 33" (768 - 838mm)	\$842.95	P.O.A	P.O.A
	33¼ - 36" (845 - 914mm)	P.O.A	P.O.A	P.O.A



Additional Ordering Information

VK2753/2773/2793

Available Temp.

Ratings / Suffix

155°F (68°C) = B

175°F (79°C) = D

200°F (93°C) = E

286°F (93°C) = G *

* N/A with VK2793

VK2773 also available in white finish with chrome escutcheon at same price as white finish. Use suffix MF_/W

Standard Wrench

VK2753 and VK2773

07297W/B \$185.24

Recessed Wrench

for VK2793 Model

07565W/B \$237.78

Dry Spk Replacement

Escutcheons

Std. Adj. - Chrome

08086F \$12.39

Std. Adj. - White

08086M/W \$12.39

Rec. Adj. - Chrome

05459AF \$9.00

Rec. Adj. - White

05459AM/W \$9.00

Dry Sprinkler Boot

22087M/W \$76.51

Electroless Nickel PTFE

(ENT) coating is for corrosion resistance.

Quick Response

8.0 (115) K Factor (17/32" orifice)

Standard Coverage

Pendent / 1" NPT

Fusible Link

To order, add finish, temperature
and length suffix to base part number
(length = A dimension, inches)

Ex: VK290, chrome, 205 °F, 15 ¾" long
Part Number: 13256UFE1575

VK282

Plain Barrel

Base P/N: 13254U



VK286

Standard Adjustable

Base P/N: 13255U



VK290

Recessed Adjustable

Base P/N: 13256U



order in ½" increments

order in ½" increments


order in ¼" increments

LIST PRICES and Available Finishes

Item Price Group: V187

VK282- Plain Barrel

base p/n - 13254U(f)(t)(l)



Length (L) - A Dimension	Standard Brass (A_)	Polished Chrome (F_)
3 - 6" (76 - 152mm)	\$507.20	P.O.A
6½ - 9" (165 - 229mm)	\$534.50	\$539.28
9½ - 12" (241 - 305mm)	\$534.50	\$553.05
12½ - 15" (318 - 381mm)	\$603.09	\$607.88
15½ - 18" (394 - 457mm)	\$644.27	\$649.01
18½ - 21" (470 - 533mm)	\$671.65	\$676.44
21½ - 24" (546 - 610mm)	\$740.10	\$744.90
24½ - 27" (622 - 686mm)	\$781.35	P.O.A
27½ - 30" (699 - 762mm)	\$815.64	P.O.A
30½ - 33" (775 - 838mm)	\$842.90	\$847.72
33½ - 36" (851 - 914mm)	\$884.09	\$888.88


*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Item Price Group: V187

VK286 - Standard Adj.

base p/n - 13255U(f)(t)(l)



Length (L) - A Dimension	Polished Chrome (F_)	White (M_/W)
1½ - 6" (38 - 152mm)	\$534.50	\$534.50
6½ - 9" (165 - 229mm)	\$548.23	\$548.23
9½ - 12" (241 - 305mm)	\$562.05	\$562.01
12½ - 15" (318 - 381mm)	\$609.99	\$609.99
15½ - 18" (394 - 457mm)	\$630.55	\$630.55
18½ - 21" (470 - 533mm)	\$678.42	\$678.42
21½ - 24" (546 - 610mm)	\$719.55	\$719.55
24½ - 27" (622 - 686mm)	\$767.62	\$767.63
27½ - 30" (699 - 762mm)	\$801.86	\$801.89
30½ - 33" (775 - 838mm)	\$822.39	\$822.37
33½ - 36" (851 - 914mm)	\$870.34	\$870.34


*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Item Price Group: V187

VK290 - Recessed Adj.

base p/n - 13256U(f)(t)(l)



Length (L) - A Dimension	Polished Chrome (F_)	White (M_/W)
3¼ - 6" (83 - 152mm)	\$534.50	\$548.25
6¼ - 9" (159 - 229mm)	\$548.23	\$562.01
9¼ - 12" (235 - 305mm)	\$562.05	\$575.71
12¼ - 15" (311 - 381mm)	\$609.99	\$623.62
15¼ - 18" (387 - 457mm)	\$644.27	\$657.90
18¼ - 21" (464 - 533mm)	\$685.29	\$699.08
21¼ - 24" (540 - 610mm)	\$726.46	\$740.10
24¼ - 27" (616 - 686mm)	\$781.35	\$794.98
27¼ - 30" (692 - 762mm)	\$808.77	\$822.39
30¼ - 33" (768 - 838mm)	\$836.10	POA
33¼ - 36" (845 - 914mm)	\$890.95	\$904.62

Additional Ordering Information

VK282/286/290

Available Temp.

Ratings / Suffix

165°F (74°C) = C

205°F (96°C) = E

280°F (138°C) = G *

* N/A with VK290

Standard Wrench

VK282 and VK286

07297W/B \$185.24

Recessed Wrench

for VK290Model

07565W/B \$237.78

Sprinkler Guard

for Upright/Pendent

08954 \$50.79

Dry Spk Replacement

Escutcheons

Std. Adj. - Chrome

07741F \$12.39

Std. Adj. - White

07741M/W \$12.39

Rec. Adj. - Chrome

05459AF \$9.00

Rec. Adj. - White

05459AM/W \$9.00

Dry Sprinkler Boot

22087M/W \$76.51

Quick Response

8.0 (115) K Factor (17/32" orifice)

Standard Coverage

Horizontal Sidewall / 1" NPT

Fusible Link

To order, add finish, temperature
and length suffix to base part number
(length = A dimension, inches)

Ex: VK2843, brass, 165 °F, 33 1/2" long

Part Number: 21497UAC335

VK2843

Plain Barrel

Base P/N: 21497U



VK2883

Standard Adjustable

Base P/N: 21491U



VK2923

Recessed Adjustable

Base P/N: 21485U



cULus Listed with 12" deflector distance down from ceiling

order in 1/2" increments

order in 1/2" increments

order in 1/4" increments

LIST PRICES and Available Finishes

Additional Ordering

Information

VK2843/2883/2923

Available Temp.

Ratings / Suffix

165°F (74°C) = C

205°F (96°C) = E

280°F (138°C) = G *

* N/A with VK292

VK2883 also available

in white finish

with chrome

escutcheon at

same price as

white finish. Use

suffix MF_/W

Standard Wrench

VK2843 and VK2883

07297W/B \$185.24

Recessed Wrench

for VK2923 Model

07565W/B \$237.78

Dry Spk Replacement

Escutcheons

Std. Adj. - Chrome

08086F \$12.39

Std. Adj. - White

08086M/W \$12.39

Rec. Adj. - Chrome

05459AF \$9.00

Rec. Adj. - White

05459AM/W \$9.00


Dry Sprinkler Boot

22087M/W \$76.51

Item Price Group: V187

VK2843 - Plain Barrel

base p/n - 21497U(f)(t)(l)



Length (L) - A Dimension

Length (L) - A Dimension	Standard Brass (A_)	Polished Chrome (F_)
3 - 6" (76 - 152mm)	\$507.23	P.O.A
6 1/2 - 9" (165 - 229mm)	P.O.A	P.O.A
9 1/2 - 12" (241 - 305mm)	\$548.26	P.O.A
12 1/2 - 15" (318 - 381mm)	P.O.A	P.O.A
15 1/2 - 18" (394 - 457mm)	\$644.26	\$649.03
18 1/2 - 21" (470 - 533mm)	P.O.A	P.O.A
21 1/2 - 24" (546 - 610mm)	P.O.A	P.O.A
24 1/2 - 27" (622 - 686mm)	P.O.A	P.O.A
27 1/2 - 30" (699 - 762mm)	P.O.A	P.O.A
30 1/2 - 33" (775 - 838mm)	P.O.A	P.O.A
33 1/2 - 36" (851 - 914mm)	P.O.A	P.O.A


*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Item Price Group: V187

VK2883 - Standard Adj.

base p/n - 21491U(f)(t)(l)



Length (L) - A Dimension

Length (L) - A Dimension	Polished Chrome (F_)	White (M_/W)
1 1/2 - 6" (38 - 152mm)	P.O.A	P.O.A
6 1/2 - 9" (165 - 229mm)	\$548.22	P.O.A
9 1/2 - 12" (241 - 305mm)	\$562.05	\$562.03
12 1/2 - 15" (318 - 381mm)	\$609.99	P.O.A
15 1/2 - 18" (394 - 457mm)	\$630.56	\$630.54
18 1/2 - 21" (470 - 533mm)	P.O.A	P.O.A
21 1/2 - 24" (546 - 610mm)	\$719.56	\$719.56
24 1/2 - 27" (622 - 686mm)	P.O.A	P.O.A
27 1/2 - 30" (699 - 762mm)	P.O.A	P.O.A
30 1/2 - 33" (775 - 838mm)	P.O.A	P.O.A
33 1/2 - 36" (851 - 914mm)	P.O.A	P.O.A


*contact customer service for lengths over standard

LIST PRICES and Available Finishes

Item Price Group: V187

VK2923 - Recessed Adj.

base p/n - 21485U(f)(t)(l)



Length (L) - A Dimension

Length (L) - A Dimension	Polished Chrome (F_)	White (M_/W)
3 1/4 - 6" (83 - 152mm)	P.O.A	P.O.A
6 1/4 - 9" (159 - 229mm)	P.O.A	P.O.A
9 1/4 - 12" (235 - 305mm)	\$562.05	P.O.A
12 1/4 - 15" (311 - 381mm)	\$609.99	P.O.A
15 1/4 - 18" (387 - 457mm)	P.O.A	P.O.A
18 1/4 - 21" (464 - 533mm)	P.O.A	P.O.A
21 1/4 - 24" (540 - 610mm)	P.O.A	P.O.A
24 1/4 - 27" (616 - 686mm)	P.O.A	P.O.A
27 1/4 - 30" (692 - 762mm)	P.O.A	P.O.A
30 1/4 - 33" (768 - 838mm)	P.O.A	P.O.A
33 1/4 - 36" (845 - 914mm)	P.O.A	P.O.A

Quick/Standard Response

5.6 (81) K Factor (1/2" orifice)

EXTENDED COVERAGE

Pendent / Sidewall (1" NPT)

Glass Bulb

To order, add finish, temperature
and length suffix to base part number
(length = A dimension, inches)

Ex: VK186, white, 155 °F, 6" length

Part Number: 10541UMB/W06

VK186 - Pendent
Recessed Adjustable
Base P/N: **10541U**



order in 1/4" increments


VK188 - Horiz. Sidewall
Recessed Adjustable
Base P/N: **10542U**



order in 1/4" increments

Item Price Group: V187 (ENT Finish: IPG V188)

VK186 - Recessed Adj. **Length (L) - A Dimension**
base p/n - 10541U(f)(t)(l)




LIST PRICES and Available Finishes			
	Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
3 1/4" - 6" (83 - 152mm)	\$437.51	\$448.16	\$584.76
6 1/4" - 9" (159 - 229mm)	\$448.16	\$458.68	\$595.27
9 1/4" - 12" (235 - 305mm)	\$463.92	\$474.48	\$611.07
12 1/4" - 15" (311 - 381mm)	\$500.84	\$511.42	\$648.00
15 1/4" - 18" (387 - 457mm)	\$527.18	\$537.72	\$674.33
18 1/4" - 21" (464 - 533mm)	\$558.82	\$569.31	\$705.91
21 1/4" - 24" (540 - 610mm)	\$601.02	\$611.53	\$748.11
24 1/4" - 27" (616 - 686mm)	\$627.38	\$637.83	\$774.45
27 1/4" - 30" (692 - 762mm)	\$643.15	\$653.69	\$790.29
30 1/4" - 33" (768 - 838mm)	\$680.12	\$690.62	P.O.A
33 1/4" - 36" (845 - 914mm)	\$716.98	\$727.54	P.O.A

*contact customer service for lengths over standard

Item Price Group: V187 (ENT Finish: IPG V188)

VK188 - Recessed Adj. **Length (L) - A Dimension**
base p/n - 10542U(f)(t)(l)



LIST PRICES and Available Finishes			
	Polished Chrome (F_)	White (M_/W)	ENT (JN) IPG V188
3 1/4" - 6" (83 - 152mm)	\$463.92	\$474.48	\$611.07
6 1/4" - 9" (159 - 229mm)	\$474.48	\$485.04	\$621.64
9 1/4" - 12" (235 - 305mm)	\$485.04	\$495.60	\$632.17
12 1/4" - 15" (311 - 381mm)	\$527.18	\$537.72	P.O.A
15 1/4" - 18" (387 - 457mm)	\$558.82	\$569.31	\$705.91
18 1/4" - 21" (464 - 533mm)	\$579.92	\$590.45	\$727.03
21 1/4" - 24" (540 - 610mm)	\$637.83	\$648.33	P.O.A
24 1/4" - 27" (616 - 686mm)	\$669.43	\$680.08	P.O.A
27 1/4" - 30" (692 - 762mm)	\$695.90	\$706.48	P.O.A
30 1/4" - 33" (768 - 838mm)	\$722.32	\$732.82	P.O.A
33 1/4" - 36" (845 - 914mm)	\$748.61	\$759.11	P.O.A

*contact customer service for lengths over standard

**Additional Ordering
Information**

VK186 / VK188

Available Temp.

Ratings / Suffix

155°F (68°C) = B

175°F (79°C) = D

Recessed Wrench

for VK186 & VK188

07565W/B \$237.78

Sprinkler Guard

for Upright/Pendent

08954 \$50.79

Dry Spk Replacement

Escutcheons

Rec. Adj. - Chrome

05459AF \$9.00

Rec. Adj. - White

05459AM/W \$9.00

Dry Sprinkler Boot

22087M/W \$76.51

Electroless Nickel PTFE

(ENT) coating is for
corrosion resistance.

Quick/Standard Response

5.6 (81) K Factor (1/2" orifice)

Std /Ext Coverage

Pendent / 1" NPT

Glass Bulb

To order, add finish, temperature
and length suffix to base part number
(length = A dimension, inches)

Ex: VK196, brass, 155°F, 10.75" long

Part Number: 12423UAB1075

VK194 - Std. Coverage

DOMED CONCEALED

Base P/N: 12422U



order in 1/4" increments

VK196 - Ext. Coverage

DOMED CONCEALED

Base P/N: 12423U




order in 1/4" increments

Item Price Group: V187

VK194 - 5.6 K Factor

base p/n - 12422U(f)(t)(l)




Length (L) - A Dimension	LIST PRICES Standard Brass (A_)
4 - 6" (101 - 152mm)	\$492.59
6 1/4 - 9" (159 - 229mm)	\$500.46
9 1/4 - 12" (235 - 305mm)	\$516.24
12 1/4 - 15" (311 - 381mm)	\$571.40
15 1/4 - 18" (387 - 457mm)	\$595.08
18 1/4 - 21" (464 - 533mm)	\$638.44
21 1/4 - 24" (540 - 610mm)	\$689.65
24 1/4 - 27" (616 - 686mm)	\$729.07
27 1/4 - 30" (692 - 762mm)	\$748.77
30 1/4 - 33" (768 - 838mm)	\$788.18
33 1/4 - 36" (845 - 914mm)	\$839.38

*contact customer service for lengths over standard

Item Price Group: V187

VK196 - 5.6 K Factor

base p/n - 12423U(f)(t)(l)



Length (L) - A Dimension	LIST PRICES Standard Brass (A_)
4 - 6" (101 - 152mm)	\$512.34
6 1/4 - 9" (159 - 229mm)	\$520.24
9 1/4 - 12" (235 - 305mm)	\$539.89
12 1/4 - 15" (311 - 381mm)	\$591.14
15 1/4 - 18" (387 - 457mm)	\$618.68
18 1/4 - 21" (464 - 533mm)	\$658.14
21 1/4 - 24" (540 - 610mm)	\$713.30
24 1/4 - 27" (616 - 686mm)	\$748.77
27 1/4 - 30" (692 - 762mm)	\$768.48
30 1/4 - 33" (768 - 838mm)	\$811.85
33 1/4 - 36" (845 - 914mm)	\$859.12

*contact customer service for lengths over standard

Domed Cover Plates (sold separately)

Finish	Temp	Part #	IPG	List Price
Chrome	139°F	12381FA	V15.3	\$70.38
Chrome	165°F	12381FC	V15.3	\$70.38
Painted White	139°F	12381MA/W	V15.3	\$70.38
Painted White	165°F	12381MC/W	V15.3	\$70.38
Painted Ivory	139°F	12381MA/I	V15.3	\$89.42
Painted Ivory	165°F	12381MC/I	V15.3	\$89.42
Painted Black	139°F	12381MA/B	V15.3	\$89.42
Painted Black	165°F	12381MC/B	V15.3	\$89.42

NOTE: Use 139°F/59°C cover plate
with 155°F/68°C rated dry sprinklers.
Use 165°F/74°C domed cover plate
with 175°F/79°C and 200°F/93°C
rated dry sprinklers.

Additional Ordering Information

VK194

Available Temp.

Ratings / Suffix

155°F (68°C) = B

175°F (79°C) = D

200°F (93°C) = E

Additional Ordering Information

VK196

Available Temp.

Ratings / Suffix

135°F (57°C) = A

155°F (68°C) = B

175°F (79°C) = D

Wrench - Domed

Concealed

07565W/B \$237.78

Dry Sprinkler Boot

22087M/W \$76.51

Quick Response

Recessed Flush-Style Sprinkler

5.6 (81) K Factor (1/2" orifice)

Light and Ordinary Hazard

Pendent (1" NPT)

Fusible Link

To order, add finish, temperature
and length suffix to base part number
(length = A dimension, inches)

Ex: VK482, white, 165 °F, 7- 1/4" length

Part Number: 18385MC/W0725

VK482 - Recessed

Flush-Style Pendent

Base p/n: 18385M(t) /W(l)



order in 1/4" increments

Item Price Group: V189

VK482-Flush Concealed base p/n - 18385(f)(t)(l)	Length (L) - A Dimension	LIST PRICES
		White (M_/W)
	4 1/2" - 6" (114 - 152mm)	\$570.20
	6 1/4" - 9" (159 - 229mm)	\$584.44
	9 1/4" - 12" (235 - 305mm)	\$598.66
	12 1/4" - 15" (311 - 381mm)	\$612.88
	15 1/4" - 18" (387 - 457mm)	\$627.30
	18 1/4" - 21" (464 - 533mm)	\$641.52
	21 1/4" - 24" (540 - 610mm)	\$655.74
	24 1/4" - 27" (616 - 686mm)	\$669.98
	27 1/4" - 30" (692 - 762mm)	\$684.22
	30 1/4" - 33" (768 - 838mm)	\$698.42
	33 1/4" - 36" (845 - 914mm)	\$703.16

* Please contact customer service for list prices for lengths over 36 inches (914 mm)

Viking's Model VK482 dry sprinkler is cULus Listed to be installed with the element recessed up to 1/2 inch (12 mm) above the plane of the ceiling. See technical data sheet for details.

**Additional Ordering
Information**

VK482

Available Temp.

Ratings / Suffix

165°F (74°C) = C

205°F (96°C) = E

Recessed Wrench

for VK482

18315W/B \$259.47

VK482 Replacement

Escutcheon

White

18386M/W \$44.38

Standard Response - ELO

11.2 (161.3) K Factor (5/8" orifice)

Standard Coverage


Pendent / 1-1/4" NPT

Fusible Link

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches dry ELO sprinklers offered in standard lengths of 6 inch increments (12-48"))

VK544 Plain Barrel Base P/N: 19830	VK546 Standard Adjustable Base P/N: 19840	VK545 Recessed Adjustable Base P/N: 19835
		
1-1/4" NPT Thread Size	1-1/4" NPT Thread Size	1-1/4" NPT Thread Size

Item Price Group: V190

VK544 - Plain Barrel base p/n - 19830(f)(t)(l)	Length (L) - A Dimension¹	LIST PRICES and Available Finishes		
		Standard Brass (A_)	Polished Chrome (F_)	White (M_/W)
	12" (305 mm)	\$1,055.62	\$1,055.62	\$1,055.62
	18" (457 mm)	\$1,114.25	\$1,114.25	\$1,114.25
	24" (610 mm)	\$1,172.90	\$1,172.90	\$1,172.90
	30" (762 mm)	\$1,231.55	\$1,231.55	\$1,231.55
	36" (914 mm)	\$1,290.20	\$1,290.20	\$1,290.20
	42" (1067 mm)	\$1,348.83	\$1,348.83	\$1,348.83
	48" (1219 mm)	\$1,387.93	\$1,387.93	\$1,387.93

Additional Ordering Information

VK544/546/545

Available Temp.

Ratings / Suffix

165°F (74°C) = C

205°F (96°C) = E

280°F (138°C) = G *

* N/A with VK545

Recessed Wrench

for VK545 Model²

19748W/B \$283.35

Dry ELO Replacement


Escutcheons

Std. Adjustable


19730F \$45.71

19730M/W \$43.20

Item Price Group: V190

VK546 - Standard Adj. base p/n - 19840(f)(t)(l)	Length (L) - A Dimension¹	LIST PRICES and Available Finishes	
		Polished Chrome (F_)	White (M_/W)
	12" (305 mm)	\$1,055.62	\$1,055.62
	18" (457 mm)	\$1,114.25	\$1,114.25
	24" (610 mm)	\$1,172.90	\$1,172.90
	30" (762 mm)	\$1,231.55	\$1,231.55
	36" (914 mm)	\$1,290.20	\$1,290.20
	42" (1067 mm)	\$1,348.83	\$1,348.83
	48" (1219 mm)	\$1,387.93	\$1,387.93

Item Price Group: V190

VK545 - Recessed Adj. base p/n - 19835(f)(t)(l)	Length (L) - A Dimension¹	LIST PRICES and Available Finishes	
		Polished Chrome (F_)	White (M_/W)
	12" (305 mm)	\$1,055.62	\$1,055.62
	18" (457 mm)	\$1,114.25	\$1,114.25
	24" (610 mm)	\$1,172.90	\$1,172.90
	30" (762 mm)	\$1,231.55	\$1,231.55
	36" (914 mm)	\$1,290.20	\$1,290.20
	42" (1067 mm)	\$1,348.83	\$1,348.83
	48" (1219 mm)	\$1,387.93	\$1,387.93

- (1) Additional lengths available on special request (FM Approved, 12-48").
- (2) Plain barrel and standard adjustable use a pipe wrench on inlet housing.

Quick Response - ELO

11.2 (161.3) K Factor (5/8" orifice)

Standard Coverage


Pendent / 1-1/4" NPT

Fusible Link

To order, add finish, temperature and length suffix to base part number (length = A dimension, inches dry ELO sprinklers offered in standard lengths of 6 inch increments (12-48"))

<u>VK547</u> Plain Barrel Base P/N: <u>19828</u>	<u>VK549</u> Standard Adjustable Base P/N: <u>19838</u>	<u>VK548</u> Recessed Adjustable Base P/N: <u>19833</u>
		
1-1/4" NPT Thread Size	1-1/4" NPT Thread Size	1-1/4" NPT Thread Size

Item Price Group: V190

VK547 - Plain Barrel base p/n - 19828(f)(t)(l)	Length (L) - A Dimension¹	LIST PRICES and Available Finishes		
		Standard Brass (A_)	Polished Chrome (F_)	White (M_/W)
	12" (305 mm)	\$1,153.35	\$1,153.35	\$1,153.35
	18" (457 mm)	\$1,211.98	\$1,211.98	\$1,211.98
	24" (610 mm)	\$1,270.63	\$1,270.63	\$1,270.63
	30" (762 mm)	\$1,329.28	\$1,329.28	\$1,329.28
	36" (914 mm)	\$1,387.93	\$1,387.93	\$1,387.93
	42" (1067 mm)	\$1,446.56	\$1,446.56	\$1,446.56
	48" (1219 mm)	\$1,485.67	\$1,485.67	\$1,485.67

Additional Ordering Information

VK547/549/548

Available Temp.

Ratings / Suffix

165°F (74°C) = C

205°F (96°C) = E

280°F (138°C) = G *

* N/A with VK548

Recessed Wrench

for VK545 Model²

19748W/B \$283.35

Dry ELO Replacement


Escutcheons

Std. Adjustable


19730F \$45.71

19730M/W \$43.20

Item Price Group: V190

VK549 - Standard Adj. base p/n - 19838(f)(t)(l)	Length (L) - A Dimension¹	LIST PRICES and Available Finishes	
		Polished Chrome (F_)	White (M_/W)
	12" (305 mm)	\$1,153.35	\$1,153.35
	18" (457 mm)	\$1,211.98	\$1,211.98
	24" (610 mm)	\$1,270.63	\$1,270.63
	30" (762 mm)	\$1,329.28	\$1,329.28
	36" (914 mm)	\$1,387.93	\$1,387.93
	42" (1067 mm)	\$1,446.56	\$1,446.10
	48" (1219 mm)	\$1,485.67	\$1,485.67

Item Price Group: V190

VK548 - Recessed Adj. base p/n - 19833(f)(t)(l)	Length (L) - A Dimension¹	LIST PRICES and Available Finishes	
		Polished Chrome (F_)	White (M_/W)
	12" (305 mm)	\$1,153.35	\$1,153.35
	18" (457 mm)	\$1,211.98	\$1,211.98
	24" (610 mm)	\$1,270.63	\$1,270.63
	30" (762 mm)	\$1,329.28	\$1,329.28
	36" (914 mm)	\$1,387.93	\$1,387.93
	42" (1067 mm)	\$1,446.56	\$1,446.56
	48" (1219 mm)	\$1,485.67	\$1,485.67

(1) Additional lengths available on special request (FM Approved, 12-48").

(2) Plain barrel and standard adjustable use a pipe wrench on inlet housing.