



Section N **Deluge Systems**


TABLE OF CONTENTS

Deluge System – Pneumatic Release	N-1 – N-2
Deluge System – Hydraulic Release.....	N-3 – N-4
Deluge System – Electric Release.....	N-5 – N-6
Components and Accessories (general)	N-7
Accessories (Pneumatic Release)	N-8
Accessories (Hydraulic Release)	N-8
Accessories (Electric Release)	N-9
Alarm Devices.....	N-10
Special Valves and Trim	N-11 – N-12
Deluge Valve Model VXD	N-13

Notes

1. Refer to Viking technical data pages for complete product specifications. You may print or download technical data by visiting www.vikinggroupinc.com.
2. List prices effective May 10, 2025. Supersedes July 2022 list price book.
3. All sales by Viking are subject to the terms & conditions found on the last page of this book.

Deluge System - Pneumatic Release



SYSTEM COMPONENTS

- A. Valve**
 - A.1 Deluge Valve
 - B. Deluge Valve Conventional Trim ***
(See Deluge Valve Conventional Trim Charts)
 - B.1 Priming Valve (Normally Open)
 - B.2 Strainer
 - B.3 1/16" Restriction
 - B.4 Spring Loaded Check Valve
 - B.5 Alarm Test Valve (Normally Closed)
 - B.6 Auxiliary Drain Valve (Normally Closed)
 - B.7 Drip Check Valve
 - B.8 Drain Check Valve
 - B.9 Alarm Shut-Off Valve (Normally Open)
 - B.10 Pressure Operated Relief Valve (P.O.R.V.)
 - B.11 Emergency Release
 - B.12 Priming Pressure Water Gauge and Valve
 - B.13 Water Supply Pressure Gauge and Valve
 - B.14 Drain cup
 - B.15 Flow Test Valve (Normally Closed)
 - C. Water Flow Alarm Equipment**
 - C.1 Alarm Pressure Switch and/or
 - C.2 Water Motor Alarm (Strainer Required)
 - C.3 Strainer
 - D. Riser**
 - D.1 Water Supply Control Valve
 - E. Release System**
 - E.1 Pneumatic Actuator
 - E.2 Pneumatic Release Module
(See Pneumatic Release Module Trim Chart)
 - E.3 Air Pressure Gauge and Valve
 - E.4 Soft Seat Check Valve
 - E.5 Air Pressure Supervisory Switch
 - E.6 Thermostatic Release and/or
 - E.7 Fixed Temperature Release and/or
 - E.8 Pilot Head (Sprinkler)
 - E.9 Accelerator (Optional. See Inset.)
 - E.10 Accelerator Isolation Valve. (See Inset.)
 - F. Air Supply**
 - F.1 Automatic Air Supply. Air Compressor and Tank shown for clarity.
 - F.2 Air Supervisory Pressure Switch (Compressor On/Off Control Switch)
 - F.3 Soft Seat Check Valve
 - F.4 Shut Off Valve
(Indicating Ball Valve recommended.)
 - F.5 Dehydrator
 - F.6 Air maintenance Device & By-Pass Trim
- Dashed lines indicate pipe required but not included with Deluge Valve Conventional Trim Packages.
- * Viking Deluge Valve Trim Packages contain items B.1 through B.15 and associated nipples.
Viking Accessory Package for Conventional Deluge Valve Trim contains B.2 through B.5, B.7 through B.11, and B.14.
- * * 1/2" (15 mm) NPT for Non-Interruptible Alarm Pressure Switch (Optional)

Above components are included in QuikPik packages as customized by user. See page N-2

Model F Deluge / Preaction Valve* - STRAIGHT THROUGH

V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thread X Thread	<u>12126</u> \$4,781.59	<u>12059</u> \$4,942.18	<u>12401</u> \$6,526.22	N/A	N/A	N/A	N/A
Flange X Flange	N/A	N/A	N/A	<u>12014</u> \$6,526.22	<u>11953</u> \$8,501.01	<u>11955</u> \$11,627.84	<u>11991</u> \$26,338.47
Flange X Groove	N/A	N/A	N/A	<u>12018</u> \$6,526.22	<u>11952</u> \$8,501.01	<u>11954</u> \$11,627.84	N/A
Groove X Groove	<u>12125</u> \$4,781.59	<u>12057</u> \$4,942.18	<u>12403</u> \$6,526.22	<u>12022</u> \$6,526.22	<u>11513</u> \$8,501.01	<u>11524</u> \$11,627.84	<u>11018</u> \$26,338.47

See page N-11/12 for additional valve and trim options, including Halar® coated valves, horizontal trim, and brass trim packages.

* Valve is not included in trim packages. Please order separately. See following page for trim packages and equipment.

Deluge System - Pneumatic Release

TrimPac® V234	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<u>Straight-Through</u>	<u>13788B-2</u>	<u>13788B-2</u>	<u>13788B-2</u>	<u>13788B-2</u>	<u>13788B-2</u>	<u>13788B-2</u>	<u>13788B-2</u>
	\$8,337.72	\$8,337.72	\$8,337.72	\$8,337.72	\$8,337.72	\$8,337.72	\$8,337.72

TrimPac® includes conventional trim, releasing device (pneumatic actuator), releasing trim, and flexible hose kit.

Drain package for TrimPac® must be ordered separately (see below).

Drain Package (IPG V257)

<u>Use with TrimPac®</u> (order separately)	<u>11894-1</u>	<u>11894-2</u>	<u>11894-3</u>	<u>11894-3</u>	<u>11894-4</u>	<u>11894-4</u>	<u>11894-4</u>
	\$876.54	\$709.00	\$803.47	\$803.47	\$1,031.22	\$1,031.22	\$1,031.22

	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Trim (Vertical - Straight Through Valve) - Galvanized (IPG V236)							
<u>Loose Trim</u> (incl. accessory pkg-09316)	<u>14634-1</u>	<u>14634-1</u>	<u>14636-1</u>	<u>14636-1</u>	<u>14639-1</u>	<u>14641-1</u>	<u>14642-1</u>
	\$5,329.24	\$5,329.24	\$5,215.35	\$5,215.35	\$5,457.32	\$5,470.13	\$7,923.71
<u>Modular Trim</u> (incl. accessory pkg-09316)	<u>14634-1P</u>	<u>14634-1P</u>	<u>14636-1P</u>	<u>14636-1P</u>	<u>14639-1P</u>	<u>14641-1P</u>	<u>14642-1P</u>
	\$5,810.40	\$5,810.40	\$5,696.46	\$5,696.46	\$5,940.73	\$5,953.48	\$8,407.08

Trim (Vertical - Angle Style Valve) - Galvanized (IPG V236)

<u>Loose Trim</u> (incl. accessory pkg-09316)	<u>14629-1</u>	<u>14630-1</u>	N/A	<u>14631-1</u>	<u>14632-1</u>	<u>14633-1</u>	N/A
	\$5,580.62	\$5,371.53		\$5,461.35	\$5,714.81	\$5,728.14	
<u>Modular Trim</u> (incl. accessory pkg-09316)	<u>14629-1P</u>	<u>14630-1P</u>	N/A	<u>14631-1P</u>	<u>14632-1P</u>	<u>14633-1P</u>	N/A
	\$6,061.76	\$5,852.69		\$5,942.50	\$6,195.92	\$6,209.31	

	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Releasing Devices (IPG V226)							
<u>Pneumatic Actuator</u>	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>
	\$1,029.29	\$1,029.29	\$1,029.29	\$1,029.29	\$1,029.29	\$1,029.29	\$1,029.29


Releasing Trim - Galvanized (IPG V238)

<u>Loose Trim</u> (releasing device not incl.)	<u>10809</u>	<u>10809</u>	<u>10809</u>	<u>10809</u>	<u>10809</u>	<u>10809</u>	<u>10809</u>
	\$161.27	\$161.27	\$161.27	\$161.27	\$161.27	\$161.27	\$161.27
<u>Modular Trim</u> (releasing device not incl.)	<u>10809P</u>	<u>10809P</u>	<u>10809P</u>	<u>10809P</u>	<u>10809P</u>	<u>10809P</u>	<u>10809P</u>
	\$718.70	\$718.70	\$718.70	\$718.70	\$718.70	\$718.70	\$718.70
<u>Loose Trim-DOMESTIC¹</u> (releasing device not incl.)	<u>10809USA</u>	<u>10809USA</u>	<u>10809USA</u>	<u>10809USA</u>	<u>10809USA</u>	<u>10809USA</u>	<u>10809USA</u>
	\$215.03	\$215.03	\$215.03	\$215.03	\$215.03	\$215.03	\$215.03

Trim packages includes deluge valve accessory package (p/n 09316) - See page N-7 for package detail.

See pages N-11/N-12 for additional valve and trim options, including Halar® coated valves, domestic trim, horizontal trim, brass trim packages.

Deluge System - Hydraulic Release



----- Dashed lines indicate pipe required but not included with Deluge Valve Conventional Trim Packages.

* Viking Deluge Valve Trim Packages contain items B.1 through B.15 and associated nipples.
Viking Accessory Package for Conventional Deluge Valve Trim contains B.2 through B.5, B.7 through B.11, and B.14.

** 1/2" (15 mm) NPT for Non-Interruptible Alarm Pressure Switch (Optional)

SYSTEM COMPONENTS

A. Valve

A.1 Deluge Valve

B. Deluge Valve Conventional Trim *

(See Deluge Valve Conventional Trim Charts)

B.1 Priming Valve (Normally Open)

B.2 Strainer

B.3 1/16" Restriction

B.4 Spring Loaded Check Valve

B.5 Alarm Test Valve (Normally Closed)

B.6 Auxiliary Drain Valve (Normally Closed)

B.7 Drip Check Valve

B.8 Drain Check Valve

B.9 Alarm Shut-Off Valve (Normally Open)

B.10 Pressure Operated Relief Valve (P.O.R.V.)

B.11 Emergency Release

B.12 Priming Pressure Water Gauge and Valve

B.13 Water Supply Pressure Gauge and Valve

B.14 Drain cup

B.15 Flow Test Valve (Normally Closed)

C. Water Flow Alarm Equipment

C.1 Alarm Pressure Switch and/or

C.2 Water Motor Alarm (Strainer Required)

C.3 Strainer

D. Riser

D.1 Water Supply Control Valve

E. Release System

E.1 Thermostatic Release and/or

E.2 Fixed Temperature Release and/or

E.3 Pilot Head (Sprinkler)

CAUTION

DO NOT EXCEED MAXIMUM HEIGHT ALLOWED FOR THE HYDRAULIC RELEASE PIPING ABOVE THE DELUGE VALVE.

FOR MAXIMUM HEIGHT ALLOWED, REFER TO CURRENT TECHNICAL DATA DESCRIBING THE VIKING DELUGE VALVE USED.

Components shown above are included in Quik Pik packages as customized by user. See page N-4.

Model F Deluge / Preaction Valve* - STRAIGHT THROUGH

V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thread X Thread	<u>12126</u> \$4,781.59	<u>12059</u> \$4,942.18	<u>12401</u> \$6,526.22	N/A	N/A	N/A	N/A
Flange X Flange	N/A	N/A	N/A	<u>12014</u> \$6,526.22	<u>11953</u> \$8,501.01	<u>11955</u> \$11,627.84	<u>11991</u> \$26,338.47
Flange X Groove	N/A	N/A	N/A	<u>12018</u> \$6,526.22	<u>11952</u> \$8,501.01	<u>11954</u> \$11,627.84	N/A
Groove X Groove	<u>12125</u> \$4,781.59	<u>12057</u> \$4,942.18	<u>12403</u> \$6,526.22	<u>12022</u> \$6,526.22	<u>11513</u> \$8,501.01	<u>11524</u> \$11,627.84	<u>11018</u> \$26,338.47

See page N-11/12 for additional valve and trim options, including Halar® coated valves, horizontal trim, and brass trim packages.

* Valve is not included in trim packages. Please order separately. See following page for trim packages and equipment.

Deluge System - Hydraulic Release


	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Trim (Vertical - Straight Through Valve) - Galvanized (IPG V236)							
<u>Loose Trim</u> (incl. accessory pkg-09316)	<u>14634-1</u> \$5,329.24	<u>14634-1</u> \$5,329.24	<u>14636-1</u> \$5,215.35	<u>14636-1</u> \$5,215.35	<u>14639-1</u> \$5,457.32	<u>14641-1</u> \$5,470.13	<u>14642-1</u> \$7,923.71
<u>Modular Trim</u> (incl. accessory pkg-09316)	<u>14634-1P</u> \$5,810.40	<u>14634-1P</u> \$5,810.40	<u>14636-1P</u> \$5,696.46	<u>14636-1P</u> \$5,696.46	<u>14639-1P</u> \$5,940.73	<u>14641-1P</u> \$5,953.48	<u>14642-1P</u> \$8,407.08

Trim packages includes deluge valve accessory package (p/n 09316) - See page N-7 for package detail.

See pages N-11/12 for additional valve and trim options, including Halar® coated valves, horizontal trim, domestic trim, and brass trim packages.

Deluge System - Electric Release

Straight-through valve shown.



SYSTEM COMPONENTS

- A. Valve
 - A.1 Deluge Valve
 - B. Deluge Valve Conventional Trim *
 - (See Deluge Valve Conventional Trim Charts)
 - B.1 Priming Valve
 - B.2 Strainer
 - B.3 1/16" Restricted Orifice
 - B.4 Spring Loaded Check Valve
 - B.5 Alarm Test Valve (Normally Closed)
 - B.6 Auxiliary Drain Valve (Normally Closed)
 - B.7 Drip Check Valve
 - B.8 Drain Check Valve
 - B.9 Alarm Shut-Off Valve (Normally Open)
 - B.10 Pressure Operated Relief Valve (P.O.R.V.)
 - B.11 Emergency Release
 - B.12 Priming Pressure Water Gauge and Valve
 - B.13 Water Supply Pressure Gauge and Valve
 - B.14 Drain Cup
 - B.15 Flow Test Valve (Normally Closed)
 - C. Water Flow Alarm Equipment
 - C.1 Alarm Pressure Switch and/or
 - C.2 Water Motor Alarm (Strainer Required)
 - C.3 Strainer
 - C.4 Electric Alarm Bell
 - D. Riser
 - D.1 Water Supply Control Valve
 - E. Release System
 - E.1 Solenoid Valve
 - E.2 Electric Release Module Trim
 - E.3 System Control Panel configured for Single Zone Deluge operation.
 - E.4 Electric Detection System. Heat Detector shown for clarity.
- Dashed lines indicate pipe required but not listed in "System Components" Table.
- * Viking Deluge Valve Trim Packages contain items B.1 through B.15 and associated nipples. Viking Accessory Package for Conventional Deluge Valve Trim contains B.2 through B.5, B.7 through B.11, and B.14.
- Dotted lines indicate electrical detection system wiring required but not listed in "System Components" Table. For additional wiring requirements refer to technical data for components used.

Components shown above are included in Quik Pik packages as customized by user. See page N-6.

Model F Deluge / Preaction Valve* - STRAIGHT THROUGH

V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thread X Thread	<u>12126</u> \$4,781.59	<u>12059</u> \$4,942.18	<u>12401</u> \$6,526.22	N/A	N/A	N/A	N/A
Flange X Flange	N/A	N/A	N/A	<u>12014</u> \$6,526.22	<u>11953</u> \$8,501.01	<u>11955</u> \$11,627.84	<u>11991</u> \$26,338.47
Flange X Groove	N/A	N/A	N/A	<u>12018</u> \$6,526.22	<u>11952</u> \$8,501.01	<u>11954</u> \$11,627.84	N/A
Groove X Groove	<u>12125</u> \$4,781.59	<u>12057</u> \$4,942.18	<u>12403</u> \$6,526.22	<u>12022</u> \$6,526.22	<u>11513</u> \$8,501.01	<u>11524</u> \$11,627.84	<u>11018</u> \$26,338.47

See page N-11/12 for additional valve and trim options, including Halar® coated valves, horizontal trim, and brass trim packages.

* Valve is not included in trim packages. Please order separately. See following page for trim packages and equipment.

Deluge System - Electric Release

TrimPac® IPG V234	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<u>Straight-Through</u>	<u>13787B-1</u>	<u>13787B-1</u>	<u>13787B-1</u>	<u>13787B-1</u>	<u>13787B-1</u>	<u>13787B-1</u>	<u>13787B-1</u>
	\$8,490.86	\$8,490.86	\$8,490.86	\$8,490.86	\$8,490.86	\$8,490.86	\$8,490.86

TrimPac® includes conventional trim, releasing device (solenoid valve), releasing trim, and flexible hose kit.

Drain package for TrimPac® must be ordered separately (see below).

Drain Package (IPG V257)

<u>Use with TrimPac®</u>	<u>11894-1</u>	<u>11894-2</u>	<u>11894-3</u>	<u>11894-3</u>	<u>11894-4</u>	<u>11894-4</u>	<u>11894-4</u>
(order separately)	\$876.54	\$709.00	\$803.47	\$803.47	\$1,031.22	\$1,031.22	\$1,031.22

	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Trim (Vertical - Straight Through Valve) - Galvanized (IPG V236)							
<u>Loose Trim</u>	<u>14634-1</u>	<u>14634-1</u>	<u>14636-1</u>	<u>14636-1</u>	<u>14639-1</u>	<u>14641-1</u>	<u>14642-1</u>
(incl. accessory pkg-09316)	\$5,329.24	\$5,329.24	\$5,215.35	\$5,215.35	\$5,457.32	\$5,470.13	\$7,923.71
<u>Modular Trim</u>	<u>14634-1P</u>	<u>14634-1P</u>	<u>14636-1P</u>	<u>14636-1P</u>	<u>14639-1P</u>	<u>14641-1P</u>	<u>14642-1P</u>
(incl. accessory pkg-09316)	\$5,810.40	\$5,810.40	\$5,696.46	\$5,696.46	\$5,940.73	\$5,953.48	\$8,407.08

Trim (Vertical - Angle Style Valve) - Galvanized (IPG V236)

<u>Loose Trim</u>	<u>14629-1</u>	<u>14630-1</u>	N/A	<u>14631-1</u>	<u>14632-1</u>	<u>14633-1</u>	N/A
(incl. accessory pkg-09316)	\$5,580.62	\$5,371.53		\$5,461.35	\$5,714.81	\$5,728.14	
<u>Modular Trim</u>	<u>14629-1P</u>	<u>14630-1P</u>	N/A	<u>14631-1P</u>	<u>14632-1P</u>	<u>14633-1P</u>	N/A
(incl. accessory pkg-09316)	\$6,061.76	\$5,852.69		\$5,942.50	\$6,195.92	\$6,209.31	

	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Releasing Devices (IPG V240)							
<u>Solenoid Valve</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>
	\$1,597.55	\$1,597.55	\$1,597.55	\$1,597.55	\$1,597.55	\$1,597.55	\$1,597.55

Releasing Trim - Galvanized (IPG V238)

<u>Loose Trim</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>
(releasing device not incl.)	\$166.50	\$166.50	\$166.50	\$166.50	\$166.50	\$166.50	\$166.50
<u>Modular Trim</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>
(releasing device not incl.)	\$718.70	\$718.70	\$718.70	\$718.70	\$718.70	\$718.70	\$718.70
<u>Loose Trim-DOMESTIC¹</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>
(releasing device not incl.)	\$221.96	\$221.96	\$221.96	\$221.96	\$221.96	\$221.96	\$221.96

Trim packages includes deluge valve accessory package (p/n 09316) - See page N-7 for package detail.

See pages N-11/N-12 for additional valve and trim options, including Halar® coated valves, horizontal trim, domestic trim, and brass trim packages.

Accessories and Additional Components

Deluge Valve Accessory Package

(included with deluge/preaction trim)

Includes:

- 1/16" Restricted Orifice Galvanized
- Emergency Release 09316
- Drip Check \$3,683.77
- 1/4" / 8mm Check Valve
- 1/4" / 8mm Strainer Stainless Steel *
- Drain Cup 09743
- PORV \$5,137.86
- Drain Check * Does not include PORV
- 1/2" Ball Valve IPG V226

Pressure Operated Relief Valve (PORV) - Model D-3



1/2" / DN15

Brass

16970 \$2,403.04

IPG V242

Pressure Operated Relief Valve (PORV) - Model D-4



1/2" / DN15

Corrosion Resistant

16971 \$3,696.98

IPG V242

Globe Valve for Gauges (side outlet)




1/4" / DN8

76V-25 \$24.67

Drain Check Valve

IPG V226




1/2" / DN15

05781A \$160.03

Corrosion Resistant

05781AJ \$334.79

Restricted Orifice



1/4" (DN8)


1/16" (1.6mm) 10110 \$62.22

Corrosion Resistant

1/16" (1.6mm) 10110J \$145.03

IPG V226

Ball Valve



IPG V226

Brass

1/4"	10354USA	\$74.68
1/2"	10355USA	\$76.90
1"	10356	\$106.25

Stainless Steel

10644	\$442.24
10645	\$444.76
10646	\$709.40
10647	\$859.91
10648	\$1,639.1
10649	\$2,224.9

Drain Cup




1 1/2" / DN40

01019B \$30.80

IPG V226

Emergency Release



1/2" (Galvanized)

Model C-1

01553C \$614.74

Brass

Model C-2

09387 \$1,025.43

Corrosion Resistant


Model C-3

09734 \$1,258.05

IPG V226

Prime Shut-Off Valve

IPG V226



1/2" / DN15

10723 \$1,361.58

Corrosion Resistant

10724 \$2,433.74

Drip Check Valve - Model D-1

Velocity Check

3/4" / DN20



10730 \$314.48

Corrosion Resistant

IPG V25.1

10733 \$474.35

Water Gauge



0-300 psi


1/4"

VWATERSF

\$31.27

In-Line Check Valve

IPG V226



1/4" / DN8

04947A \$148.86

Y Strainer

IPG SR260



1/4" / DN15

14BYS \$43.22

Restricted Orifice

5/64" / 2mm



1/2" / DN15

11706 \$128.52

IPG V226

Air Line Trim

(not for use with Deluge TrimPac System)

Tank Mounted 13770 \$2,932.66

Tankless 13771 \$1,858.06

IPG V234

Replacement Hose

PVC drain hose

12071 \$233.57

IPG V234

Riser Mounting Kit

(when mounting TrimPac to riser)

Vertical

11900 \$1,621.97


Horizontal

11901 \$2,230.32

IPG V234

Accessories for Old Style Trim

Model A-2 Strainer Orifice Check Vlv




1/4" (DN8)

06579B \$584.48

IPG V226

Alarm Test/Alarm Shut-Off Valve




1/2" (DN15)

06174A \$629.32

IPG V226

Spring Loaded Check Valve

(with viton disc)




1/2" (DN15)

12WILC \$289.70

SR140

Accessories for Pneumatic Release Systems

Pneumatic Actuator  <u>1/2" (DN15)</u> <u>Model H-1</u> 06459B \$1,029.29 <u>Corrosion Resistant (Model R-1)</u> 09733 \$2,322.05 <u>IPG V226</u>	Model D-2 - Air Pressure Maintenance Device  <u>Size</u> <u>Part #</u> <u>List Price</u> 1/2" / DN15 07459 \$2,135.55 <u>DOMESTIC</u> <u>Size</u> <u>Part #</u> <u>List Price</u> 1/2" / DN15 07459USA \$2,847.38
Model D-2 - Air Pressure Maintenance Device  <u>Size</u> <u>Part #</u> <u>List Price</u> 1/4" / DN8 02280C \$1,215.26 <u>IPG V226</u>	Replacement Restriction <u>Release Line Air Supply</u>  <u>Part #</u> <u>List Price</u> 02902B \$294.44 <u>IPG V226</u>
Dehydrator Package <u>Includes:</u> <u>- Desiccant</u> <u>1/4" (DN8)</u> 16854 \$2,875.36 <u>- Mounting Brackets</u> <u>Extra Desiccant*</u> 16855 \$651.03 <u>- Nipples</u> <u>*one unit fills dehydrator</u> <u>IPG V226</u>	

Accessories for Pneumatic and Hydraulic Systems

Thermostatic Release (Model C-1) <i>(Includes 155°F/68°C fixed temperature release)</i> - indoor and outdoor use Standard 01432C \$2,722.50 Nitrogen Tested 05006A \$2,932.80 IPG V226			Thermostatic Release (Model C-2) <i>(Includes 155°F/68°C fixed temperature release)</i> - indoor and outdoor use Standard 03991C-18 \$3,239.70 - corrosion resistant Nitrogen Tested 10367 \$3,450.02 environments IPG V226																																			
Operation Indicator Includes: - indoor and outdoor use - corrosion resistant 1/2" (DN15) 02944A \$106.81 IPG V226			Adjustment Kit Includes: - indoor and outdoor use - corrosion resistant Model C-1 and C-2 01714A \$325.50 IPG V226																																			
Fixed Temperature Release (Model M HP - VK800) 1/2" (15 mm) - RATED TO 250 PSI (1724 kPa) Brass 07848AB \$86.36 Chrome 07848FA \$92.58 White 07848MA/W \$92.58 IPG V226			Replacement Fixed Temperature Release 155°F/68°C Model C-1 07848FB \$92.58 Model C-2 07848CB \$110.38 IPG V226																																			
Add the temperature suffix to the part number (135 shown): (°F/°C) A=135°/57°, B=155°/68°, D=175°/79°, E=200°/93°, G=286°/141°																																						
Release Line Hangers - includes two screws/nuts <table><tr><td>1" / DN25</td><td>09574</td><td>\$36.37</td></tr><tr><td>1¼" / DN32</td><td>09575</td><td>\$36.37</td></tr><tr><td>1½" / DN40</td><td>09576</td><td>\$36.37</td></tr><tr><td>2" / DN50</td><td>09577</td><td>\$36.37</td></tr><tr><td>2½" / DN65</td><td>09578</td><td>\$36.37</td></tr><tr><td>3" / DN80</td><td>09579</td><td>\$36.37</td></tr></table> <table><tr><td>3½" / DN90</td><td>09580</td><td>\$36.37</td></tr><tr><td>4" / DN100</td><td>09581</td><td>\$53.18</td></tr><tr><td>5" / DN125</td><td>09582</td><td>\$53.18</td></tr><tr><td>6" / DN150</td><td>09583</td><td>\$53.18</td></tr><tr><td>8" / DN200</td><td>09584</td><td>\$53.18</td></tr></table> Stainless steel available upon request at additional cost. Add suffix "SST" to base part number.						1" / DN25	09574	\$36.37	1¼" / DN32	09575	\$36.37	1½" / DN40	09576	\$36.37	2" / DN50	09577	\$36.37	2½" / DN65	09578	\$36.37	3" / DN80	09579	\$36.37	3½" / DN90	09580	\$36.37	4" / DN100	09581	\$53.18	5" / DN125	09582	\$53.18	6" / DN150	09583	\$53.18	8" / DN200	09584	\$53.18
1" / DN25	09574	\$36.37																																				
1¼" / DN32	09575	\$36.37																																				
1½" / DN40	09576	\$36.37																																				
2" / DN50	09577	\$36.37																																				
2½" / DN65	09578	\$36.37																																				
3" / DN80	09579	\$36.37																																				
3½" / DN90	09580	\$36.37																																				
4" / DN100	09581	\$53.18																																				
5" / DN125	09582	\$53.18																																				
6" / DN150	09583	\$53.18																																				
8" / DN200	09584	\$53.18																																				

Accessories for Electric Release Systems

SOLENOID VALVES (1/2" / DN15)				IPG V240
Normally Closed (rated to 250 psi (1724 kPa))				
	<u>Deluge & Preaction, SureFire</u>		<u>Part No.</u>	<u>List Price</u>
	NEMA 1,2,3,3S,4,4X	24 VDC	11601	\$1,597.55
	<u>Explosion Proof</u>			
	NEMA 3,3S,4,4X,6,6P,7,9	24 VDC	11602	\$2,669.90
Normally Closed (rated to 300 psi (2068 kPa))				
	<u>Firecycle III, TotalPac & Special Application</u>			
	NEMA 2,3,3S,4,4X	24 VDC	11591	\$2,039.72
	NEMA 1,2,3,3S,4,4X	110 VAC/50 HZ	11593	\$1,735.66
	NEMA 1,2,3,3S,4,4X	120 VAC/60 HZ	11594	\$2,360.32
	<u>Explosion Proof</u>			
	NEMA 3,3S,4,4X,6,6P,7,9	24 VDC	11592	\$2,669.90
	NEMA 3,3S,4,4X,6,6P,7,9	110 VAC/50 HZ	11594	\$2,360.32
	NEMA 3,3S,4,4X,6,6P,7,9	120 VAC/60 HZ	11594	\$2,360.32
	ATEX, EEx, mII, T4/T5	110 VAC/50 HZ	12359	\$2,802.46
	ATEX, EEx, mII, T4/T5	24 VDC	12360	\$3,112.07
Normally Open (rated to 300 psi (2068 kPa))				
	<u>Firecycle III</u>			
	NEMA 2,3,3S,4,4X	24 VDC	11595	\$3,394.02
	<u>Surefire & TrimPac</u>			
	NEMA 2,3,3S,4,4X	24 VDC	13215	\$3,394.02
	<u>Explosion Proof</u>			
	NEMA 3,3S,4,4X,6,6P,7,9	24 VDC	11596	\$4,731.68
	ATEX, EEx, mII, T4/T5	24 VDC	12358	\$5,173.77

RELEASE CONTROL PANEL (VFR-500)			IPG V241		
VFR-500 Release Control Panel					
- Contains seven user-definable zones & menu-driven programming controls - Up to 35 standard programs in memory and programmable cross-zoning - Multi-directional navigation through the panel history and menus - cULus Listed and FM Approved for agent and/or water-based extinguishing <i>* see below for accessories and optional modules</i>	<u>Part No.</u>	<u>List Price</u>			
	26107	\$6,650.15			
Optional Modules / Accessories		<u>Part No.</u>	<u>List Price</u>	<u>Batteries</u>	(two required per panel)
CA2Z Module (class A initiating device circuit):	14155	\$397.02		<u>Part No.</u>	<u>List Price</u>
CAM2 Module (class A indicating appliance circuit):	14156	\$456.57		8 Amp	07920 P.O.A.
ARM-1 Module (auxiliary relay module):	14157	\$575.68		12 Amp	07921 P.O.A.
RA-4410-RC (remote annunciator):	26125	\$1,879.67		18 Amp	09867 P.O.A.
	<u>Part No.</u>	<u>List Price</u>			
MR-101/T SPDT Relay Module:	14159	\$233.29			
MR-201 DPDT Relay Module:	14160	\$292.79			
MR801/T SPDT Relay w/Led Indicator:	14161	\$124.07			
ELOD Resistor/Diode:	14162	\$59.55			
ELOR Resistor:	14163	\$10.36			

Alarm Devices

Alarm Pressure Switch - IPG SR020

<u>Factory-Set Range (4-8 psi)</u>			<u>Explosion Proof</u>		
<u>1/2" / DN50</u>			Dual SPDT	PS10-EX	\$2,330.63
Single SPDT	PS101A	\$333.57	Dual SPDT	PS40EX	\$2,330.63
Dual SPDT	PS102A	\$399.41			
 <i>* Manufactured by Potter</i>					
			<u>Pressure Adj Access Key</u>		
			10600		\$45.62
			<u>Cover Removal Key</u>		
			10601		\$45.62

** Appropriate hex keys included with switches.*

Pressure Supervisory Switch (Air, Nitrogen, Water) - IPG SR020

<u>Adjustable Range (10-60 psi)</u>			<u>Explosion Proof</u>		
<u>1/2" / DN50</u>					
Single SPDT	PS401A	\$331.38			
Dual SPDT	PS402A	\$399.41			
 <i>* Manufactured by Potter</i>					
<u>Cover Tamper Switch Kit</u>			<u>Pressure Adj Access Key</u>		
09601		\$233.30	10600		\$45.62
			<u>Cover Removal Key</u>		
			10601		\$45.62

** Appropriate hex keys included with switches.*

Flow Switch - IPG SR010


Waterflow Indicators

(adjustable retard up to 90 sec. - 2 SPDT contacts)

Model VSR

1-2" / DN40	VSRF0100	\$465.28
2" / DN50	VSRF0200	\$497.44
2½" / DN65	VSRF0250	\$497.44
3" / DN80	VSRF0300	\$497.44
3½" / DN90	VSRF0350	\$497.44
4" / DN100	VSRF0400	\$497.44
5" / DN125	VSRF0500	\$497.44
6" / DN150	VSRF0600	\$497.44
8" / DN200	VSRF0800	\$555.34

Water Motor Alarm and Accessories - IPG V226

<u>Water Motor Alarm</u>			<u>Closure Plate</u>		
 <u>Model F-2</u>					
07862		\$1,036.72	05820B		\$211.59
<u>Adjustable Shaft</u>			<u>Alarm Line Y Strainer</u>		
<i>(wall thickness up to 30-1/4 in / 768 mm)</i>					
			<u>3/4" (DN20)</u>		
03312B		\$203.02	01489A		\$308.71
<u>Extension Cup</u>					
					
05957B		\$169.28			

Special Valves and Trim

HALAR® Coated Deluge / Preaction Valves (Model F-2)

Straight-Through (Model F-2)

IPG V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thread X Thread	N/A	N/A	<u>12402Q/B</u> \$10,224.50	N/A	N/A	N/A	N/A
Flange X Flange	N/A	N/A	N/A	<u>12015Q/B</u> \$10,224.50	<u>11960Q/B</u> \$13,679.53	<u>11962Q/B</u> \$18,305.27	<u>11992Q/B</u> \$38,320.90
Flange X Groove	N/A	N/A	N/A	<u>12019Q/B</u> \$10,224.50	<u>11959Q/B</u> \$13,679.53	<u>11961Q/B</u> \$18,305.27	N/A
Groove X Groove	<u>12127Q/B</u> \$7,575.28	<u>12058Q/B</u> \$7,595.89	<u>12404Q/B</u> \$10,224.50	<u>12023Q/B</u> \$10,224.50	<u>11514Q/B</u> \$13,679.53	<u>11525Q/B</u> \$18,305.27	<u>11118Q/B</u> \$36,469.67

HORIZONTAL TRIM - Conventional Deluge / Preaction Trim

Galvanized

IPG V236	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Loose Trim (incl. accessory pkg-09316)	<u>14635-1</u> \$5,329.24	<u>14635-1</u> \$5,329.24	<u>14637-1</u> \$5,215.35	<u>14637-1</u> \$5,215.35	<u>14638-1</u> \$5,457.32	<u>14640-1</u> \$5,470.13	<u>14643-1</u> \$7,923.71
Modular Trim (incl. accessory pkg-09316)	<u>14635-1P</u> \$5,810.40	<u>14635-1P</u> \$5,810.40	<u>14637-1P</u> \$5,696.46	<u>14637-1P</u> \$5,696.46	<u>14638-1P</u> \$5,940.73	<u>14640-1P</u> \$5,953.48	<u>14643-1P</u> \$8,407.08

* Galvanized vertical trim found on page N-6.

BRASS TRIMS - Conventional Deluge / Preaction Trim

Straight Through Valves - VERTICAL

IPG V237	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Loose Trim (incl. accessory pkg-09316)	<u>14634-2</u> \$9,045.81	<u>14634-2</u> \$9,045.81	<u>14636-2</u> \$8,591.23	<u>14636-2</u> \$8,591.23	<u>14639-2</u> \$9,179.82	<u>14641-2</u> \$9,285.78	<u>14642-2</u> \$11,570.21
Modular Trim (incl. accessory pkg-09316)	<u>14634-2P</u> \$9,553.33	<u>14634-2P</u> \$9,553.33	<u>14636-2P</u> \$9,098.75	<u>14636-2P</u> \$9,098.75	<u>14639-2P</u> \$9,687.35	<u>14641-2P</u> \$9,793.28	<u>14642-2P</u> \$12,053.58

Straight Through Valves - HORIZONTAL

IPG V237	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Loose Trim (incl. accessory pkg-09316)	<u>14635-2</u> \$9,045.81	<u>14635-2</u> \$9,045.81	<u>14637-2</u> \$8,591.23	<u>14637-2</u> \$8,591.23	<u>14638-2</u> \$9,179.82	<u>14640-2</u> \$9,285.78	<u>14643-2</u> \$11,570.21
Modular Trim (incl. accessory pkg-09316)	<u>14635-2P</u> \$9,553.33	<u>14635-2P</u> \$9,553.33	<u>14637-2P</u> P.O.A.	<u>14637-2P</u> P.O.A.	<u>14638-2P</u> P.O.A.	<u>14640-2P</u> \$9,793.28	<u>14643-2P</u> P.O.A.

Special Valves and Trim

BRASS - Releasing Trims

V239	Pneumatic	Electric	DOMESTIC ¹ Electric
<u>Loose Trim</u> (releasing device not incl.)	<u>10811</u> \$439.39	<u>10832</u> \$494.41	<u>10832USA</u> \$659.20
<u>Modular Trim</u> (releasing device not incl.)	<u>10811P</u> \$987.13	<u>10832P</u> P.O.A.	<u>10832USA-P</u> P.O.A.

STAINLESS STEEL - Conventional Deluge Trim

Straight Through Valves - VERTICAL

V251	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<u>Loose Trim</u>	<u>14649</u> \$15,615.53	<u>14649</u> \$15,615.53	<u>14651</u> \$16,742.85	<u>14651</u> \$16,742.85	<u>14654</u> \$18,299.30	<u>14656</u> \$18,374.49	<u>14657</u> \$18,438.73
<u>Modular Trim</u>	<u>14649P</u> \$16,127.80	<u>14649P</u> \$16,127.80	<u>14651P</u> \$17,255.00	<u>14651P</u> \$17,255.00	<u>14654P</u> \$18,811.55	<u>14656P</u> \$18,886.74	<u>14657P</u> P.O.A.

Straight Through Valves - HORIZONTAL

V251	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<u>Loose Trim</u>	<u>14649</u> \$15,615.53	<u>14649</u> \$15,615.53	<u>14651</u> \$16,742.85	<u>14651</u> \$16,742.85	<u>14654</u> \$18,299.30	<u>14656</u> \$18,374.49	<u>14657</u> \$18,438.73
<u>Modular Trim</u>	<u>14649P</u> \$16,127.80	<u>14649P</u> \$16,127.80	<u>14651P</u> \$17,255.00	<u>14651P</u> \$17,255.00	<u>14654P</u> \$18,811.55	<u>14656P</u> \$18,886.74	<u>14657P</u> P.O.A.

DOMESTIC TRIM¹ - Model F - Galvanized

Straight Through Valves - VERTICAL

V236	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<u>Loose Trim</u>	<u>14634-1USA</u> \$7,105.65	<u>14634-1USA</u> \$7,105.65	<u>14636-1USA</u> \$6,953.80	<u>14636-1USA</u> \$6,953.80	<u>14639-1USA</u> \$7,276.48	<u>14641-1USA</u> \$7,293.49	<u>14642-1USA</u> \$10,564.96

Deluge Valve Model VXD



VXD Deluge Valves - Pretrimmed Deluge Valves - VERTICAL

Pre-trimmed Hydraulic Release Galvanized IPG V402

1-1/2"	2"	2-1/2"	3"	4"	6"	8"	10"
<u>23543</u>	<u>23575</u>	<u>23596</u>	<u>23617</u>	<u>23638</u>	<u>23660</u>	<u>23681</u>	<u>23702</u>
\$9,451.02	\$9,884.32	\$11,378.02	\$11,574.48	\$12,582.96	\$14,604.90	\$27,892.98	\$34,192.35

Pre-trimmed Pneumatic Release Galvanized IPG V402

1-1/2"	2"	2-1/2"	3"	4"	6"	8"	10"
<u>23549</u>	<u>23581</u>	<u>23602</u>	<u>23623</u>	<u>23644</u>	<u>23666</u>	<u>23687</u>	<u>23748</u>
\$10,887.36	\$11,320.65	\$12,591.80	\$12,788.26	\$13,865.47	\$15,818.43	\$29,511.95	\$35,845.12

Pre-trimmed Electric Release Galvanized IPG V402

1-1/2"	2"	2-1/2"	3"	4"	6"	8"	10"
<u>23546</u>	<u>23578</u>	<u>23599</u>	<u>23620</u>	<u>23641</u>	<u>23663</u>	<u>23684</u>	<u>23745</u>
\$10,967.15	\$11,400.44	\$12,894.14	\$13,090.60	\$14,099.11	\$16,121.07	\$29,409.15	\$35,708.48

VXD Deluge Valves - Loose Valve and Trim

Model VXD Deluge Valve - Groove/Groove IPG V400

1-1/2"	2"	2-1/2"	3"	4"	6"	8"	10"
<u>23310</u>	<u>23311</u>	<u>23312</u>	<u>23313</u>	<u>23316</u>	<u>23319</u>	<u>23322</u>	<u>23325</u>
\$3,742.33	\$4,219.80	\$5,853.65	\$6,070.15	\$7,066.71	\$9,286.21	\$21,493.88	\$27,844.71

Model VXD Deluge Valve - Flange/Flange IPG V400

3"	4"	6"	8"	10"
<u>23314</u>	<u>23317</u>	<u>23320</u>	<u>23323</u>	<u>23326</u>
\$6,070.15	\$7,066.71	\$9,286.21	\$21,493.88	\$27,844.71

Loose Trim Hydraulic Release Galvanized IPG V401

1-1/2"	2"	2-1/2"	3"	4"	6"	8"	10"
<u>23542-1</u>	<u>23574-1</u>	<u>23595-1</u>	<u>23616-1</u>	<u>23637-1</u>	<u>23659-1</u>	<u>23680-1</u>	<u>23701-1</u>
\$4,426.67	\$4,426.67	\$4,436.83	\$4,436.83	\$4,533.03	\$4,540.23	\$6,581.75	\$7,076.97

Loose Trim Pneumatic Release Galvanized IPG V401

1-1/2"	2"	2-1/2"	3"	4"	6"	8"	10"
<u>23548-1</u>	<u>23580-1</u>	<u>23601-1</u>	<u>23622-1</u>	<u>23643-1</u>	<u>23665-1</u>	<u>23686-1</u>	<u>23747-1</u>
\$5,753.66	\$5,753.66	\$5,778.35	\$5,778.35	\$5,825.59	\$5,833.05	\$8,077.41	\$8,603.90

Loose Trim Electric Release Galvanized IPG V401

1-1/2"	2"	2-1/2"	3"	4"	6"	8"	10"
<u>23545-1</u>	<u>23577-1</u>	<u>23598-1</u>	<u>23619-1</u>	<u>23640-1</u>	<u>23662-1</u>	<u>23683-1</u>	<u>23744-1</u>
\$5,827.37	\$5,827.37	\$5,837.52	\$5,837.52	\$5,933.73	\$5,940.92	\$7,982.44	\$8,477.66