



Institutional
Quick Response
Standard Coverage
Fusible Link
Flush Pendent

SIN: VK426
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 19663

Finish	Temp	Part #	IPG	List Price
Polished Chrome	165°F	19663FC	V173	\$158.14
Polished Chrome	205°F	19663FE	V173	\$158.14
Painted White	165°F	19663MC/W	V173	\$158.14
Painted White	205°F	19663ME/W	V173	\$158.14
Painted Gray	165°F	19663MC/RAL9006	V173	\$158.14
Painted Gray	205°F	19663ME/RAL9006	V173	\$158.14
Socket Wrench		22847MB	V207	\$397.76



Institutional
Quick Response
Standard Coverage
Fusible Link
Flush Horizontal Sidewall

SIN: VK427
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 22885

Finish	Temp	Part #	IPG	List Price
Polished Chrome	165°F	22885FC	V173	\$182.47
Polished Chrome	205°F	22885FE	V173	\$182.47
Painted White	165°F	22885MC/W	V173	\$182.47
Painted White	205°F	22885ME/W	V173	\$182.47
Painted Gray	165°F	22885MC/RAL9006	V173	\$182.47
Painted Gray	205°F	22885ME/RAL9006	V173	\$182.47
Socket Wrench		22847MB	V207	\$397.76



Institutional
Quick Response
Extended Coverage
Fusible Link
Flush Pendent

SIN: VK650
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 19876

Finish	Temp	Part #	IPG	List Price
Polished Chrome	165°F	19876FC	V173	\$170.30
Polished Chrome	205°F	19876FE	V173	\$170.30
Painted White	165°F	19876MC/W	V173	\$170.30
Painted White	205°F	19876ME/W	V173	\$170.30
Painted Gray	165°F	19876MC/RAL9006	V173	\$170.30
Painted Gray	205°F	19876ME/RAL9006	V173	\$170.30
Socket Wrench		22847MB	V207	\$397.76



Institutional
Quick Response
Extended Coverage
Fusible Link
Flush Horizontal Sidewall

SIN: VK651
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 22884

Finish	Temp	Part #	IPG	List Price
Polished Chrome	165°F	22884FC	V173	\$194.63
Polished Chrome	205°F	22884FE	V173	\$194.63
Painted White	165°F	22884MC/W	V173	\$194.63
Painted White	205°F	22884ME/W	V173	\$194.63
Painted Gray	165°F	22884MC/RAL9006	V173	\$194.63
Painted Gray	205°F	22884ME/RAL9006	V173	\$194.63
Socket Wrench		22847MB	V207	\$397.76



Institutional
Escutcheon

Finish	Part #	IPG	List Price
Polished Chrome	3" 23196F	V173	\$18.25
Painted White	3" 23196M/W	V173	\$18.25
Painted Gray	3" 23196M/RAL9006	V173	\$34.47
Polished Chrome	4" 23197F	V173	\$24.33
Painted White	4" 23197M/W	V173	\$24.33
Painted Gray	4" 23197M/RAL9006	V173	\$38.52



Institutional
Optional Retaining Flange
and Screw Assembly¹

Finish	Part #	IPG	List Price
Polished Chrome	10599	V173	\$72.97

(1) Set screw requires a 1/8" allen wrench not available from Viking.

Specific Application Attic Sprinklers



Back-to-Back (Model V-BB) Attic Sprinkler, Specific Application, Glass Bulb, 1/2 and 3/4 inch NPT

K Factor	Roof Pitch	SIN	Part #	Temp	Finish	IPG	List Price
5.6 (81)	4:12 < 7:12	VK684	19627AE	200°F	Standard Brass	V174	\$ 609.93
5.6 (81)	4:12 < 7:12	VK684	19627JNE	200°F	Nickel PTFE (ENT)	V188.A	\$ 717.14
5.6 (81)	7:12 < 10:12	VK685	19801AE	200°F	Standard Brass	V174	\$ 609.93
5.6 (81)	7:12 < 10:12	VK685	19801JNE	200°F	Nickel PTFE (ENT)	V188.A	\$ 717.14
5.6 (81)	10:12 ≤ 12:12	VK686	19754AE	200°F	Standard Brass	V174	\$ 609.93
5.6 (81)	10:12 ≤ 12:12	VK686	19754JNE	200°F	Nickel PTFE (ENT)	V188.A	\$ 717.14
8.0 (115)	4:12 < 7:12	VK681	19626AE	200°F	Standard Brass	V174	\$ 711.94
8.0 (115)	4:12 < 7:12	VK681	19626JNE	200°F	Nickel PTFE (ENT)	V188.A	\$ 875.31
8.0 (115)	7:12 < 10:12	VK682	19798AE	200°F	Standard Brass	V174	\$ 711.94
8.0 (115)	7:12 < 10:12	VK682	19798JNE	200°F	Nickel PTFE (ENT)	V188.A	\$ 875.31
8.0 (115)	10:12 ≤ 12:12	VK683	19751AE	200°F	Standard Brass	V174	\$ 711.94
8.0 (115)	10:12 ≤ 12:12	VK683	19751JNE	200°F	Nickel PTFE (ENT)	V188.A	\$ 875.31



Single Directional (Model V-SD) Attic Sprinkler, Specific Application, Glass Bulb, 1/2 inch NPT

K Factor	Roof Pitch	SIN	Part #	Temp	Finish	IPG	List Price
5.6 (81)	4:12 < 7:12	VK693	19578AE	200°F	Standard Brass	V174	\$ 609.93
5.6 (81)	4:12 < 7:12	VK693	19578JNE	200°F	Nickel PTFE (ENT)	V188.A	\$ 717.14
5.6 (81)	7:12 < 10:12	VK694	19799AE	200°F	Standard Brass	V174	\$ 609.93
5.6 (81)	7:12 < 10:12	VK694	19799JNE	200°F	Nickel PTFE (ENT)	V188.A	\$ 717.14
5.6 (81)	10:12 ≤ 12:12	VK695	19759AE	200°F	Standard Brass	V174	\$ 609.93
5.6 (81)	10:12 ≤ 12:12	VK695	19759JNE	200°F	Nickel PTFE (ENT)	V188.A	\$ 717.14



Attic Upright Sprinkler, Specific Application, Glass Bulb, 1/2 inch NPT

K Factor	Roof Pitch	SIN	Part #	Temp	Finish	IPG	List Price
4.2 (57)	4:12 to 12:12	VK696	19538AE	200°F	Standard Brass	V175	\$ 90.18
4.2 (57)	4:12 to 12:12	VK696	19538JNE	200°F	Nickel PTFE (ENT)	V188.A	\$ 120.91
5.6 (81)	4:12 to 12:12	VK697	21716AE	200°F	Standard Brass	V175	\$ 103.00
5.6 (81)	4:12 to 12:12	VK697	21716JNE	200°F	Nickel PTFE (ENT)	V188.A	\$ 157.58



Attic HIP (Model V-HIP), Specific Application, Glass Bulb, 1/2 inch NPT

K Factor	Roof Pitch	SIN	Part #	Temp	Finish	IPG	List Price
5.6 (81)	4:12 to 12:12	VK660	20952AE	200°F	Standard Brass	V174	\$ 609.93
5.6 (81)	4:12 to 12:12	VK660	20952JNE	200°F	Nickel PTFE (ENT)	V188.A	\$ 716.72



Attic Sprinkler (Model V-EP), Specific Application (Eave Protection), Glass Bulb, 1/2 inch NPT

K Factor	Roof Pitch	SIN	Part #	Temp	Finish	IPG	List Price
5.6 (81)	2 1/2:12 ≤ 6:12	VK690	22768AE	200°F	Standard Brass	V174	\$ 609.93
5.6 (81)	2 1/2:12 ≤ 6:12	VK690	22768JNE	200°F	Nickel PTFE (ENT)	V188.A	\$ 717.13

Installation Wrench	Part #	IPG	List Price
Standard Wrench	21475M/B	V207	\$ 123.38



COIN®
Quick Response
CCombustible Interstitial
Glass Bulb
Upright (Specific Application)
SIN: VK900
K Factor: 4.2 (60)
Thread Size: 1/2 inch NPT
Base Part #: 12493

Finish	Temp	Part #	IPG	List Price
Standard Brass	175°F	12493AD	V172	\$113.47
Nickel PTFE (ENT)	175°F	12493JND	V188.A	\$141.85
FUSIBLE LINK - VK901 (4.2 (60) K Factor)				
Standard Brass	205°F	12676AE	V172	\$126.06
Nickel PTFE (ENT)	205°F	12676JNE	V188.A	\$157.79
Std Sprinkler Wrench		21475M/B	V207	\$123.38




COIN®
Quick Response
CCombustible Interstitial
Glass Bulb
Upright (Specific Application)
SIN: VK950
K Factor: 5.6 (80)
Thread Size: 1/2 inch NPT
Base Part #: 20757

Finish	Temp	Part #	IPG	List Price
Standard Brass	200°F	20757AE	V172	\$138.98
Nickel PTFE (ENT)	200°F	20757JNE	V188.A	\$174.88
Std Sprinkler Wrench		21475M/B	V207	\$123.38



Window Sprinkler
Quick Response
Glass Bulb
Pendant Vertical Sidewall
(Specific Application)
SIN: VK960
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 23832

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	23832AB	V193	\$736.89
Standard Brass	200°F	23832AE	V193	\$736.89
Polished Chrome	155°F	23832FB	V193	\$766.36
Polished Chrome	200°F	23832FE	V193	\$766.36
White-Polyester	155°F	23832MB/W	V193	\$766.36
White-Polyester	200°F	23832ME/W	V193	\$766.36
Black-Polyester	155°F	23832MB/B	V193	\$766.36
Black-Polyester	200°F	23832ME/B	V193	\$766.36
Nickel PTFE (ENT)	155°F	23832JNB	V193	\$854.79
Nickel PTFE (ENT)	200°F	23832JNE	V193	\$854.79
Std Sprinkler Wrench		23559MB	V207	\$123.38



Window Sprinkler
Quick Response
Glass Bulb
Horizontal Sidewall
(Specific Application)
SIN: VK962
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 23834

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	23834AB	V193	\$736.89
Standard Brass	200°F	23834AE	V193	\$736.89
Polished Chrome	155°F	23834FB	V193	\$766.36
Polished Chrome	200°F	23834FE	V193	\$766.36
White-Polyester	155°F	23834MB/W	V193	\$766.36
White-Polyester	200°F	23834ME/W	V193	\$766.36
Black-Polyester	155°F	23834MB/B	V193	\$766.36
Black-Polyester	200°F	23834ME/B	V193	\$766.36
Nickel PTFE (ENT)	155°F	23834JNB	V193	\$854.79
Nickel PTFE (ENT)	200°F	23834JNE	V193	\$854.79
Std Sprinkler Wrench		23559MB	V207	\$123.38



Cleanroom Sprinkler
Standard Response
Glass bulb
Pendant

SIN: VK850
K Factor: K5.6
Thread Size: 1/2" NPT
Base Part #: 28604



Cleanroom Sprinkler
Standard Response
Glass bulb
Pendant

SIN: VK851
K Factor: K8.0
Thread Size: 1/2" NPT
Base Part #: 28606

Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	24583AA	V101	\$52.54
Standard Brass	155°F	24583AB	V101	\$45.87
Standard Brass	175°F	24583AD	V101	\$52.53
Standard Brass	200°F	24583AE	V101	\$45.87
Standard Brass	286°F	24583AG	V101	\$53.46
Painted White	135°F	24583MA/W	V101	\$50.53
Painted White	155°F	24583MB/W	V101	\$50.53
Painted White	175°F	24583MD/W	V101	\$50.53
Painted White	200°F	24583ME/W	V101	\$53.36
Painted White	286°F	24583MG/W	V101	\$54.29
Painted Black	135°F	24583MB/B	V101	\$93.29
Painted Black	155°F	24583MD/B	V101	\$93.29
Painted Black	175°F	24583ME/B	V101	\$93.29
Painted Black	200°F	24583MG/B	V101	\$93.29
Painted Black	286°F	24583AG	V101	\$53.46
Nickel PTFE (ENT)	135°F	24583JNA	V188.A	\$109.51
Nickel PTFE (ENT)	155°F	24583JNB	V188.A	\$109.51
Nickel PTFE (ENT)	175°F	24583JND	V188.A	\$109.51
Nickel PTFE (ENT)	200°F	24583JNE	V188.A	\$109.51
Nickel PTFE (ENT)	286°F	24583JNG	V188.A	\$109.51
Std Sprinkler Wrench		23559MB	V207	\$123.38
Rec Socket Wrennch		23560MB	V207	\$237.78

Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	24584AA	V113	\$52.49
Standard Brass	155°F	24584AB	V113	\$52.49
Standard Brass	175°F	24584AD	V113	\$52.49
Standard Brass	200°F	24584AE	V113	\$52.49
Standard Brass	286°F	24584AG	V113	\$52.49
Painted White	135°F	24584MA/W	V113	\$63.28
Painted White	155°F	24584MB/W	V113	\$63.28
Painted White	175°F	24584MD/W	V113	\$63.28
Painted White	200°F	24584ME/W	V113	\$63.28
Painted White	286°F	24584MG/W	V113	\$63.28
Painted Black	135°F	24584MA/B	V113	\$81.73
Painted Black	155°F	24584MB/B	V113	\$81.73
Painted Black	175°F	24584MD/B	V113	\$81.73
Painted Black	200°F	24584ME/B	V113	\$81.73
Painted Black	286°F	24584MG/B	V113	\$81.73
Nickel PTFE (ENT)	135°F	24584JNA	V188.A	\$173.48
Nickel PTFE (ENT)	155°F	24584JNB	V188.A	\$173.48
Nickel PTFE (ENT)	175°F	24584JND	V188.A	\$173.48
Nickel PTFE (ENT)	200°F	24584JNE	V188.A	\$173.48
Nickel PTFE (ENT)	286°F	24584JNG	V188.A	\$173.48
Std Sprinkler Wrench		23559MB	V207	\$123.38
Rec Socket Wrennch		23560MB	V207	\$237.78



Cleanroom Sprinkler
Quick Response
Glass bulb
Pendant

SIN: VK852
K Factor: K5.6
Thread Size: 1/2" NPT
Base Part #: 28605

Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	24321AA	V120	\$54.14
Standard Brass	155°F	24321AB	V120	\$50.33
Standard Brass	175°F	24321AD	V120	\$111.66
Standard Brass	200°F	24321AE	V120	\$50.33
Standard Brass	286°F	24321AG	V120	\$50.33
Painted White	135°F	24321MA/W	V120	\$53.38
Painted White	155°F	24321MB/W	V120	\$53.38
Painted White	175°F	24321MD/W	V120	\$53.38
Painted White	200°F	24321ME/W	V120	\$101.44
Painted White	286°F	24321MG/W	V120	\$56.19
Painted Black	135°F	24321MA/B	V120	\$95.81
Painted Black	155°F	24321MB/B	V120	\$95.81
Painted Black	175°F	24321MD/B	V120	\$95.81
Painted Black	200°F	24321ME/B	V120	\$95.81
Painted Black	286°F	24321MG/B	V120	\$95.81
Nickel PTFE (ENT)	135°F	24321JNA	V188.A	\$120.91
Nickel PTFE (ENT)	155°F	24321JNB	V188.A	\$120.91
Nickel PTFE (ENT)	175°F	24321JND	V188.A	\$120.91
Nickel PTFE (ENT)	200°F	24321JNE	V188.A	\$120.91
Nickel PTFE (ENT)	286°F	24321JNG	V188.A	\$120.91
Std Sprinkler Wrench		23559MB	V207	\$123.38
Rec Socket Wrennch		23560MB	V207	\$237.78



Cleanroom Sprinkler
Quick Response
Glass bulb
Pendant

SIN: VK853
K Factor: K8.0
Thread Size: 1/2" NPT
Base Part #: 28607

Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	24580AA	V130	\$93.24
Standard Brass	155°F	24580AB	V130	\$93.24
Standard Brass	175°F	24580AD	V130	\$93.24
Standard Brass	200°F	24580AE	V130	\$93.24
Standard Brass	286°F	24580AG	V130	\$93.24
Painted White	135°F	24580MA/W	V130	\$101.60
Painted White	155°F	24580MB/W	V130	\$101.60
Painted White	175°F	24580MD/W	V130	\$101.60
Painted White	200°F	24580ME/W	V130	\$101.60
Painted White	286°F	24580MG/W	V130	\$101.60
Painted Black	135°F	24580MA/B	V130	\$101.60
Painted Black	155°F	24580MB/B	V130	\$101.60
Painted Black	175°F	24580MD/B	V130	\$101.60
Painted Black	200°F	24580ME/B	V130	\$101.60
Painted Black	286°F	24580MG/B	V130	\$101.95
Nickel PTFE (ENT)	135°F	24580JNA	V188.A	\$299.44
Nickel PTFE (ENT)	155°F	24580JNB	V188.A	\$299.44
Nickel PTFE (ENT)	175°F	24580JND	V188.A	\$299.44
Nickel PTFE (ENT)	200°F	24580JNE	V188.A	\$299.44
Nickel PTFE (ENT)	286°F	24580JNG	V188.A	\$299.44
Std Sprinkler Wrench		23559MB	V207	\$123.38
Rec Socket Wrennch		23560MB	V207	\$237.78