

SAFETY DATA SHEET

Fomtec 3% XMAX

SECTION 1: Identification

1.1. Product identifier

Trade name
Viking 3% XMAX

Product no.
V-LSXMAX3/XX F 23508-XX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Appliance protection
Restricted to professional users.

Uses advised against
None known.

1.3. Details of the supplier of the safety data sheet

Company and address

The Viking Corporation
210 N Industrial Park Drive
MI 49058 Hastings
United States of America
+ 1 269 945 9501
+ 1 269 818 1680

Manufacturer

Dafo Fomtec AB
Box 683
SE-13526 Tyresö
Sweden
+46 8 506 405 00
info@fomtec.com
www.fomtec.com

Contact person

CHR
E-mail
techsvcs@vikingcorp.com

SDS date

4/11/2024

SDS Version

1.0

1.4. Emergency telephone number

Contact the poison control at 1-800-222-1222 (24/7) or use the webPOISONCONTROL® (triage.webpoisoncontrol.org) to get specific guidance for your case

See also section 4 "First aid measures".

NCEC CareChem24: +44 1273 289451

Additional Emergency Phone Number in section 16

SECTION 2: Hazard(s) identification

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

2.1. Classification of the substance or mixture

Skin Irrit. 2; H315, Causes skin irritation.
Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s)



Signal word
Danger

Hazard statement(s)

Causes skin irritation. (H315)
Causes serious eye damage. (H318)

Precautionary statement(s)

General

-

Prevention

Wash hands and exposed skin thoroughly after handling. (P264)
Wear eye protection/protective gloves/protective clothing. (P280)

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing. (P305+P351+P338)
Immediately call a POISON CENTER/doctor. (P310)

Storage

-

Disposal

-

Additional labelling

Not applicable.

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Sodium decyl sulphate	CAS No.: 142-87-0	10-15%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 20.00 %)	
2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve	CAS No.: 111-76-2	10-15%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Acute Tox. 3, H331	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS No.: 68891-38-3	10-15%	Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 5.00 %)	[19]
Dodecan-1-ol	CAS No.: 112-53-8	1-3%	Eye Irrit. 2, H319	
Tetradecanol	CAS No.: 112-72-1	<1%	Eye Irrit. 2, H319	

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a

trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: First-aid measures

4.1. Description of first aid measures

General information

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid).
Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.
Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.
If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.
In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

The product is not flammable

5.2. Special hazards arising from the substance or mixture

None

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.
Ensure adequate ventilation, especially in confined areas.
Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.
Avoid contact during pregnancy and while nursing.
Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

Dry, cool and well ventilated (< 55 °C)

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve
Long term exposure limit (OSHA Table Z-1) (mg/m³): 240
Long term exposure limit (OSHA Table Z-1) (ppm): 50
Long term exposure limit (ACGIH TLV) (ppm): 20

Part 1910 - Occupational Safety and Health Standards (29 CFR 1910.1000 TABLE Z-1 - Limits for Air Contaminants)

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

Take off contaminated clothing and wash it before reuse.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only protective equipment with a recognized certification mark, e.g. the UL mark.

Respiratory Equipment

No specific requirements

Skin protection

Work situation	Recommended	Type/Category	Standards
	Dedicated work clothing should be worn.	-	-



Hand protection

Work situation	Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
	Vinyl/PVC	0.6	-	-



Eye protection

Work situation	Type	Standards
	Wear safety glasses with side shields.	EN166



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Pale yellow

Odour

Characteristic

Odour threshold (ppm)

Testing not relevant or not possible due to the nature of the product.

pH

7,4-8,4

Density (g/cm³)

~ 1.02

Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point (°F)

-

Melting point (°C)

1,67

Softening point/range (waxes and pastes) (°F)

Does not apply to liquids.

Boiling point (°F)

Testing not relevant or not possible due to the nature of the product.

Vapour pressure

Testing not relevant or not possible due to the nature of the product.

Relative vapour density

Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°F)

Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°F)

Testing not relevant or not possible due to the nature of the product.

Flammability (°F)

Testing not relevant or not possible due to the nature of the product.

Auto-ignition temperature (°F)

Testing not relevant or not possible due to the nature of the product.

Explosion limits (% v/v)

Testing not relevant or not possible due to the nature of the product.

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient (LogKow)

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

Other physical and chemical parameters

No data available.

Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Product/substance	Sodium decyl sulphate
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	1200.00 mg/kg

Product/substance	Sodium decyl sulphate
Species:	Rat

Route of exposure:	Dermal
Test:	LD50
Result:	2000.00 mg/kg
Product/substance	2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	2000.00 mg/kg
Product/substance	2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve
Species:	Rat
Route of exposure:	Inhalation
Test:	LD50
Result:	2.20 mg/L
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	2000.00 mg/kg
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	4100 mg/kg
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Rat
Result:	>225 mg/kg
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Mouse
Route of exposure:	Dermal
Result:	68 mg/kg
Product/substance	Dodecan-1-ol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	5000.00 mg/kg
Product/substance	Dodecan-1-ol
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	2000 mg/kg
Product/substance	Tetradecanol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	5000.00 mg/kg
Product/substance	Tetradecanol
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	2000.00 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation
Causes serious eye damage.

Respiratory sensitisation
Based on available data, the classification criteria are not met.

Skin sensitisation
Based on available data, the classification criteria are not met.

Germ cell mutagenicity
Based on available data, the classification criteria are not met.

Carcinogenicity
Based on available data, the classification criteria are not met.

Reproductive toxicity
Based on available data, the classification criteria are not met.

STOT-single exposure
Based on available data, the classification criteria are not met.

STOT-repeated exposure
Based on available data, the classification criteria are not met.

Aspiration hazard
Based on available data, the classification criteria are not met.

Long term effects
The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

Other information
2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve has been classified by IARC as a group 3 carcinogen.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	Sodium decyl sulphate
Species:	Fish
Duration:	48 hours
Test:	LC50
Result:	13.00 mg/L

Product/substance	Sodium decyl sulphate
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	8.64 mg/L

Product/substance	Sodium decyl sulphate
Species:	Daphnia
Duration:	24 hours
Test:	EC50
Result:	>100 mg/L

Product/substance	2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	1474.00 mg/L

Product/substance	2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	1840.00 mg/L

Product/substance 2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve
 Species: Daphnia
 Duration: 48 hours
 Test: EC50
 Result: 1550.00 mg/L

Product/substance Alcohols, C12-14, ethoxylated, sulfates, sodium salts
 Species: Fish
 Duration: 96 hours
 Test: LC50
 Result: 7.1 mg/L

Product/substance Alcohols, C12-14, ethoxylated, sulfates, sodium salts
 Species: Algae
 Duration: 72 hours
 Test: EC50
 Result: 7.5 mg/L

Product/substance Alcohols, C12-14, ethoxylated, sulfates, sodium salts
 Species: Daphnia
 Duration: 48 hours
 Test: EC50
 Result: 7.2 mg/L

Product/substance Dodecan-1-ol
 Species: Fish
 Duration: 96 hours
 Test: LC50
 Result: 1.01 mg/L

Product/substance Dodecan-1-ol
 Species: Daphnia
 Duration: 48 hours
 Test: EC50
 Result: 0.765 mg/L

Product/substance Dodecan-1-ol
 Species: Algae
 Duration: 96 hours
 Test: EC50
 Result: 0.66 mg/L

Product/substance Tetradecanol
 Species: Daphnia
 Duration: 48 hours
 Test: EC50
 Result: 3.20 mg/L

Product/substance Tetradecanol
 Species: Algae
 Duration: 96 hours
 Test: EC50
 Result: 10.00 mg/L

Product/substance Tetradecanol
 Species: Fish
 Duration: 96 hours
 Test: LC50
 Result: 1.00 mg/L

12.2. Persistence and degradability

Product/substance Sodium decyl sulphate

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

Result:	80 %
Conclusion:	Readily biodegradable
Test:	OECD 301 D
Product/substance	2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve
Result:	90%
Conclusion:	Readily biodegradable
Test:	OECD 301 B
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Result:	100 %
Conclusion:	Readily biodegradable
Test:	OECD 301 B
Product/substance	Dodecan-1-ol
Result:	79 %
Conclusion:	Readily biodegradable
Test:	OECD 301 C
Product/substance	Tetradecanol
Result:	82.2 %
Conclusion:	Readily biodegradable
Test:	OECD 301 B

12.3. Bioaccumulative potential

Product/substance	Sodium decyl sulphate
LogKow:	1,72
Conclusion:	-
Product/substance	2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve
Conclusion:	No potential for bioaccumulation
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Conclusion:	No potential for bioaccumulation
Product/substance	Dodecan-1-ol
BCF:	177.83
LogKow:	5,6
Conclusion:	No potential for bioaccumulation

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

RCRA Hazardous waste ("P" and "U" list) (40 CFR 261)

None of the components are listed

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN	14.2 ID UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
DOT	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to DOT, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. U.S. Federal regulations

TSCA (the non-confidential portion)

Sodium decyl sulphate is listed

2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve is listed

Alcohols, C12-14, ethoxylated, sulfates, sodium salts is listed

Dodecan-1-ol is listed

Tetradecanol is listed

Clean Air Act

None of the components are listed

EPCRA Section 302

None of the components are listed

EPCRA Section 304

None of the components are listed

EPCRA section 313

None of the components are listed

CERCLA

None of the components are listed

State regulations

California / Prop. 65

None of the components are listed

Massachusetts / Right To Know Act

2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve is listed

New Jersey / Right To Know Act

2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve / Substance number: 0275

2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve is on the Special Health Hazard Substance List

—

New York / Right To Know Act

2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve is listed

2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve is regulated with a Threshold Reporting Quantity (TRQ) of: 10 pounds

—

Pennsylvania / Right To Know Act

2-butoxyethanol;ethylene glycol monobutyl ether;butyl cellosolve is listed

15.4. Restrictions for application

Restricted to professional users.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

15.5. Demands for specific education

No specific requirements.

15.6. Additional information

Not applicable.

15.7. Chemical safety assessment

Yes

15.8. Sources

OSHA Hazard Communication Standard (29 CFR 1910.1200)

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H331, Toxic if inhaled.

The full text of identified uses as mentioned in section 1

None known.

Abbreviations and acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CERCLA = Comprehensive Environmental Response Compensation and Liability Act

DOT = Department of Transportation

EINECS = European Inventory of Existing Commercial chemical Substances

EPCRA = Emergency Planning and Community Right-To-Know Act

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

HCIS = Hazardous Chemical Information System

HNOC = Hazards Not Otherwise Classified

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

NFPA = National Fire Protection Association

NIOSH = National Institute for Occupational Safety and Health

OECD = Organisation for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

PBT = Persistent, Bioaccumulative and Toxic

RCRA = Resource Conservation and Recovery Act

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SARA = Superfund Amendments and Reauthorization Act

SCL = A specific concentration limit.

STEL = Short-term exposure limits

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TSCA = The Toxic Substances Control Act

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by

HCS (29 CFR 1910.1200).

Emergency Phone No.:

France (English, French) +33 1 72 11 00 03

Germany (English , German) + 49 89 220 61 012 / 0800 000 7801

Spain (English, Spanish) + 34 91114 2520

Italy (English, Italian) + 39 02 3604 2884

Netherlands (English, Dutch) + 31 10713 8195

Middle East (English , Arabic) + 44 1273 289454

United States (English, French, Spanish) + 1 866 928 0789

Canada (English, French) + 1 800 579 7421

United States and Canada (English) + 1 202 464 2554

Mexico (English, Spanish) + 52 55 5004 8763

Brazil (Portuguese, Spanish, English) + 55 11 3197 5891

Chile (English, Spanish) + 56 2 2582 9336

Colombia (English, Spanish) + 57 1 508 7337

Argentina (English, Spanish) + 54 11 5984 3690

East/South East Asia (English, Bahasa Malaysia, Hindi, Japanese, Korean, Mandarin, Tagalog) +65 3158 1412

China (English, Mandarin) + 86 512 8090 3042

China (Mainland) (English, Mandarin) + 86 532 8388 9090

Japan (English, Japanese) + 81 3 4578 9341

Malaysia (English, Malaysian) 60 3 6207 4347

India (English, Hindi) 000 800 100 7479 7479

Philippines (English, Tagalog) + 63 28231 2149

South Korea (English, Korean) + 82 2 3479 8401

Australia (English) 18000 74234

New Zealand (English) + 64 9 929 1483

New Zealand (English) 0800 446 881

Manufactured in Sweden by DAFO Fomtec AB

[The safety data sheet is validated by](#)

Charlotta Reimertz

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en