

SAFETY DATA SHEET

Fomtec ENVIRO USP

SECTION 1: Identification

1.1. Product identifier

Trade name

Viking USP

Product no.

V-SFFFUSP/XX F21720-XX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Appliance protection

Restricted to professional users.

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

The Viking Corporation

210 N Industrial Park Drive

MI 49058 Hastings

United States of America

+ 1 269 945 9501

+ 1 269 818 1680

Manufacturer

Dafo Fomtec AB

Box 683

SE-13526 Tyresö

Sweden

+46 8 506 405 00

info@fomtec.com

www.fomtec.com

Contact person

CHR

E-mail

techsvcs@vikingcorp.com

SDS date

4/28/2025

SDS Version

2.0

Date of previous version

3/28/2024 (1.0)

1.4. Emergency telephone number

Contact the poison control at 1-800-222-1222 (24/7) or use the webPOISONCONTROL® (trage.webpoisoncontrol.org) to get specific guidance for your case
See also section 4 "First aid measures".

SECTION 2: Hazard(s) identification

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

2.1. Classification of the substance or mixture

Eye Irrit. 2; H319, Causes serious eye irritation.

2.2. Label elements

Hazard pictogram(s)



Signal word

Warning

Hazard statement(s)

Causes serious eye irritation. (H319)

Precautionary statement(s)

General

-

Prevention

Wear eye protection/protective gloves/protective clothing. (P280)

▼ Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage

-

Disposal

-

Additional labelling

Not applicable.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. ▼ Mixtures

| Product/substance | Identifiers | % w/w | Classification | Note |
|---|----------------------|-------|---|------|
| 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether | CAS No.: 112-34-5 | 5-10% | Eye Irrit. 2, H319 | |
| Sulfuric acid, mono-C12-14-alkyl esters, compds. with triethanolamine | CAS No.: 90583-18-9 | 5-10% | Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 20.00 %) | |
| Alcohols, C12-14, ethoxylated, sulfates, sodium salts | CAS No.: 68891-38-3 | 1-3% | Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 5.00 %) | [19] |
| Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | CAS No.: 308062-28-4 | <1% | Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 | |

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: First-aid measures

4.1. Description of first aid measures

General information

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO_x)

Carbon oxides (CO / CO₂)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage conditions

Dry, cool and well ventilated (< 55 °C)

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. ▼Control parameters

No substances are listed with a permissible exposure limit (ref: 29 CFR 1910.1000 TABLE Z-1)

8.2. ▼Exposure controls

Apply general control to prevent unnecessary exposure

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

▼Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

▼Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only protective equipment with a recognized certification mark, e.g. the UL mark.

Respiratory Equipment

No specific requirements

Skin protection

| Work situation | Recommended | Type/Category | Standards |
|----------------|---|---------------|-----------|
| | Dedicated work clothing should be worn. | - | - |



Hand protection

| Work situation | Material | Glove thickness (mm) | Breakthrough time (min.) | Standards |
|----------------|-----------|----------------------|--------------------------|-----------|
| | Vinyl/PVC | 0.6 | - | - |



Eye protection

| Work situation | Type | Standards |
|----------------|--|-----------|
| | Wear safety glasses with side shields. | EN166 |



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Color

Pale yellow

Odor

Characteristic

▼ **Odor threshold (ppm)**

No data available.

pH

6.9-7,9

Density (g/cm³)

~ 1.03

Kinematic viscosity

~1500 mPa.s (20 °C)

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/freezing point (°F)

-

Melting point/freezing point (°C)

~ 0

Softening point/range (°F)

Does not apply to liquids.

▼ **Boiling point (°F)**

No data available.

▼ **Vapor pressure**

No data available.

▼ **Relative vapor density**

No data available.

▼ **Decomposition temperature (°F)**

No data available.

Data on fire and explosion hazards

▼ **Flash point (°F)**

No data available.

▼ **Flammability (°F)**

No data available.

▼ **Auto-ignition temperature (°F)**

No data available.

▼ **Explosion limits (% v/v)**

No data available.

Solubility

Solubility in water

Completely soluble

▼ n-octanol/water coefficient (LogKow)

No data available.

▼ Solubility in fat (g/L)

No data available.

9.2. Other information

Other physical and chemical parameters

No data available.

▼ Oxidizing properties

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions, including those associated with foreseeable emergencies

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. ▼ Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

▼ Acute toxicity

| | |
|--------------------|--|
| Product/substance | 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether |
| Species: | Mouse |
| Route of exposure: | Oral |
| Test: | LD50 |
| Result: | 2410.00 mg/kg |

| | |
|--------------------|--|
| Product/substance | 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether |
| Species: | Rat |
| Route of exposure: | Inhalation |
| Test: | LC50 |
| Result: | 29.00 ppm |

| | |
|--------------------|--|
| Product/substance | 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether |
| Species: | Rabbit |
| Route of exposure: | Dermal |
| Test: | LD50 |
| Result: | 2764.00 mg/kg |

| | |
|--------------------|--|
| Product/substance | 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether |
| Species: | Rat |
| Route of exposure: | Oral |
| Test: | LD50 |
| Result: | 5660.00 mg/kg |

| | |
|-------------------|---|
| Product/substance | Alcohols, C12-14, ethoxylated, sulfates, sodium salts |
|-------------------|---|

Species: Rat
Route of exposure: Dermal
Test: LD50
Result: 2000.00 mg/kg

Product/substance Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species: Rat
Route of exposure: Oral
Test: LD50
Result: 4100 mg/kg

Product/substance Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species: Rat
Result: >225 mg/kg

Product/substance Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species: Mouse
Route of exposure: Dermal
Result: 68 mg/kg

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs.

Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Other information

None known.

SECTION 12: Ecological information

12.1. ▼Toxicity

Product/substance 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether
Species: Fish
Duration: 96 hours
Test: LC50
Result: 1300.00 mg/L

Product/substance 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether
Species: Daphnia
Duration: 48 hours
Test: EC50

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

| | |
|-------------------|---|
| Result: | 100.00 mg/L |
| Product/substance | 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether |
| Species: | Algae |
| Duration: | 96 hours |
| Test: | EC50 |
| Result: | 100.00 mg/L |
| Product/substance | Sulfuric acid, mono-C12-14-alkyl esters, compds. with triethanolamine |
| Species: | Fish |
| Duration: | No data available. |
| Test: | LC50 |
| Result: | 10.00 mg/L |
| Product/substance | Sulfuric acid, mono-C12-14-alkyl esters, compds. with triethanolamine |
| Species: | Algae |
| Duration: | No data available. |
| Test: | EC50 |
| Result: | 100.00 mg/L |
| Product/substance | Sulfuric acid, mono-C12-14-alkyl esters, compds. with triethanolamine |
| Species: | Daphnia |
| Duration: | No data available. |
| Test: | EC50 |
| Result: | 100.00 mg/L |
| Product/substance | Alcohols, C12-14, ethoxylated, sulfates, sodium salts |
| Species: | Fish |
| Duration: | 96 hours |
| Test: | LC50 |
| Result: | 7.1 mg/L |
| Product/substance | Alcohols, C12-14, ethoxylated, sulfates, sodium salts |
| Species: | Algae |
| Duration: | 72 hours |
| Test: | EC50 |
| Result: | 7.5 mg/L |
| Product/substance | Alcohols, C12-14, ethoxylated, sulfates, sodium salts |
| Species: | Daphnia |
| Duration: | 48 hours |
| Test: | EC50 |
| Result: | 7.2 mg/L |
| Product/substance | Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides |
| Species: | Fish |
| Duration: | 96 hours |
| Test: | LC50 |
| Result: | 1.26 mg/L |
| Product/substance | Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides |
| Species: | Daphnia |
| Duration: | 48 hours |
| Test: | EC50 |
| Result: | 2.90 mg/L |
| Product/substance | Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides |
| Species: | Algae |
| Duration: | 72 hours |
| Test: | EC50 |
| Result: | 0.19 mg/L |

| | |
|-------------------|---|
| Product/substance | Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides |
| Species: | Algae |
| Duration: | 28 days |
| Test: | NOEC |
| Result: | 0.07 mg/L |

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

| | |
|-------------------|--|
| Product/substance | 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether |
| Result: | 80 % |
| Conclusion: | Readily biodegradable |
| Test: | OECD 301 C |

| | |
|-------------------|---|
| Product/substance | Sulfuric acid, mono-C12-14-alkyl esters, compds. with triethanolamine |
| Conclusion: | Readily biodegradable |

| | |
|-------------------|---|
| Product/substance | Alcohols, C12-14, ethoxylated, sulfates, sodium salts |
| Result: | 100 % |
| Conclusion: | Readily biodegradable |
| Test: | OECD 301 B |

| | |
|-------------------|---|
| Product/substance | Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides |
| Result: | 80 % |
| Conclusion: | Readily biodegradable |

12.3. Bioaccumulative potential

| | |
|-------------------|--|
| Product/substance | 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether |
| Conclusion: | No potential for bioaccumulation |

| | |
|-------------------|---|
| Product/substance | Sulfuric acid, mono-C12-14-alkyl esters, compds. with triethanolamine |
| Conclusion: | No potential for bioaccumulation |

| | |
|-------------------|---|
| Product/substance | Alcohols, C12-14, ethoxylated, sulfates, sodium salts |
| Conclusion: | No potential for bioaccumulation |

| | |
|-------------------|---|
| Product/substance | Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides |
| LogKow: | 2.7 |
| Conclusion: | No potential for bioaccumulation |

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

RCRA Hazardous waste ("P" and "U" list) (40 CFR 261)

None of the components are listed

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

| | 14.1 UN / ID | 14.2 UN proper shipping name | 14.3 Hazard class(es) | 14.4 PG* | 14.5 Env** | Other information: |
|------|-----------------|---------------------------------|--------------------------|-------------|---------------|-----------------------|
| DOT | - | - | - | - | - | - |
| IMDG | - | - | - | - | - | - |
| IATA | - | - | - | - | - | - |

* Packing group

** Environmental hazards

▼Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. ▼U.S. Federal regulations

TSCA (the non-confidential portion)

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether is listed

Alcohols, C12-14, ethoxylated, sulfates, sodium salts is listed

Clean Air Act

None of the components are listed

EPCRA Section 302

None of the components are listed

EPCRA Section 304

None of the components are listed

EPCRA section 313

None of the components are listed

CERCLA

None of the components are listed

▼Hazardous chemical inventory reporting

This product is subject to Tier II reporting.

▼State regulations

California / Prop. 65

None of the components are listed

▼Massachusetts / Right To Know Act

None of the components are listed

New Jersey / Right To Know Act

None of the components are listed

New York / Right To Know Act

None of the components are listed

▼Pennsylvania / Right To Know Act

None of the components are listed

15.4. Restrictions for application

Restricted to professional users.

15.5. Demands for specific education

No specific requirements.

15.6. Additional information

Not applicable.

15.7. Chemical safety assessment

Yes

15.8. Sources

OSHA Hazard Communication Standard (29 CFR 1910.1200)

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.
H315, Causes skin irritation.
H318, Causes serious eye damage.
H319, Causes serious eye irritation.

The full text of identified uses as mentioned in section 1

None known.

Abbreviations and acronyms

ACGIH = American Conference of Governmental Industrial Hygienists
ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CERCLA = Comprehensive Environmental Response Compensation and Liability Act
DOT = Department of Transportation
EINECS = European Inventory of Existing Commercial chemical Substances
EPCRA = Emergency Planning and Community Right-To-Know Act
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
HCIS = Hazardous Chemical Information System
HNOC = Hazards Not Otherwise Classified
IARC = International Agency for Research on Cancer
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
NFPA = National Fire Protection Association
NIOSH = National Institute for Occupational Safety and Health
OECD = Organisation for Economic Co-operation and Development
OSHA = Occupational Safety and Health Administration
PBT = Persistent, Bioaccumulative and Toxic
RCRA = Resource Conservation and Recovery Act
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SARA = Superfund Amendments and Reauthorization Act
SCL = A specific concentration limit.
STEL = Short-term exposure limits
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TSCA = The Toxic Substances Control Act
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by HCS (29 CFR 1910.1200).

Manufactured in Sweden by DAFO Fomtec AB

The safety data sheet is validated by

Charlotta Reimertz

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not

necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en