



Section B - Sprinklers Standard Coverage, Quick Response

TABLE OF CONTENTS

Pendent/Upright (glass bulb)	VK325/VK329, 2.8 (40) K factor, upright / pendent	B-1
	VK327/VK331, 4.2 (60) K factor, upright / pendent	B-2
	VK300/VK302, 5.6 (81) K factor, upright / pendent	B-3
	VK3001/VK3021, XT1, 5.6 (81) K factor, upright / pendent.....	B-4
	VK350/VK352, 8.0 (115) K factor, upright / pendent (3/4" NPT)	B-5
	VK3501/VK3521, 8.0 (115) K factor, upright / pendent (3/4" NPT).....	B-6
	VK350/VK352, 8.0 (115) K factor, upright / pendent (1/2" NPT) - REPLACEMENT	B-7
	VK3502/VK3522, XT1, 8.0 (115) K factor, upright/pendent (1/2" NPT) REPLACEMENT....	B-8
Conventional	VK310/VK354, 5.6 (81) / 8.0 (115) K factor, conventional	B-9
Sidewall	VK333, 2.8 (40) K factor, horizontal sidewall.....	B-10
	VK306, 5.6 (81) K factor, vertical sidewall	B-10
	VK305, 5.6 (81) K factor, horizontal sidewall	B-11
	VK360, 8.0 (115) K factor, horizontal sidewall	B-11
Concealed	Mirage® VK461/VK465, 2.8 (40) / 4.2 (60) K factor, flat concealed pendent	B-12
	Mirage® VK462/VK464, 5.6 (81) / 8.0 (115) K factor, flat concealed pendent	B-12
	Mirage® VK463, 5.6 (81) K factor, <u>high pressure</u> , flat concealed pendent.....	B-12
	Mirage® VK469, 11.2 (161) K factor, ELO, flat concealed pendent	B-12
	Mirage® MRI room concealed sprinklers (VK462/VK464)	B-12
	Mirage® cover plates (standard, large, square, ELO, clean room)	B-13
	Mirage® wrenches and cover plate installation tools	B-14
	VK481, 5.6 (81) K factor, flat concealed horizontal sidewall and cover plate	B-15
Fusible Link	VK402 / VK478 5.6 (81) K factor, flush pendent.....	B-15
	Fusible Link, upright / pendent	B-16
	Fusible Link, horizontal sidewall / vertical sidewall / conventional.....	B-17
High Pressure	Fusible Link, high pressure	B-18
	VK340/VK342, high pressure, 2.8 (40) K factor, upright / pendent, HP	B-19
	VK315/VK317, high pressure, 5.6 (81) K factor, upright / pendent, HP	B-20
	VK344/VK319, high pressure, 2.8 (40) / 5.6 (81) K factor, horizontal sidewall, HP	B-21
Stainless Steel	VK3001/VK3021, XT1, high pressure, 5.6 (81) K factor, upright / pendent,.....	B-22
	VK338/VK339, stainless steel, 5.6 (81) K factor, upright / pendent.....	B-23

Notes

1. Unless otherwise indicated, all cover plates and escutcheons are sold separately.
2. Cover plates, escutcheons, and sprinklers are available in custom colors at an additional charge. See pages F-8 for details.
3. Refer to Viking technical data pages for complete product specifications (www.vikinggroupinc.com).
4. List prices effective January 20, 2020. Supersedes January 2019 list price book.
5. All sales by Viking are subject to the Terms & Conditions found on the last page of this book.



Microfast® Model M
Quick Response
Standard Coverage
Glass Bulb
Upright

SIN: VK325
K Factor: 2.8 (40)
Thread Size: 1/2 inch NPT
Base Part #: 20982



Microfast® Model M
Quick Response
Standard Coverage
Glass Bulb
Pendent

SIN: VK329
K Factor: 2.8 (40)
Thread Size: 1/2 inch NPT
Base Part #: 20984

Finish ²	Temp	Part #	IPG	List Price
Standard Brass	155°F	20982AB	V120	\$59.50
Standard Brass	175°F	20982AD	V120	\$59.50
Standard Brass	200°F	20982AE	V120	\$59.50
Standard Brass	286°F	20982AG	V120	\$59.50
Chrome	155°F	20982FB	V120	\$63.75
Chrome	175°F	20982FD	V120	\$63.75
Chrome	200°F	20982FE	V120	\$63.75
Chrome	286°F	20982FG	V120	\$63.75
White-Polyester ¹	155°F	20982MB/W	V120	\$63.75
White-Polyester	175°F	20982MD/W	V120	\$63.75
White-Polyester	200°F	20982ME/W	V120	\$63.75
White-Polyester	286°F	20982MG/W	V120	\$63.75
Black-Polyester ¹	155°F	20982MB/B	V120	\$91.03
Black-Polyester	175°F	20982MD/B	V120	\$91.03
Black-Polyester	200°F	20982ME/B	V120	\$91.03
Black-Polyester	286°F	20982MG/B	V120	\$91.03
Std Sprinkler Wrench		21475M/B	V207	\$77.63

Finish ²	Temp	Part #	IPG	List Price
Standard Brass	155°F	20984AB	V120	\$59.50
Standard Brass	175°F	20984AD	V120	\$59.50
Standard Brass	200°F	20984AE	V120	\$59.50
Standard Brass	286°F	20984AG	V120	\$59.50
Chrome	155°F	20984FB	V120	\$63.75
Chrome	175°F	20984FD	V120	\$63.75
Chrome	200°F	20984FE	V120	\$63.75
Chrome	286°F	20984FG	V120	\$63.75
White-Polyester ¹	155°F	20984MB/W	V120	\$63.75
White-Polyester	175°F	20984MD/W	V120	\$63.75
White-Polyester	200°F	20984ME/W	V120	\$63.75
White-Polyester	286°F	20984MG/W	V120	\$63.75
Black-Polyester ¹	155°F	20984MB/B	V120	\$91.03
Black-Polyester	175°F	20984MD/B	V120	\$91.03
Black-Polyester	200°F	20984ME/B	V120	\$91.03
Black-Polyester	286°F	20984MG/B	V120	\$91.03
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Rcstd w/Caps		13655W/B	V207	\$149.61

Select Escutcheons - Recessed Pendent Sprinklers*



Recessed Escutcheon
Model E-1 (push-on)
(includes cup & adapter)
(OD = 3-1/16" / 78 mm)

Finish ²	Size	Part #	IPG	List Price
Bright Brass	1/2"	06419AB	V201	\$39.23
Polished Chrome	1/2"	06419AF	V200	\$8.28
White	1/2"	06419AM/W	V200	\$8.28
Black	1/2"	06419AM/B	V201	\$17.15



Threaded Escutcheon
Model E-2 (thread-on)
(includes cup & adapter)
(OD = 3-1/8" / 80 mm)

Finish ²	Size	Part #	IPG	List Price
Polished Chrome	1/2"	11038F	V200	\$8.31
White	1/2"	11038M/W	V200	\$8.31

*Refer to Page H-1 for complete list of available escutcheons

- (1) Suitable for decorative applications; UL listed for corrosion resistance.
(2) Also available with ENT (Electroless Nickel PTFE) plating for corrosion resistance (special order with extended lead time).
Contact customer service for price and availability. Special order ENT plated sprinklers may not have listings/approvals.



Microfast® Model M
Quick Response
Standard Coverage
Glass Bulb
Upright

SIN: VK327
K Factor: 4.2 (60)
Thread Size: 1/2 inch NPT
Base Part #: 21269B



Microfast® Model M
Quick Response
Standard Coverage
Glass Bulb
Pendent

SIN: VK331
K Factor: 4.2 (60)
Thread Size: 1/2 inch NPT
Base Part #: 21271B

Finish ²	Temp	Part #	IPG	List Price
Standard Brass	155°F	21269BAB	V120	\$57.33
Standard Brass	175°F	21269BAD	V120	\$57.33
Standard Brass	200°F	21269BAE	V120	\$57.33
Standard Brass	286°F	21269BAG	V120	\$57.33
Chrome	155°F	21269BFB	V120	\$61.45
Chrome	175°F	21269BFD	V120	\$61.45
Chrome	200°F	21269BFE	V120	\$61.45
Chrome	286°F	21269BFG	V120	\$61.45
White-Polyester ¹	155°F	21269BMB/W	V120	\$61.45
White-Polyester	175°F	21269BMD/W	V120	\$61.45
White-Polyester	200°F	21269BME/W	V120	\$61.45
White-Polyester	286°F	21269BMG/W	V120	\$61.45
Black-Polyester ¹	155°F	21269BMB/B	V120	\$91.03
Black-Polyester	175°F	21269BMD/B	V120	\$91.03
Black-Polyester	200°F	21269BME/B	V120	\$91.03
Black-Polyester	286°F	21269BMG/B	V120	\$91.03
Std Sprinkler Wrench		21475M/B	V207	\$77.63

Finish ²	Temp	Part #	IPG	List Price
Standard Brass	155°F	21271BAB	V120	\$57.33
Standard Brass	175°F	21271BAD	V120	\$57.33
Standard Brass	200°F	21271BAE	V120	\$57.33
Standard Brass	286°F	21271BAG	V120	\$57.33
Chrome	155°F	21271BFB	V120	\$61.45
Chrome	175°F	21271BFD	V120	\$61.45
Chrome	200°F	21271BFE	V120	\$61.45
Chrome	286°F	21271BFG	V120	\$61.45
White-Polyester ¹	155°F	21271BMB/W	V120	\$61.45
White-Polyester	175°F	21271BMD/W	V120	\$61.45
White-Polyester	200°F	21271BME/W	V120	\$61.45
White-Polyester	286°F	21271BMG/W	V120	\$61.45
Black-Polyester ¹	155°F	21271BMB/B	V120	\$91.03
Black-Polyester	175°F	21271BMD/B	V120	\$91.03
Black-Polyester	200°F	21271BME/B	V120	\$91.03
Black-Polyester	286°F	21271BMG/B	V120	\$91.03
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Rcsd w/Caps		13655W/B	V207	\$149.61

Select Escutcheons - Recessed Pendent Sprinklers*



Recessed Escutcheon
Model E-1 (push-on)
(includes cup & adapter)
(OD = 3-1/16" / 78 mm)

Finish ²	Size	Part #	IPG	List Price
Bright Brass	1/2"	06419AB	V201	\$39.23
Polished Chrome	1/2"	06419AF	V200	\$8.28
White	1/2"	06419AM/W	V200	\$8.28
Black	1/2"	06419AM/B	V201	\$17.15



Threaded Escutcheon
Model E-2 (thread-on)
(includes cup & adapter)
(OD = 3-1/8" / 80 mm)

Finish ²	Size	Part #	IPG	List Price
Polished Chrome	1/2"	11038F	V200	\$8.31
White	1/2"	11038M/W	V200	\$8.31

*Refer to Page H-1 for complete list of available escutcheons

(1) Suitable for decorative applications; UL listed for corrosion resistance.

(2) Also available with ENT (Electroless Nickel PTFE) plating for corrosion resistance (special order with extended lead time).

Contact customer service for price and availability. Special order ENT plated sprinklers may not have listings/approvals.



Microfast® Model M
Quick Response
Standard Coverage
Glass Bulb
Upright

SIN: VK300
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 12978



Microfast® Model M
Quick Response
Standard Coverage
Glass Bulb
Pendent

SIN: VK302
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 12979


Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	12978AA	V120.1	\$33.02
Standard Brass	155°F	12978AB	V120.1	\$33.02
Standard Brass	175°F	12978AD	V120.1	\$33.02
Standard Brass	200°F	12978AE	V120.1	\$33.02
Standard Brass	286°F	12978AG	V120.1	\$33.02
Chrome	135°F	12978FA	V120.1	\$44.14
Chrome	155°F	12978FB	V120.1	\$44.14
Chrome	175°F	12978FD	V120.1	\$44.14
Chrome	200°F	12978FE	V120.1	\$44.14
Chrome	286°F	12978FG	V120.1	\$44.14
White-Polyester ¹	135°F	12978MA/W	V120.1	\$44.14
White-Polyester	155°F	12978MB/W	V120.1	\$44.14
White-Polyester	175°F	12978MD/W	V120.1	\$44.14
White-Polyester	200°F	12978ME/W	V120.1	\$44.14
White-Polyester	286°F	12978MG/W	V120.1	\$44.14
Black-Polyester ¹	135°F	12978MA/B	V120.1	\$73.55
Black-Polyester	155°F	12978MB/B	V120.1	\$73.55
Black-Polyester	175°F	12978MD/B	V120.1	\$73.55
Black-Polyester	200°F	12978ME/B	V120.1	\$73.55
Black-Polyester	286°F	12978MG/B	V120.1	\$73.55
Nickel PTFE (ENT) ²	155°F	12978JNB	V188.A	\$76.08
Nickel PTFE (ENT)	175°F	12978JND	V188.A	\$76.08
Nickel PTFE (ENT)	200°F	12978JNE	V188.A	\$76.08
Nickel PTFE (ENT)	286°F	12978JNG	V188.A	\$76.08
Std Sprinkler Wrench		21475M/B	V207	\$77.63

Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	12979AA	V120.1	\$33.02
Standard Brass	155°F	12979AB	V120.1	\$33.02
Standard Brass	175°F	12979AD	V120.1	\$33.02
Standard Brass	200°F	12979AE	V120.1	\$33.02
Standard Brass	286°F	12979AG	V120.1	\$33.02
Chrome	135°F	12979FA	V120.1	\$35.03
Chrome	155°F	12979FB	V120.1	\$35.03
Chrome	175°F	12979FD	V120.1	\$35.03
Chrome	200°F	12979FE	V120.1	\$35.03
Chrome	286°F	12979FG	V120.1	\$35.03
White-Polyester ¹	135°F	12979MA/W	V120.1	\$35.03
White-Polyester	155°F	12979MB/W	V120.1	\$35.03
White-Polyester	175°F	12979MD/W	V120.1	\$35.03
White-Polyester	200°F	12979ME/W	V120.1	\$35.03
White-Polyester	286°F	12979MG/W	V120.1	\$35.03
Black-Polyester ¹	135°F	12979MA/B	V120.1	\$62.86
Black-Polyester	155°F	12979MB/B	V120.1	\$62.86
Black-Polyester	175°F	12979MD/B	V120.1	\$62.86
Black-Polyester	200°F	12979ME/B	V120.1	\$62.86
Black-Polyester	286°F	12979MG/B	V120.1	\$62.86
Nickel PTFE (ENT) ²	155°F	12979JNB	V188.A	\$76.08
Nickel PTFE (ENT)	175°F	12979JND	V188.A	\$76.08
Nickel PTFE (ENT)	200°F	12979JNE	V188.A	\$76.08
Nickel PTFE (ENT)	286°F	12979JNG	V188.A	\$76.08
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Rcsd w/Caps		13655W/B	V207	\$149.61



Recessed Escutcheon
Model E-1 (push-on)
(includes cup & adapter)
(OD = 3-1/16" / 78 mm)

Finish ²	Size	Part #	IPG	List Price
Bright Brass	1/2"	06419AB	V201	\$39.23
Polished Chrome	1/2"	06419AF	V200	\$8.28
White	1/2"	06419AM/W	V200	\$8.28
Black	1/2"	06419AM/B	V201	\$17.15



Threaded Escutcheon
Model E-2 (thread-on)
(includes cup & adapter)
(OD = 3-1/8" / 80 mm)

Finish	Size	Part #	IPG	List Price
Polished Chrome	1/2"	11038F	V200	\$8.31
White	1/2"	11038M/W	V200	\$8.31

(1) Suitable for decorative application; UL listed for corrosion resistance.

(2) Electroless Nickel PTFE (ENT) plating is UL Listed and FM Approved for corrosion resistance.



XT1
Quick Response
Standard Coverage
Glass Bulb
Upright

SIN: VK3001
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 19916



XT1
Quick Response
Standard Coverage
Glass Bulb
Pendent

SIN: VK3021
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 19917

Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	19916AA	V120	\$34.58
Standard Brass	155°F	19916AB	V120	\$31.79
Standard Brass	175°F	19916AD	V120	\$31.79
Standard Brass	200°F	19916AE	V120	\$31.79
Standard Brass	286°F	19916AG	V120	\$31.79
Chrome	135°F	19916FA	V120	\$42.49
Chrome	155°F	19916FB	V120	\$42.49
Chrome	175°F	19916FD	V120	\$42.49
Chrome	200°F	19916FE	V120	\$42.49
Chrome	286°F	19916FG	V120	\$42.49
White-Polyester ¹	135°F	19916MA/W	V120	\$42.49
White-Polyester	155°F	19916MB/W	V120	\$42.49
White-Polyester	175°F	19916MD/W	V120	\$42.49
White-Polyester	200°F	19916ME/W	V120	\$42.49
White-Polyester	286°F	19916MG/W	V120	\$42.49
Black-Polyester ¹	135°F	19916MA/B	V120	\$70.80
Black-Polyester	155°F	19916MB/B	V120	\$70.80
Black-Polyester	175°F	19916MD/B	V120	\$70.80
Black-Polyester	200°F	19916ME/B	V120	\$70.80
Black-Polyester	286°F	19916MG/B	V120	\$70.80
Nickel PTFE (ENT) ²	135°F	19916JNA	V188.A	\$76.08
Nickel PTFE (ENT) ²	155°F	19916JNB	V188.A	\$76.08
Nickel PTFE (ENT)	175°F	19916JND	V188.A	\$76.08
Nickel PTFE (ENT)	200°F	19916JNE	V188.A	\$76.08
Nickel PTFE (ENT)	286°F	19916JNG	V188.A	\$76.08

Installation Wrenches			
Wrench - Installer	22940MB	V207	\$77.63
Wrench - Spk Cabinet	20901M/B	V207	\$77.63
Wrench - Recessed	20951M/B	V207	\$149.61
Wrench - Straight	22940MB	V207	\$77.63

Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	19917AA	V120	\$33.72
Standard Brass	155°F	19917AB	V120	\$31.79
Standard Brass	175°F	19917AD	V120	\$31.79
Standard Brass	200°F	19917AE	V120	\$31.79
Standard Brass	286°F	19917AG	V120	\$31.79
Chrome	135°F	19917FA	V120	\$33.72
Chrome	155°F	19917FB	V120	\$33.72
Chrome	175°F	19917FD	V120	\$33.72
Chrome	200°F	19917FE	V120	\$33.72
Chrome	286°F	19917FG	V120	\$33.72
White-Polyester ¹	135°F	19917MA/W	V120	\$33.72
White-Polyester	155°F	19917MB/W	V120	\$33.72
White-Polyester	175°F	19917MD/W	V120	\$33.72
White-Polyester	200°F	19917ME/W	V120	\$33.72
White-Polyester	286°F	19917MG/W	V120	\$33.72
Black-Polyester ¹	135°F	19917MA/B	V120	\$60.51
Black-Polyester	155°F	19917MB/B	V120	\$60.51
Black-Polyester	175°F	19917MD/B	V120	\$60.51
Black-Polyester	200°F	19917ME/B	V120	\$60.51
Black-Polyester	286°F	19917MG/B	V120	\$60.51
Nickel PTFE (ENT) ²	135°F	19917JNA	V188.A	\$76.08
Nickel PTFE (ENT) ²	155°F	19917JNB	V188.A	\$76.08
Nickel PTFE (ENT)	175°F	19917JND	V188.A	\$76.08
Nickel PTFE (ENT)	200°F	19917JNE	V188.A	\$76.08
Nickel PTFE (ENT)	286°F	19917JNG	V188.A	\$76.08

Select Escutcheons - Recessed Pendent Sprinklers*			
NP-1 push-on (chrome, 1/2 in)	22066F	V200	\$8.28
NP-1 push-on (white, 1/2 in)	22066M/W	V200	\$8.28
NP-2 threaded (chrome, 1/2 in)	22067F	V200	\$8.31

*Refer to Page H-1 for complete list of available escutcheons

(1) Suitable for decorative application; UL listed for corrosion resistance.

(2) Electroless Nickel PTFE (ENT) plating is UL Listed and FM Approved for corrosion resistance.



Microfast® Model M
Quick Response
Standard Coverage
Glass Bulb
Upright

SIN: VK350
K Factor: 8.0 (115)
Thread Size: 3/4 inch NPT
Base Part #: 18257



Microfast® Model M
Quick Response
Standard Coverage
Glass Bulb
Pendent

SIN: VK352
K Factor: 8.0 (115)
Thread Size: 3/4 inch NPT
Base Part #: 18258

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	18257AB	V131.1	\$45.86
Standard Brass	175°F	18257AD	V131.1	\$45.86
Standard Brass	200°F	18257AE	V131.1	\$45.86
Standard Brass	286°F	18257AG	V131.1	\$45.86
Chrome	155°F	18257FB	V131.1	\$54.68
Chrome	175°F	18257FD	V131.1	\$54.68
Chrome	200°F	18257FE	V131.1	\$54.68
Chrome	286°F	18257FG	V131.1	\$54.68
White-Polyester ¹	155°F	18257MB/W	V131.1	\$54.68
White-Polyester	175°F	18257MD/W	V131.1	\$54.68
White-Polyester	200°F	18257ME/W	V131.1	\$54.68
White-Polyester	286°F	18257MG/W	V131.1	\$54.68
Black-Polyester ¹	155°F	18257MB/B	V131.1	\$73.82
Black-Polyester	175°F	18257MD/B	V131.1	\$73.82
Black-Polyester	200°F	18257ME/B	V131.1	\$73.82
Black-Polyester	286°F	18257MG/B	V131.1	\$73.82
Nickel PTFE (ENT) ²	155°F	18257JNB	V188.A	\$111.23
Nickel PTFE (ENT)	175°F	18257JND	V188.A	\$111.23
Nickel PTFE (ENT)	200°F	18257JNE	V188.A	\$111.23
Nickel PTFE (ENT)	286°F	18257JNG	V188.A	\$111.23
Std Sprinkler Wrench		21475M/B	V207	\$77.63

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	18258AB	V131.1	\$53.51
Standard Brass	175°F	18258AD	V131.1	\$53.51
Standard Brass	200°F	18258AE	V131.1	\$53.51
Standard Brass	286°F	18258AG	V131.1	\$53.51
Chrome	155°F	18258FB	V131.1	\$63.80
Chrome	175°F	18258FD	V131.1	\$63.80
Chrome	200°F	18258FE	V131.1	\$63.80
Chrome	286°F	18258FG	V131.1	\$63.80
White-Polyester ¹	155°F	18258MB/W	V131.1	\$63.80
White-Polyester	175°F	18258MD/W	V131.1	\$63.80
White-Polyester	200°F	18258ME/W	V131.1	\$63.80
White-Polyester	286°F	18258MG/W	V131.1	\$63.80
Black-Polyester ¹	155°F	18258MB/B	V131.1	\$86.13
Black-Polyester	175°F	18258MD/B	V131.1	\$86.13
Black-Polyester	200°F	18258ME/B	V131.1	\$86.13
Black-Polyester	286°F	18258MG/B	V131.1	\$86.13
Nickel PTFE (ENT) ²	155°F	18258JNB	V188.A	\$111.23
Nickel PTFE (ENT)	175°F	18258JND	V188.A	\$111.23
Nickel PTFE (ENT)	200°F	18258JNE	V188.A	\$111.23
Nickel PTFE (ENT)	286°F	18258JNG	V188.A	\$111.23
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Rc sd w/Caps		13655W/B	V207	\$149.61

Select Escutcheons - Recessed Pendent Sprinklers*



Recessed Escutcheon
Model E-1 (push-on)
(includes cup & adapter)
(OD = 3-1/16" / 78 mm)

Finish	Size	Part #	IPG	List Price
Bright Brass	3/4"	20369B	V201	\$39.23
Polished Chrome	3/4"	20369F	V200	\$8.31
White	3/4"	20369M/W	V200	\$8.31
Black	3/4"	20369M/B	V201	\$17.15



Threaded Escutcheon
Model E-2 (thread-on)
(includes cup & adapter)
(OD = 3-1/8" / 80 mm)

Finish	Size	Part #	IPG	List Price
Polished Chrome	3/4"	20130F	V200	\$8.31
White	3/4"	20130M/W	V200	\$8.31

*Refer to Page H-1 for complete list of available escutcheons

(1) Suitable for decorative applications; UL listed for corrosion resistance.

(2) Electroless Nickel PTFE (ENT) plating is UL Listed and FM Approved for corrosion resistance.



XT1
Quick Response
Standard Coverage
Glass Bulb
Upright

SIN: VK3501
K Factor: 8.0 (115)
Thread Size: 3/4 inch NPT
Base Part #: 19924



XT1
Quick Response
Standard Coverage
Glass Bulb
Pendent

SIN: VK3521
K Factor: 8.0 (115)
Thread Size: 3/4 inch NPT
Base Part #: 19925

Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	19924AA	V131	\$44.15
Standard Brass	155°F	19924AB	V131	\$44.15
Standard Brass	175°F	19924AD	V131	\$44.15
Standard Brass	200°F	19924AE	V131	\$44.15
Standard Brass	286°F	19924AG	V131	\$44.15
Chrome	135°F	19924FA	V131	\$52.64
Chrome	155°F	19924FB	V131	\$52.64
Chrome	175°F	19924FD	V131	\$52.64
Chrome	200°F	19924FE	V131	\$52.64
Chrome	286°F	19924FG	V131	\$52.64
White-Polyester ¹	135°F	19924MA/W	V131	\$52.64
White-Polyester ¹	155°F	19924MB/W	V131	\$52.64
White-Polyester	175°F	19924MD/W	V131	\$52.64
White-Polyester	200°F	19924ME/W	V131	\$52.64
White-Polyester	286°F	19924MG/W	V131	\$52.64
Black-Polyester ¹	135°F	19924MA/B	V131	\$71.06
Black-Polyester ¹	155°F	19924MB/B	V131	\$71.06
Black-Polyester	175°F	19924MD/B	V131	\$71.06
Black-Polyester	200°F	19924ME/B	V131	\$71.06
Black-Polyester	286°F	19924MG/B	V131	\$71.06
Nickel PTFE (ENT) ²	135°F	19924JNA	V188.A	\$111.23
Nickel PTFE (ENT) ²	155°F	19924JNB	V188.A	\$111.23
Nickel PTFE (ENT)	175°F	19924JND	V188.A	\$111.23
Nickel PTFE (ENT)	200°F	19924JNE	V188.A	\$111.23
Nickel PTFE (ENT)	286°F	19924JNG	V188.A	\$111.23

Installation Wrenches			
Wrench - Installer	22940MB	V207	\$77.63
Wrench - Spk Cabinet	20901M/B	V207	\$77.63
Wrench - Recessed	20951M/B	V207	\$149.61
Wrench - Straight	22940MB	V207	\$77.63

Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	19925AA	V131	\$51.51
Standard Brass	155°F	19925AB	V131	\$51.51
Standard Brass	175°F	19925AD	V131	\$51.51
Standard Brass	200°F	19925AE	V131	\$51.51
Standard Brass	286°F	19925AG	V131	\$51.51
Chrome	135°F	19925FA	V131	\$61.41
Chrome	155°F	19925FB	V131	\$61.41
Chrome	175°F	19925FD	V131	\$61.41
Chrome	200°F	19925FE	V131	\$61.41
Chrome	286°F	19925FG	V131	\$61.41
White-Polyester ¹	135°F	19925MA/W	V131	\$61.41
White-Polyester ¹	155°F	19925MB/W	V131	\$61.41
White-Polyester	175°F	19925MD/W	V131	\$61.41
White-Polyester	200°F	19925ME/W	V131	\$61.41
White-Polyester	286°F	19925MG/W	V131	\$61.41
Black-Polyester ¹	135°F	19925MA/B	V131	\$82.91
Black-Polyester ¹	155°F	19925MB/B	V131	\$82.91
Black-Polyester	175°F	19925MD/B	V131	\$82.91
Black-Polyester	200°F	19925ME/B	V131	\$82.91
Black-Polyester	286°F	19925MG/B	V131	\$82.91
Nickel PTFE (ENT) ²	135°F	19925JNA	V188.A	\$111.23
Nickel PTFE (ENT) ²	155°F	19925JNB	V188.A	\$111.23
Nickel PTFE (ENT)	175°F	19925JND	V188.A	\$111.23
Nickel PTFE (ENT)	200°F	19925JNE	V188.A	\$111.23
Nickel PTFE (ENT)	286°F	19925JNG	V188.A	\$111.23

Select Escutcheons - Recessed Pendent Sprinklers*			
NP-1 push-on (chrome, ¾ in)	22071F	V200	\$8.31
NP-1 push-on (white, ¾ in)	22071M/W	V200	\$8.31
NP-2 threaded (chrome, ¾ in)	22072M/W	V200	\$8.31

*Refer to Page H-1 for complete list of available escutcheons

(1) Suitable for decorative applications; UL listed for corrosion resistance.

(2) Electroless Nickel PTFE (ENT) plating is UL Listed and FM Approved for corrosion resistance.



Microfast® Model M
Quick Response
Standard Coverage
REPLACEMENT ONLY²
Glass Bulb
Upright

SIN: VK350
K Factor: 8.0 (115)
Thread Size: **1/2 inch NPT**
Base Part #: 18259



Microfast® Model M
Quick Response
Standard Coverage
REPLACEMENT ONLY²
Glass Bulb
Pendent

SIN: VK352
K Factor: 8.0 (115)
Thread Size: **1/2 inch NPT**
Base Part #: 18260

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	18259AB	V130.1	\$61.75
Standard Brass	175°F	18259AD	V130.1	\$61.75
Standard Brass	200°F	18259AE	V130.1	\$61.75
Standard Brass	286°F	18259AG	V130.1	\$61.75
Chrome	155°F	18259FB	V130.1	\$67.29
Chrome	175°F	18259FD	V130.1	\$67.29
Chrome	200°F	18259FE	V130.1	\$67.29
Chrome	286°F	18259FG	V130.1	\$67.29
White-Polyester ¹	155°F	18259MB/W	V130.1	\$67.29
White-Polyester	175°F	18259MD/W	V130.1	\$67.29
White-Polyester	200°F	18259ME/W	V130.1	\$67.29
White-Polyester	286°F	18259MG/W	V130.1	\$67.29
Black-Polyester ¹	155°F	18259MB/B	V130.1	\$67.29
Black-Polyester	175°F	18259MD/B	V130.1	\$67.29
Black-Polyester	200°F	18259ME/B	V130.1	\$67.29
Black-Polyester	286°F	18259MG/B	V130.1	\$67.29
Nickel PTFE (ENT) ³	155°F	18259JNB	V188.A	\$188.41
Nickel PTFE (ENT)	175°F	18259JND	V188.A	\$188.41
Nickel PTFE (ENT)	200°F	18259JNE	V188.A	\$188.41
Nickel PTFE (ENT)	286°F	18259JNG	V188.A	\$188.41
Std Sprinkler Wrench		21475M/B	V207	\$77.63

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	18260AB	V130.1	\$61.75
Standard Brass	175°F	18260AD	V130.1	\$61.75
Standard Brass	200°F	18260AE	V130.1	\$61.75
Standard Brass	286°F	18260AG	V130.1	\$61.75
Chrome	155°F	18260FB	V130.1	\$67.29
Chrome	175°F	18260FD	V130.1	\$67.29
Chrome	200°F	18260FE	V130.1	\$67.29
Chrome	286°F	18260FG	V130.1	\$67.29
White-Polyester ¹	155°F	18260MB/W	V130.1	\$67.29
White-Polyester	175°F	18260MD/W	V130.1	\$67.29
White-Polyester	200°F	18260ME/W	V130.1	\$67.29
White-Polyester	286°F	18260MG/W	V130.1	\$67.29
Black-Polyester ¹	155°F	18260MB/B	V130.1	\$67.29
Black-Polyester	175°F	18260MD/B	V130.1	\$67.29
Black-Polyester	200°F	18260ME/B	V130.1	\$67.29
Black-Polyester	286°F	18260MG/B	V130.1	\$67.29
Nickel PTFE (ENT) ³	155°F	18260JNB	V188.A	\$188.41
Nickel PTFE (ENT)	175°F	18260JND	V188.A	\$188.41
Nickel PTFE (ENT)	200°F	18260JNE	V188.A	\$188.41
Nickel PTFE (ENT)	286°F	18260JNG	V188.A	\$188.41
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Rcsd w/Caps		13655W/B	V207	\$149.61

Select Escutcheons - Recessed Pendent Sprinklers*



Recessed Escutcheon
Model E-1 (push-on)
(includes cup & adapter)
(OD = 3-1/16" / 78 mm)

Finish	Size	Part #	IPG	List Price
Bright Brass	1/2"	06419AB	V201	\$39.23
Polished Chrome	1/2"	06419AF	V200	\$8.28
White	1/2"	06419AM/W	V200	\$8.28
Black	1/2"	06419AM/B	V201	\$17.15



Threaded Escutcheon
Model E-2 (thread-on)
(includes cup & adapter)
(OD = 3-1/8" / 80 mm)

Finish	Size	Part #	IPG	List Price
Polished Chrome	1/2"	11038F	V200	\$8.31
White	1/2"	11038M/W	V200	\$8.31

*Refer to Page H-1 for complete list of available escutcheons

(1) Suitable for decorative applications; UL listed for corrosion resistance.

(2) REPLACEMENT ONLY - 8.0 K Factor sprinklers with 1/2" NPT thread size are not intended for use in new installations.

(3) Electroless Nickel PTFE (ENT) plating is UL Listed and FM Approved for corrosion resistance.



XT1
Quick Response
Standard Coverage
REPLACEMENT ONLY²
Glass Bulb
Upright

SIN: VK3502
K Factor: 8.0 (115)
Thread Size: **1/2 inch NPT**
Base Part #: 19920



XT1
Quick Response
Standard Coverage
REPLACEMENT ONLY²
Glass Bulb
Pendent

SIN: VK3522
K Factor: 8.0 (115)
Thread Size: **1/2 inch NPT**
Base Part #: 19921

Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	19920AA	V130	\$59.44
Standard Brass	155°F	19920AB	V130	\$59.44
Standard Brass	175°F	19920AD	V130	\$59.44
Standard Brass	200°F	19920AE	V130	\$59.44
Standard Brass	286°F	19920AG	V130	\$59.44
Chrome	135°F	19920FA	V130	\$64.77
Chrome	155°F	19920FB	V130	\$64.77
Chrome	175°F	19920FD	V130	\$64.77
Chrome	200°F	19920FE	V130	\$64.77
Chrome	286°F	19920FG	V130	\$64.77
White-Polyester ¹	135°F	19920MA/W	V130	\$64.77
White-Polyester	155°F	19920MB/W	V130	\$64.77
White-Polyester	175°F	19920MD/W	V130	\$64.77
White-Polyester	200°F	19920ME/W	V130	\$64.77
White-Polyester	286°F	19920MG/W	V130	\$64.77
Black-Polyester ¹	135°F	19920MA/B	V130	\$64.77
Black-Polyester	155°F	19920MB/B	V130	\$64.77
Black-Polyester	175°F	19920MD/B	V130	\$64.77
Black-Polyester	200°F	19920ME/B	V130	\$64.77
Black-Polyester	286°F	19920MG/B	V130	\$64.77
Nickel PTFE (ENT) ³	135°F	19920JNA	V188.A	\$188.41
Nickel PTFE (ENT)	155°F	19920JNB	V188.A	\$188.41
Nickel PTFE (ENT)	175°F	19920JND	V188.A	\$188.41
Nickel PTFE (ENT)	200°F	19920JNE	V188.A	\$188.41
Nickel PTFE (ENT)	286°F	19920JNG	V188.A	\$188.41

Installation Wrenches			
Wrench - Installer	22940MB	V207	\$77.63
Wrench - Spk Cabinet	20901M/B	V207	\$77.63
Wrench - Recessed	20951M/B	V207	\$149.61
Wrench - Straight	22940MB	V207	\$77.63

Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	19921AA	V130	\$59.44
Standard Brass	155°F	19921AB	V130	\$59.44
Standard Brass	175°F	19921AD	V130	\$59.44
Standard Brass	200°F	19921AE	V130	\$59.44
Standard Brass	286°F	19921AG	V130	\$59.44
Chrome	135°F	19921FA	V130	\$64.77
Chrome	155°F	19921FB	V130	\$64.77
Chrome	175°F	19921FD	V130	\$64.77
Chrome	200°F	19921FE	V130	\$64.77
Chrome	286°F	19921FG	V130	\$64.77
White-Polyester ¹	135°F	19921MA/W	V130	\$64.77
White-Polyester	155°F	19921MB/W	V130	\$64.77
White-Polyester	175°F	19921MD/W	V130	\$64.77
White-Polyester	200°F	19921ME/W	V130	\$64.77
White-Polyester	286°F	19921MG/W	V130	\$64.77
Black-Polyester ¹	135°F	19921MA/B	V130	\$64.77
Black-Polyester	155°F	19921MB/B	V130	\$64.77
Black-Polyester	175°F	19921MD/B	V130	\$64.77
Black-Polyester	200°F	19921ME/B	V130	\$64.77
Black-Polyester	286°F	19921MG/B	V130	\$64.77
Nickel PTFE (ENT) ³	135°F	19921JNA	V188.A	\$188.41
Nickel PTFE (ENT)	155°F	19921JNB	V188.A	\$188.41
Nickel PTFE (ENT)	175°F	19921JND	V188.A	\$188.41
Nickel PTFE (ENT)	200°F	19921JNE	V188.A	\$188.41
Nickel PTFE (ENT)	286°F	19921JNG	V188.A	\$188.41

Select Escutcheons - Recessed Pendent Sprinklers*			
NP-1 push-on (chrome, 1/2 in)	22066F	V200	\$8.28
NP-1 push-on (white, 1/2 in)	22066M/W	V200	\$8.28
NP-2 threaded (chrome, 1/2 in)	22067F	V200	\$8.31

*Refer to Page H-1 for complete list of available escutcheons

(1) Suitable for decorative applications; UL listed for corrosion resistance.

(2) REPLACEMENT ONLY - 8.0 K Factor sprinklers with 1/2" NPT thread size are not intended for use in new installations.

(3) Electroless Nickel PTFE (ENT) plating is UL Listed and FM Approved for corrosion resistance.



Microfast® Model M
Quick Response
Standard Coverage
Glass Bulb
Conventional

SIN: VK310
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 19391



Microfast® Model M
Quick Response
Standard Coverage
Glass Bulb
Conventional

SIN: VK354
K Factor: 8.0 (115)
Thread Size: 3/4 inch NPT
Base Part #: 18261

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	19391AB	V120	\$37.93
Standard Brass	175°F	19391AD	V120	\$37.93
Standard Brass	200°F	19391AE	V120	\$37.93
Standard Brass	286°F	19391AG	V120	\$37.93
Chrome	155°F	19391FB	V120	\$39.45
Chrome	175°F	19391FD	V120	\$39.45
Chrome	200°F	19391FE	V120	\$39.45
Chrome	286°F	19391FG	V120	\$39.45
White-Polyester ¹	155°F	19391MB/W	V120	\$39.45
White-Polyester	175°F	19391MD/W	V120	\$39.45
White-Polyester	200°F	19391ME/W	V120	\$39.45
White-Polyester	286°F	19391MG/W	V120	\$39.45
Black-Polyester ¹	155°F	19391MB/B	V120	\$70.80
Black-Polyester	175°F	19391MD/B	V120	\$70.80
Black-Polyester	200°F	19391ME/B	V120	\$70.80
Black-Polyester	286°F	19391MG/B	V120	\$70.80
Nickel PTFE (ENT) ²	155°F	19391JNB	V188.A	\$68.90
Nickel PTFE (ENT)	175°F	19391JND	V188.A	\$68.90
Nickel PTFE (ENT)	200°F	19391JNE	V188.A	\$68.90
Nickel PTFE (ENT)	286°F	19391JNG	V188.A	\$68.90
Std Sprinkler Wrench		21475M/B	V207	\$77.63

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	18261AB	V131	\$61.41
Standard Brass	175°F	18261AD	V131	\$61.41
Standard Brass	200°F	18261AE	V131	\$61.41
Standard Brass	286°F	18261AG	V131	\$61.41
Chrome	155°F	18261FB	V131	\$71.62
Chrome	175°F	18261FD	V131	\$71.62
Chrome	200°F	18261FE	V131	\$71.62
Chrome	286°F	18261FG	V131	\$71.62
White-Polyester ¹	155°F	18261MB/W	V131	\$71.62
White-Polyester	175°F	18261MD/W	V131	\$71.62
White-Polyester	200°F	18261ME/W	V131	\$71.62
White-Polyester	286°F	18261MG/W	V131	\$71.62
Black-Polyester ¹	155°F	18261MB/B	V131	\$90.93
Black-Polyester	175°F	18261MD/B	V131	\$90.93
Black-Polyester	200°F	18261ME/B	V131	\$90.93
Black-Polyester	286°F	18261MG/B	V131	\$90.93
Nickel PTFE (ENT) ²	155°F	18261JNB	V188.A	\$89.72
Nickel PTFE (ENT)	175°F	18261JND	V188.A	\$89.72
Nickel PTFE (ENT)	200°F	18261JNE	V188.A	\$89.72
Nickel PTFE (ENT)	286°F	18261JNG	V188.A	\$89.72
Std Sprinkler Wrench		21475M/B	V207	\$77.63

Select Escutcheons - Recessed Pendent Sprinklers*



Recessed Escutcheon
Model E-1 (push-on)
(includes cup & adapter)
(OD = 3-1/16" / 78 mm)

Finish	Size	Part #	IPG	List Price
Bright Brass	1/2"	06419AB	V201	\$39.23
Polished Chrome	1/2"	06419AF	V200	\$8.28
White	1/2"	06419AM/W	V200	\$8.28
Black	1/2"	06419AM/B	V201	\$17.15



Threaded Escutcheon
Model E-2 (thread-on)
(includes cup & adapter)
(OD = 3-1/8" / 80 mm)

Finish	Size	Part #	IPG	List Price
Polished Chrome	1/2"	11038F	V200	\$8.31
White	1/2"	11038M/W	V200	\$8.31

*Refer to Page H-1 for complete list of available escutcheons

Select Escutcheons - Recessed Pendent Sprinklers*



Recessed Escutcheon
Model E-1 (push-on)
(includes cup & adapter)
(OD = 3-1/16" / 78 mm)

Finish	Size	Part #	IPG	List Price
Bright Brass	3/4"	20369B	V201	\$39.23
Polished Chrome	3/4"	20369F	V200	\$8.31
White	3/4"	20369M/W	V200	\$8.31
Black	3/4"	20369M/B	V201	\$17.15



Threaded Escutcheon
Model E-2 (thread-on)
(includes cup & adapter)
(OD = 3-1/8" / 80 mm)

Finish	Size	Part #	IPG	List Price
Polished Chrome	3/4"	20130F	V200	\$8.31
White	3/4"	20130M/W	V200	\$8.31

*Refer to Page H-1 for complete list of available escutcheons

(1) Suitable for decorative applications; UL listed for corrosion resistance.

(2) Electroless Nickel PTFE (ENT) plating is UL Listed and FM Approved for corrosion resistance.



Microfast® Model M
Quick Response
Standard Coverage
Glass Bulb
Horizontal Sidewall

SIN: VK333
K Factor: 2.8 (40)
Thread Size: 1/2 inch NPT
Base Part #: 20989



Microfast® Model M
Quick Response
Standard Coverage
Glass Bulb
Vertical Sidewall

SIN: VK306²
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 12983

Finish ²	Temp	Part #	IPG	List Price
Standard Brass	155°F	20989AB	V126	\$84.45
Standard Brass	175°F	20989AD	V126	\$84.45
Standard Brass	200°F	20989AE	V126	\$84.45
Standard Brass	286°F	20989AG	V126	\$84.45
Chrome	155°F	20989FB	V126	\$90.12
Chrome	175°F	20989FD	V126	\$90.12
Chrome	200°F	20989FE	V126	\$90.12
Chrome	286°F	20989FG	V126	\$90.12
White-Polyester ¹	155°F	20989MB/W	V126	\$90.12
White-Polyester	175°F	20989MD/W	V126	\$90.12
White-Polyester	200°F	20989ME/W	V126	\$90.12
White-Polyester	286°F	20989MG/W	V126	\$90.12
Black-Polyester ¹	155°F	20989MB/B	V126	\$103.51
Black-Polyester	175°F	20989MD/B	V126	\$103.51
Black-Polyester	200°F	20989ME/B	V126	\$103.51
Black-Polyester	286°F	20989MG/B	V126	\$103.51
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Rcsd w/Clip		13655W/B	V207	\$149.61

Finish ²	Temp	Part #	IPG	List Price
Standard Brass	155°F	12983AB	V126	\$84.45
Standard Brass	175°F	12983AD	V126	\$84.45
Standard Brass	200°F	12983AE	V126	\$84.45
Standard Brass	286°F	12983AG	V126	\$84.45
Chrome	155°F	12983FB	V126	\$90.12
Chrome	175°F	12983FD	V126	\$90.12
Chrome	200°F	12983FE	V126	\$90.12
Chrome	286°F	12983FG	V126	\$90.12
White-Polyester	155°F	12983MB/W	V126	\$90.12
White-Polyester	175°F	12983MD/W	V126	\$90.12
White-Polyester	200°F	12983ME/W	V126	\$90.12
White-Polyester	286°F	12983MG/W	V126	\$90.12
Black-Polyester	155°F	12983MB/B	V126	\$103.51
Black-Polyester	175°F	12983MD/B	V126	\$103.51
Black-Polyester	200°F	12983ME/B	V126	\$103.51
Black-Polyester	286°F	12983MG/B	V126	\$103.51
Std Sprinkler Wrench		21475M/B	V207	\$77.63

Select Escutcheons - Recessed Pendent Sprinklers*



Recessed Escutcheon
Model E-1 (push-on)
(includes cup & adapter)
(OD = 3-1/16" / 78 mm)

Finish	Size	Part #	IPG	List Price
Bright Brass	1/2"	06419AB	V201	\$39.23
Polished Chrome	1/2"	06419AF	V200	\$8.28
White	1/2"	06419AM/W	V200	\$8.28
Black	1/2"	06419AM/B	V201	\$17.15



Threaded Escutcheon
Model E-2 (thread-on)
(includes cup & adapter)
(OD = 3-1/8" / 80 mm)

Finish	Size	Part #	IPG	List Price
Polished Chrome	1/2"	11038F	V200	\$8.31
White	1/2"	11038M/W	V200	\$8.31

*Refer to Page H-1 for complete list of available escutcheons

(1) Suitable for decorative application; UL listed for corrosion resistance.

(2) Also available with ENT (Electroless Nickel PTFE) plating for corrosion resistance (special order with extended lead time).

Contact customer service for price and availability. Special order ENT plated sprinklers may not have listings/approvals.



Microfast® Model M
Quick Response
Standard Coverage
Glass Bulb
Horizontal Sidewall

SIN: VK305¹
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 12997



Microfast® Model M
Quick Response
Standard Coverage
Glass Bulb
Horizontal Sidewall

SIN: VK360¹
K Factor: 8.0 (115)
Thread Size: 3/4 inch NPT
Base Part #: 15591

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	12997AB	V126	\$56.24
Standard Brass	175°F	12997AD	V126	\$56.24
Standard Brass	200°F	12997AE	V126	\$56.24
Standard Brass	286°F	12997AG	V126	\$56.24
Chrome	155°F	12997FB	V126	\$60.56
Chrome	175°F	12997FD	V126	\$60.56
Chrome	200°F	12997FE	V126	\$60.56
Chrome	286°F	12997FG	V126	\$60.56
White-Polyester ²	155°F	12997MB/W	V126	\$61.29
White-Polyester	175°F	12997MD/W	V126	\$61.29
White-Polyester	200°F	12997ME/W	V126	\$61.29
White-Polyester	286°F	12997MG/W	V126	\$61.29
Black-Polyester ²	155°F	12997MB/B	V126	\$84.76
Black-Polyester	175°F	12997MD/B	V126	\$84.76
Black-Polyester	200°F	12997ME/B	V126	\$84.76
Black-Polyester	286°F	12997MG/B	V126	\$84.76
Nickel PTFE (ENT) ³	155°F	12997JNB	V188.A	\$89.72
Nickel PTFE (ENT)	175°F	12997JND	V188.A	\$89.72
Nickel PTFE (ENT)	200°F	12997JNE	V188.A	\$89.72
Nickel PTFE (ENT)	286°F	12997JNG	V188.A	\$89.72
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Rcstd w/Clip		13655W/B	V207	\$149.61


Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	15591AA	V132	\$55.50
Standard Brass	155°F	15591AB	V132	\$55.50
Standard Brass	175°F	15591AD	V132	\$55.50
Standard Brass	200°F	15591AE	V132	\$55.50
Chrome	135°F	15591FA	V132	\$63.87
Chrome	155°F	15591FB	V132	\$63.87
Chrome	175°F	15591FD	V132	\$63.87
Chrome	200°F	15591FE	V132	\$63.87
White-Polyester ²	135°F	15591MA/W	V132	\$63.87
White-Polyester	155°F	15591MB/W	V132	\$63.87
White-Polyester	175°F	15591MD/W	V132	\$63.87
White-Polyester	200°F	15591ME/W	V132	\$63.87
Black-Polyester ²	135°F	15591MA/B	V132	\$63.87
Black-Polyester	155°F	15591MB/B	V132	\$63.87
Black-Polyester	175°F	15591MD/B	V132	\$63.87
Black-Polyester	200°F	15591ME/B	V132	\$63.87
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Rcstd w/Clip		13655W/B	V207	\$149.61

Select Escutcheons - Recessed Pendent Sprinklers*



Recessed Escutcheon
Model E-1 (push-on)
(includes cup & adapter)
(OD = 3-1/16" / 78 mm)

Finish	Size	Part #	IPG	List Price
Bright Brass	1/2"	06419AB	V201	\$39.23
Polished Chrome	1/2"	06419AF	V200	\$8.28
White	1/2"	06419AM/W	V200	\$8.28
Black	1/2"	06419AM/B	V201	\$17.15



Threaded Escutcheon
Model E-2 (thread-on)
(includes cup & adapter)
(OD = 3-1/8" / 80 mm)

Finish	Size	Part #	IPG	List Price
Polished Chrome	1/2"	11038F	V200	\$8.31
White	1/2"	11038M/W	V200	\$8.31


*Refer to Page H-1 for complete list of available escutcheons

Select Escutcheons - Recessed Pendent Sprinklers*



Recessed Escutcheon
Model E-1 (push-on)
(includes cup & adapter)
(OD = 3-1/16" / 78 mm)

Finish	Size	Part #	IPG	List Price
Bright Brass	3/4"	20369B	V201	\$39.23
Polished Chrome	3/4"	20369F	V200	\$8.31
White	3/4"	20369M/W	V200	\$8.31
Black	3/4"	20369M/B	V201	\$17.15



Threaded Escutcheon
Model E-2 (thread-on)
(includes cup & adapter)
(OD = 3-1/8" / 80 mm)

Finish	Size	Part #	IPG	List Price
Polished Chrome	3/4"	20130F	V200	\$8.31
White	3/4"	20130M/W	V200	\$8.31

*Refer to Page H-1 for complete list of available escutcheons

- (1) Light/Ordinary hazard
- (2) Suitable for decorative applications; UL Listed for corrosion resistance.
- (3) Electroless Nickel PTFE (ENT) plating is UL Listed and FM Approved for corrosion resistance.



Mirage®
Quick Response
Standard Coverage
Glass Bulb
Concealed Pendent

SIN: VK461
K Factor: 2.8 (40)
Thread Size: 1/2 inch NPT
Base Part #: 13831A

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	13831AB	V129	\$73.72
Standard Brass	175°F	13831AD	V129	\$73.72
Standard Brass	200°F	13831AE	V129	\$73.72



Mirage®
Quick Response
Standard Coverage
Glass Bulb
Concealed Pendent

SIN: VK465
K Factor: 4.2 (60)
Thread Size: 1/2 inch NPT
Base Part #: 21274A

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	21274AB	V129	\$78.68
Standard Brass	175°F	21274AD	V129	\$78.68
Standard Brass	200°F	21274AE	V129	\$78.68

COVER PLATES AND WRENCHES ARE SOLD SEPARATELY - SEE PAGE B-13 AND B-14 FOR DETAILS



Mirage®¹
Quick Response
Standard Coverage
Glass Bulb
Concealed Pendent

SIN: VK462⁽¹⁾
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 13503A

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	13503AB	V129	\$53.09
Standard Brass	175°F	13503AD	V129	\$53.09
Standard Brass	200°F	13503AE	V129	\$53.09



Mirage® - HIGH PRESSURE
Quick Response
Standard Coverage
Glass Bulb
Concealed Pendent

SIN: VK463
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 13667A

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	13667AB	V129	\$62.94
Standard Brass	175°F	13667AD	V129	\$62.94
Standard Brass	200°F	13667AE	V129	\$62.94

COVER PLATES AND WRENCHES ARE SOLD SEPARATELY - SEE PAGE B-13 AND B-14 FOR DETAILS



Mirage®
Quick Response
Standard Coverage
Glass Bulb
Concealed Pendent

SIN: VK464
K Factor: 8.0 (115)
Thread Size: 3/4 inch NPT
Base Part #: 13614A

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	13614AB	V129	\$94.41
Standard Brass	175°F	13614AD	V129	\$94.41
Standard Brass	200°F	13614AE	V129	\$94.41



ELO Mirage®²
Quick Response
Standard Coverage
Fusible Link
Concealed Pendent

SIN: VK469
K Factor: 11.2 (161)
Thread Size: 3/4 inch NPT
Base Part #: 15764A

Finish	Temp	Part #	IPG	List Price
Standard Brass	165°F	15764AC	V129	\$127.32
Standard Brass	205°F	15764AE	V129	\$127.32

(2) Use only cover pl

COVER PLATES AND WRENCHES ARE SOLD SEPARATELY - SEE PAGE B-13 AND B-14 FOR DETAILS



Mirage MRI Room Sprinkler*
Quick Response
Standard Coverage
Glass Bulb
Concealed Pendent

SIN: VK462-MRI
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 15480A

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	15480AB	V129	\$269.56
Standard Brass	175°F	15480AD	V129	\$269.56
Standard Brass	200°F	15480AE	V129	\$269.56



Mirage MRI Room Sprinkler*
Quick Response
Standard Coverage
Glass Bulb
Concealed Pendent

SIN: VK464-MRI
K Factor: 8.0 (115)
Thread Size: 3/4 inch NPT
Base Part #: 15481A

Finish	Temp	Part #	IPG	List Price
Standard Brass	155°F	15481AB	V129	\$299.95
Standard Brass	175°F	15481AD	V129	\$299.95
Standard Brass	200°F	15481AE	V129	\$299.95

* For use in a high magnetic field environment, such as an MRI room (cover plates sold separately - See B-13)

(1) Model VK462 available with special ENT finish for use in certain corrosive environments. Contact customer service for price and availability.

Standard Cover Plate

Diameter = 2-3/4 inches

Use w/ VK461, 462, 463, 464, 465



Finish	Temp	Part #	IPG	List
Polished Chrome	135°F	23190FA	V208	\$94.24
Polished Chrome	165°F	23190FC	V208	\$94.24
White	135°F	23190MA/W	V208	\$35.95
White	165°F	23190MC/W	V208	\$35.95
Ivory	135°F	23190MA/I	V209	\$44.98
Ivory	165°F	23190MC/I	V209	\$44.98
Black	135°F	23190MA/B	V209	\$44.98
Black	165°F	23190MC/B	V209	\$44.98
Bright Brass	135°F	23190BA	V209	\$44.98
Bright Brass	165°F	23190BC	V209	\$44.98
Brushed Brass	135°F	23190BA/B	V209	\$44.98
Brushed Brass	165°F	23190BC/B	V209	\$44.98
Antique Brass	135°F	23190BA/A	V209	\$44.98
Antique Brass	165°F	23190BC/A	V209	\$44.98
Brushed Copper	135°F	23190EA/B	V209	\$44.98
Brushed Copper	165°F	23190EC/B	V209	\$44.98
Brushed Chrome	135°F	23190FA/B	V209	\$44.98
Brushed Chrome	165°F	23190FC/B	V209	\$44.98

Square Cover Plate

Use w/ VK461, 462, 463, 464, 465

Finish	Temp	Part #	IPG	List
Polished Chrome	135°F	23179FA	V210	\$61.87
Polished Chrome	165°F	23179FC	V210	\$61.87
White	135°F	23179MA/W	V210	\$59.39
White	165°F	23179MC/W	V210	\$59.39
Ivory	135°F	23179MA/I	V210	\$59.39
Ivory	165°F	23179MC/I	V210	\$59.39
Black	135°F	23179MA/B	V210	\$59.39
Black	165°F	23179MC/B	V210	\$59.39
Bright Brass	135°F	23179BA	V210	\$72.43
Bright Brass	165°F	23179BC	V210	\$72.43
Brushed Brass	135°F	23179BA/B	V210	\$72.43
Brushed Brass	165°F	23179BC/B	V210	\$72.43
Antique Brass	135°F	23179BA/A	V210	\$72.43
Antique Brass	165°F	23179BC/A	V210	\$72.43
Brushed Copper	135°F	23179EA/B	V210	\$72.43
Brushed Copper	165°F	23179EC/B	V210	\$72.43
Brushed Chrome	135°F	23179FA/B	V210	\$72.43
Brushed Chrome	165°F	23179FC/B	V210	\$72.43

Cleanroom Cover Assembly

Diameter = 3-5/16 inches

cULus listed



For use w/ VK462 and VK464 only

Gasket color is white

- Provides seal for cleanroom and clean zone environments
- VK462 retains QR listing with cleanroom cover plate installed
- Cover plate available in 135°F and 165°F temperature rating
- Also listed for use with Mirage-MRI room sprinkler

Large Cover Plate

Diameter = 3-5/16 inches

Use w/ VK461, 462, 463, 464, 465



Finish	Temp	Part #	IPG	List
Polished Chrome	135°F	23174FA	V208	\$94.24
Polished Chrome	165°F	23174FC	V208	\$94.24
White	135°F	23174MA/W	V208	\$35.95
White	165°F	23174MC/W	V208	\$35.95
Ivory	135°F	23174MA/I	V209	\$44.98
Ivory	165°F	23174MC/I	V209	\$44.98
Black	135°F	23174MA/B	V209	\$44.98
Black	165°F	23174MC/B	V209	\$44.98
Bright Brass	135°F	23174BA	V209	\$44.98
Bright Brass	165°F	23174BC	V209	\$44.98
Brushed Brass	135°F	23174BA/B	V209	\$44.98
Brushed Brass	165°F	23174BC/B	V209	\$44.98
Antique Brass	135°F	23174BA/A	V209	\$44.98
Antique Brass	165°F	23174BC/A	V209	\$44.98
Brushed Copper	135°F	23174EA/B	V209	\$44.98
Brushed Copper	165°F	23174EC/B	V209	\$44.98
Brushed Chrome	135°F	23174FA/B	V209	\$44.98
Brushed Chrome	165°F	23174FC/B	V209	\$44.98

Mirage ELO Cover Plate

Diameter = 3-5/16 inches

Use w/ VK469, VK636, VK538



Finish	Temp	Part #	IPG	List
Polished Chrome	135°F	15765FA	V208	\$94.24
Polished Chrome	165°F	15765FC	V208	\$94.24
White	135°F	15765MA/W	V208	\$35.95
White	165°F	15765MC/W	V208	\$35.95
Ivory	135°F	15765MA/I	V209	\$44.98
Ivory	165°F	15765MC/I	V209	\$44.98
Black	135°F	15765MA/B	V209	\$44.98
Black	165°F	15765MC/B	V209	\$44.98

For information on Stainless Steel
Cover Plates, please refer to Page H-6.

Finish	Temp	Part #	IPG	List
Polished Chrome	135°F	23174FA/CR	V211	\$93.66
Polished Chrome	165°F	23174FC/CR	V211	\$93.66
White	135°F	23174MA/W/CR	V211	\$93.66
White	165°F	23174MC/W/CR	V211	\$93.66
Ivory	135°F	23174MA/I/CR	V211	\$93.66
Ivory	165°F	23174MC/I/CR	V211	\$93.66
Black	135°F	23174MA/B/CR	V211	\$93.66
Black	165°F	23174MC/B/CR	V211	\$93.66

Mirage® Concealed Pendent Sprinklers - Wrenches and Special Installation Tools

Standard / Heavy Duty Wrench


(use with all Mirage sprinklers except ELO spk)



Part #	IPG	List Price
14047W/B	V207	\$149.61

Standard / Heavy Duty Wrench (ELO concealed)

(use only with Mirage ELO concealed sprinklers)



Part #	IPG	List Price
15467W/B	V207	\$149.61

Standard / Light Duty Wrench

(use with all Mirage sprinklers except ELO spk)



Part #	IPG	List Price
(use with all Mirage sprinklers except ELO spk)		
14031	V205	\$30.63
(use only with Mirage ELO concealed sprinklers)		
15466	V205	\$30.63

Cover Plate Installation Tool

Standard Diameter Cover Plates



Part #	IPG	List Price
14412	V205	\$13.50

Cover Plate Installation Tool

Large Diameter Cover Plates



Part #	IPG	List Price
14867	V205	\$13.50



**Quick Response
Standard Coverage
Fusible Link
Light/Ordinary Hazard
Concealed Sidewall**

SIN: VK481
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 17555A

VK481 Cover Plate¹
Diameter = 3-5/16 inches



Finish	Temp	Part #	IPG	List Price
Standard Brass	165°F	17555AC	V127	\$112.21
Standard Brass	205°F	17555AE	V127	\$112.21
Heavy Duty Spk Wrench		16208W/R	V207	\$149.61
Head Cabinet Wrench		16267	V207	\$30.67

Cover plate sold separately (see below)

Finish	Temp	Part #	IPG	List Price
White	135°F	16207MA/W	V213	\$41.83
White	165°F	16207MC/W	V213	\$41.83
Cover Plate Installation Tool		14867	V205	\$13.50



Horizon® Flush (Model H-1)²
**Quick Response
Standard Coverage
Fusible Link**

SIN: VK402⁴
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 06702B

Finish	Temp	Part #	IPG	List Price
Chrome	165°F	06702BFC	V128	\$83.50
Painted White	165°F	06702BMC/W	V128	\$84.97
Heavy Duty Spk Wrench		08336W/B	V207	\$149.61
Light Duty Spk Wrench		10366W/B	V207	\$35.38



Flush Pendant³
**Quick Response
Standard Coverage
Fusible Link**

SIN: VK478⁴
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 19995

Finish	Temp	Part #	IPG	List Price
Painted White	165°F	19995MC/W	V128	\$75.44
Painted White	205°F	19995ME/W	V128	\$75.44
RAL9010/Pure White	165°F	19995MC/RAL9010	V128	\$83.82
RAL9010/Pure White	205°F	19995MC/RAL9010	V128	\$83.82
Heavy Duty Spk Wrench		15209W/R	V207	\$149.61

- (1) Cover plates sold separately. Covers are also available in custom colors at an additional charge (see pg. F-8)
- (2) Ceiling rings for Horizon Model H-1 flush pendant sprinklers (VK402) are sold separately.
- (3) Ceiling rings for new Model VK478 flush pendant sprinklers are INCLUDED with the sprinkler.
- (4) See page H-8 for ceiling rings for both the Horizon Model H-1 (VK402) and the new Model VK478 flush pendant sprinkler.



Microfast® Model M
Quick Response
Standard Coverage
FUSIBLE LINK¹
Upright Sprinklers



Microfast® Model M
Quick Response
Standard Coverage
FUSIBLE LINK¹
Pendent Sprinklers

Finish	Temp	Part #	IPG	List Price
VK326 - 2.8 (40) K Factor - 1/2 in NPT				
Standard Brass	165°F	20983AC	V124	\$69.62
Standard Brass	205°F	20983AE	V124	\$69.62
Standard Brass	280°F	20983AG	V124	\$69.62
Chrome	165°F	20983FC	V124	\$76.04
Chrome	205°F	20983FE	V124	\$76.04
Chrome	280°F	20983FG	V124	\$76.04
White-Polyester	165°F	20983MC/W	V124	\$76.04
White-Polyester	205°F	20983ME/W	V124	\$76.04
White-Polyester	280°F	20983MG/W	V124	\$76.04
VK328 - 4.2 (60) K Factor - 1/2 in NPT				
Standard Brass	165°F	21270AC	V124	\$69.62
Standard Brass	205°F	21270AE	V124	\$69.62
Standard Brass	280°F	21270AG	V124	\$69.62
Chrome	165°F	21270FC	V124	\$76.04
Chrome	205°F	21270FE	V124	\$76.04
Chrome	280°F	21270FG	V124	\$76.04
White-Polyester	165°F	21270MC/W	V124	\$76.04
White-Polyester	205°F	21270ME/W	V124	\$76.04
White-Polyester	280°F	21270MG/W	V124	\$76.04
VK301 - 5.6 (81) K Factor - 1/2 in NPT				
Standard Brass	165°F	17535AC	V124	\$57.32
Standard Brass	205°F	17535AE	V124	\$57.32
Standard Brass	280°F	17535AG	V124	\$57.32
Chrome	165°F	17535FC	V124	\$65.73
Chrome	205°F	17535FE	V124	\$65.73
Chrome	280°F	17535FG	V124	\$65.73
White-Polyester	165°F	17535MC/W	V124	\$65.73
White-Polyester	205°F	17535ME/W	V124	\$65.73
White-Polyester	280°F	17535MG/W	V124	\$65.73
Black-Polyester	165°F	17535MC/B	V124	\$76.25
Black-Polyester	205°F	17535ME/B	V124	\$76.25
Black-Polyester	280°F	17535MG/B	V124	\$76.25
VK351 - 8.0 (115) K Factor - 3/4 in NPT				
Standard Brass	165°F	18275AC	V133	\$66.47
Standard Brass	205°F	18275AE	V133	\$66.47
Standard Brass	280°F	18275AG	V133	\$66.47
Chrome	165°F	18275FC	V133	\$76.34
Chrome	205°F	18275FE	V133	\$76.34
Chrome	280°F	18275FG	V133	\$76.34
White-Polyester	165°F	18275MC/W	V133	\$76.34
White-Polyester	205°F	18275ME/W	V133	\$76.34
White-Polyester	280°F	18275MG/W	V133	\$76.34
Std Sprinkler Wrench		21475M/B	V207	\$77.63

Finish	Temp	Part #	IPG	List Price
VK330 - 2.8 (40) K Factor - 1/2 in NPT				
Standard Brass	165°F	20985AC	V124	\$69.62
Standard Brass	205°F	20985AE	V124	\$69.62
Standard Brass	280°F	20985AG	V124	\$69.62
Chrome	165°F	20985FC	V124	\$76.04
Chrome	205°F	20985FE	V124	\$76.04
Chrome	280°F	20985FG	V124	\$76.04
White-Polyester	165°F	20985MC/W	V124	\$76.04
White-Polyester	205°F	20985ME/W	V124	\$76.04
White-Polyester	280°F	20985MG/W	V124	\$76.04
VK332 - 4.2 (60) K Factor - 1/2 in NPT				
Standard Brass	165°F	21272AC	V124	\$69.62
Standard Brass	205°F	21272AE	V124	\$69.62
Standard Brass	280°F	21272AG	V124	\$69.62
Chrome	165°F	21272FC	V124	\$76.04
Chrome	205°F	21272FE	V124	\$76.04
Chrome	280°F	21272FG	V124	\$76.04
White-Polyester	165°F	21272MC/W	V124	\$76.04
White-Polyester	205°F	21272ME/W	V124	\$76.04
White-Polyester	280°F	21272MG/W	V124	\$76.04
VK303 - 5.6 (81) K Factor - 1/2 in NPT				
Standard Brass	165°F	17536AC	V124	\$57.32
Standard Brass	205°F	17536AE	V124	\$57.32
Standard Brass	280°F	17536AG	V124	\$57.32
Chrome	165°F	17536FC	V124	\$65.73
Chrome	205°F	17536FE	V124	\$65.73
Chrome	280°F	17536FG	V124	\$65.73
White-Polyester	165°F	17536MC/W	V124	\$65.73
White-Polyester	205°F	17536ME/W	V124	\$65.73
White-Polyester	280°F	17536MG/W	V124	\$65.73
Black-Polyester	165°F	17536MC/B	V124	\$76.25
Black-Polyester	205°F	17536ME/B	V124	\$76.25
Black-Polyester	280°F	17536MG/B	V124	\$76.25
VK353 - 8.0 (115) K Factor - 3/4 in NPT				
Standard Brass	165°F	18274AC	V133	\$66.47
Standard Brass	205°F	18274AE	V133	\$66.47
Standard Brass	280°F	18274AG	V133	\$66.47
Chrome	165°F	18274FC	V133	\$76.34
Chrome	205°F	18274FE	V133	\$76.34
Chrome	280°F	18274FG	V133	\$76.34
White-Polyester	165°F	18274MC/W	V133	\$76.34
White-Polyester	205°F	18274ME/W	V133	\$76.34
White-Polyester	280°F	18274MG/W	V133	\$76.34
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Recessed		13655W/B	V207	\$149.61

(1) Also available with ENT (Electroless Nickel PTFE) plating for corrosion resistance (special order with extended lead time).
Contact customer service for price and availability. Special order ENT plated sprinklers may not have listings/approvals.



Microfast® Model M
Quick Response
Standard Coverage
FUSIBLE LINK¹
Horizontal Sidewall

Finish	Temp	Part #	IPG	List Price
VK334 - 2.8 (40) K Factor - 1/2 in NPT				
Standard Brass	165°F	20990AC	V122	\$83.29
Standard Brass	205°F	20990AE	V122	\$83.29
Standard Brass	280°F	20990AG	V122	\$83.29
Chrome	165°F	20990FC	V122	\$85.30
Chrome	205°F	20990FE	V122	\$85.30
Chrome	280°F	20990FG	V122	\$85.30
White-Polyester	165°F	20990MC/W	V122	\$87.29
White-Polyester	205°F	20990ME/W	V122	\$87.29
White-Polyester	280°F	20990MG/W	V122	\$87.29
VK307 - 5.6 (81) K Factor - 1/2 in NPT				
Standard Brass	165°F	13947AC	V122	\$72.15
Standard Brass	205°F	13947AE	V122	\$72.15
Standard Brass	280°F	13947AG	V122	\$72.15
Chrome	165°F	13947FC	V122	\$76.53
Chrome	205°F	13947FE	V122	\$76.53
Chrome	280°F	13947FG	V122	\$76.53
White-Polyester	165°F	13947MC/W	V122	\$83.35
White-Polyester	205°F	13947ME/W	V122	\$83.35
White-Polyester	280°F	13947MG/W	V122	\$83.35
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Recessed		13655W/B	V207	\$149.61



Microfast® Model M
Quick Response
Standard Coverage
FUSIBLE LINK¹
Vertical Sidewall

Finish	Temp	Part #	IPG	List Price
VK309 - 5.6 (81) K Factor - 1/2 in NPT				
Standard Brass	165°F	13951AC	V122	\$96.22
Standard Brass	205°F	13951AE	V122	\$96.22
Chrome	165°F	13951FC	V122	\$99.07
Chrome	205°F	13951FE	V122	\$99.07
Std Sprinkler Wrench		21475M/B	V207	\$77.63



Microfast® Model M
Quick Response
Standard Coverage
FUSIBLE LINK¹
Conventional

Finish	Temp	Part #	IPG	List Price
VK311 - 5.6 (81) K Factor - 1/2 in NPT				
Standard Brass	165°F	19392AC	V124	\$57.32
Standard Brass	205°F	19392AE	V124	\$57.32
Standard Brass	280°F	19392AG	V124	\$57.32
Chrome	165°F	19392FC	V124	\$65.73
Chrome	205°F	19392FE	V124	\$57.32
Chrome	280°F	19392FG	V124	\$57.32
White-Polyester	165°F	19392MC/W	V124	\$65.73
White-Polyester	205°F	19392ME/W	V124	\$65.73
White-Polyester	280°F	19392MG/W	V124	\$65.73
Std Sprinkler Wrench		21475M/B	V207	\$77.63



Microfast® Model M
Quick Response
Standard Coverage
FUSIBLE LINK¹
Conventional

Finish	Temp	Part #	IPG	List Price
VK355 - 8.0 (115) K Factor - 3/4 in NPT				
Standard Brass	165°F	18276AC	V133	\$79.46
Standard Brass	205°F	18276AE	V133	\$79.46
Standard Brass	280°F	18276AG	V133	\$79.46
Chrome	165°F	18276FC	V133	\$96.07
Chrome	205°F	18276FE	V133	\$96.07
Chrome	280°F	18276FG	V133	\$96.07
White-Polyester	165°F	18276MC/W	V133	\$96.07
White-Polyester	205°F	18276ME/W	V133	\$96.07
White-Polyester	280°F	18276MG/W	V133	\$96.07
Std Sprinkler Wrench		21475M/B	V207	\$77.63



Microfast® Model M
Quick Response
Standard Coverage
FUSIBLE LINK¹
Upright
HIGH PRESSURE

Finish	Temp	Part #	IPG	List Price
VK341 - 2.8 (40) K Factor - 1/2 in NPT - UPRIGHT (HP)				
Standard Brass	165°F	20992AC	V123	\$72.78
Standard Brass	205°F	20992AE	V123	\$72.78
Standard Brass	280°F	20992AG	V123	\$72.78
Chrome	165°F	20992FC	V123	\$76.67
Chrome	205°F	20992FE	V123	\$76.67
Chrome	280°F	20992FG	V123	\$76.67
White-Polyester	165°F	20992MC/W	V123	\$76.67
White-Polyester	205°F	20992ME/W	V123	\$76.67
White-Polyester	280°F	20992MG/W	V123	\$76.67
VK316 - 5.6 (81) K Factor - 1/2 in NPT - UPRIGHT (HP)				
Standard Brass	165°F	13953AC	V123	\$55.63
Standard Brass	205°F	13953AE	V123	\$55.63
Standard Brass	280°F	13953AG	V123	\$55.63
Chrome	165°F	13953FC	V123	\$60.16
Chrome	205°F	13953FE	V123	\$60.16
Chrome	280°F	13953FG	V123	\$60.16
White-Polyester	165°F	13953MC/W	V123	\$60.16
White-Polyester	205°F	13953ME/W	V123	\$60.16
White-Polyester	280°F	13953MG/W	V123	\$60.16
Std Sprinkler Wrench		21475M/B	V207	\$77.63



Microfast® Model M
Quick Response
Standard Coverage
FUSIBLE LINK¹
Pendent
HIGH PRESSURE

Finish	Temp	Part #	IPG	List Price
VK343 - 2.8 (40) K Factor - 1/2 in NPT - PENDENT (HP)				
Standard Brass	165°F	20994AC	V123	\$72.78
Standard Brass	205°F	20994AE	V123	\$72.78
Standard Brass	280°F	20994AG	V123	\$72.78
Chrome	165°F	20994FC	V123	\$76.67
Chrome	205°F	20994FE	V123	\$76.67
Chrome	280°F	20994FG	V123	\$76.67
White-Polyester	165°F	20994MC/W	V123	\$76.67
White-Polyester	205°F	20994ME/W	V123	\$76.67
White-Polyester	280°F	20994MG/W	V123	\$76.67
VK318 - 5.6 (81) K Factor - 1/2 in NPT - PENDENT (HP)				
Standard Brass	165°F	13954AC	V123	\$55.63
Standard Brass	205°F	13954AE	V123	\$55.63
Standard Brass	280°F	13954AG	V123	\$55.63
Chrome	165°F	13954FC	V123	\$60.16
Chrome	205°F	13954FE	V123	\$60.16
Chrome	280°F	13954FG	V123	\$60.16
White-Polyester	165°F	13954MC/W	V123	\$60.16
White-Polyester	205°F	13954ME/W	V123	\$60.16
White-Polyester	280°F	13954MG/W	V123	\$60.16
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Recessed		13655W/B	V207	\$149.61



Microfast® Model M
Quick Response
Standard Coverage
FUSIBLE LINK¹
Horizontal Sidewall
HIGH PRESSURE

Finish	Temp	Part #	IPG	List Price
VK346 - 2.8 (40) K Factor - 1/2 in NPT - HSW (HP)				
Standard Brass	165°F	20996AC	V122	\$83.29
Standard Brass	205°F	20996AE	V122	\$83.29
Standard Brass	280°F	20996AG	V122	\$83.29
Chrome	165°F	20996FC	V122	\$85.30
Chrome	205°F	20996FE	V122	\$85.30
Chrome	280°F	20996FG	V122	\$85.30
White-Polyester	165°F	20996MC/W	V122	\$87.29
White-Polyester	205°F	20996ME/W	V122	\$87.29
White-Polyester	280°F	20996MG/W	V122	\$87.29
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Recessed		13655W/B	V207	\$149.61



Microfast® Model M
Quick Response
Standard Coverage
FUSIBLE LINK¹
Horizontal Sidewall
HIGH PRESSURE

Finish	Temp	Part #	IPG	List Price
VK320 - 5.6 (81) K Factor - 1/2 in NPT - HSW (HP)				
Standard Brass	165°F	13955AC	V122	\$72.15
Standard Brass	205°F	13955AE	V122	\$72.15
Standard Brass	280°F	13955AG	V122	\$72.15
Chrome	165°F	13955FC	V122	\$76.46
Chrome	205°F	13955FE	V122	\$76.46
Chrome	280°F	13955FG	V122	\$76.46
White-Polyester	165°F	13955MC/W	V122	\$83.29
White-Polyester	205°F	13955ME/W	V122	\$83.29
White-Polyester	280°F	13955MG/W	V122	\$83.29
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Recessed		13655W/B	V207	\$149.61

(1) Also available with ENT (Electroless Nickel PTFE) plating for corrosion resistance (special order with extended lead time).

Contact customer service for price and availability. Special order ENT plated sprinklers may not have listings/approvals.



Microfast™ Model M
HIGH PRESSURE - 250 PSI
Quick Response
Standard Coverage
Glass Bulb
Upright

SIN: VK340
K Factor: 2.8 (40)
Thread Size: 1/2 inch NPT
Base Part #: 20991

Finish ²	Temp	Part #	IPG	List Price
Standard Brass	155°F	20991AB	V121	\$59.50
Standard Brass	175°F	20991AD	V121	\$59.50
Standard Brass	200°F	20991AE	V121	\$59.50
Standard Brass	286°F	20991AG	V121	\$59.50
Chrome	155°F	20991FB	V121	\$63.75
Chrome	175°F	20991FD	V121	\$63.75
Chrome	200°F	20991FE	V121	\$63.75
Chrome	286°F	20991FG	V121	\$63.75
White-Polyester ¹	155°F	20991MB/W	V121	\$63.75
White-Polyester	175°F	20991MD/W	V121	\$63.75
White-Polyester	200°F	20991ME/W	V121	\$63.75
White-Polyester	286°F	20991MG/W	V121	\$63.75
Black-Polyester ¹	155°F	20991MB/B	V121	\$91.03
Black-Polyester	175°F	20991MD/B	V121	\$91.03
Black-Polyester	200°F	20991ME/B	V121	\$91.03
Black-Polyester	286°F	20991MG/B	V121	\$91.03
Std Sprinkler Wrench		21475M/B	V207	\$77.63



Microfast™ Model M
HIGH PRESSURE - 250 PSI
Quick Response
Standard Coverage
Glass Bulb
Pendent

SIN: VK342
K Factor: 2.8 (40)
Thread Size: 1/2 inch NPT
Base Part #: 20993

Finish ²	Temp	Part #	IPG	List Price
Standard Brass	155°F	20993AB	V121	\$59.50
Standard Brass	175°F	20993AD	V121	\$59.50
Standard Brass	200°F	20993AE	V121	\$59.50
Standard Brass	286°F	20993AG	V121	\$59.50
Chrome	155°F	20993FB	V121	\$63.75
Chrome	175°F	20993FD	V121	\$63.75
Chrome	200°F	20993FE	V121	\$63.75
Chrome	286°F	20993FG	V121	\$63.75
White-Polyester ¹	155°F	20993MB/W	V121	\$63.75
White-Polyester	175°F	20993MD/W	V121	\$63.75
White-Polyester	200°F	20993ME/W	V121	\$63.75
White-Polyester	286°F	20993MG/W	V121	\$63.75
Black-Polyester ¹	155°F	20993MB/B	V121	\$91.03
Black-Polyester	175°F	20993MD/B	V121	\$91.03
Black-Polyester	200°F	20993ME/B	V121	\$91.03
Black-Polyester	286°F	20993MG/B	V121	\$91.03
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Recessed		13655W/B	V207	\$149.61

Select Escutcheons - Recessed Pendent Sprinklers*



Recessed Escutcheon
Model E-1 (push-on)
(includes cup & adapter)
(OD = 3-1/16" / 78 mm)

Finish	Size	Part #	IPG	List Price
Bright Brass	1/2"	06419AB	V201	\$39.23
Polished Chrome	1/2"	06419AF	V200	\$8.28
White	1/2"	06419AM/W	V200	\$8.28
Black	1/2"	06419AM/B	V201	\$17.15



Threaded Escutcheon
Model E-2 (thread-on)
(includes cup & adapter)
(OD = 3-1/8" / 80 mm)

Finish	Size	Part #	IPG	List Price
Polished Chrome	1/2"	11038F	V200	\$8.31
White	1/2"	11038M/W	V200	\$8.31

*Refer to Page H-1 for complete list of available escutcheons

NOTE - High Pressure (HP) = Working pressure to 250 psi

- (1) Suitable for decorative applications; UL listed for corrosion resistance.
(2) Also available with ENT (Electroless Nickel PTFE) plating for corrosion resistance (special order with extended lead time).
Contact customer service for price and availability. Special order ENT plated sprinklers may not have listings/approvals.



Microfast® Model M
HIGH PRESSURE - 250 PSI
Quick Response
Standard Coverage
Glass Bulb
Upright

SIN: VK315
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 12281



Microfast® Model M
HIGH PRESSURE - 250 PSI
Quick Response
Standard Coverage
Glass Bulb
Pendent

SIN: VK317
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 12282

Finish ²	Temp	Part #	IPG	List Price
Standard Brass	155°F	12281AB	V121	\$42.99
Standard Brass	175°F	12281AD	V121	\$42.99
Standard Brass	200°F	12281AE	V121	\$42.99
Standard Brass	286°F	12281AG	V121	\$42.99
Chrome	155°F	12281FB	V121	\$45.51
Chrome	175°F	12281FD	V121	\$45.51
Chrome	200°F	12281FE	V121	\$45.51
Chrome	286°F	12281FG	V121	\$45.51
White-Polyester ¹	155°F	12281MB/W	V121	\$45.51
White-Polyester	175°F	12281MD/W	V121	\$45.51
White-Polyester	200°F	12281ME/W	V121	\$45.51
White-Polyester	286°F	12281MG/W	V121	\$45.51
Black-Polyester ¹	155°F	12281MB/B	V121	\$70.80
Black-Polyester	175°F	12281MD/B	V121	\$70.80
Black-Polyester	200°F	12281ME/B	V121	\$70.80
Black-Polyester	286°F	12281MG/B	V121	\$70.80
Nickel PTFE (ENT) ²	155°F	12281JNB	V188.A	\$68.90
Nickel PTFE (ENT)	175°F	12281JND	V188.A	\$68.90
Nickel PTFE (ENT)	200°F	12281JNE	V188.A	\$68.90
Nickel PTFE (ENT)	286°F	12281JNG	V188.A	\$68.90
Std Sprinkler Wrench		21475M/B	V207	\$77.63

Finish ²	Temp	Part #	IPG	List Price
Standard Brass	155°F	12282AB	V121	\$42.99
Standard Brass	175°F	12282AD	V121	\$42.99
Standard Brass	200°F	12282AE	V121	\$42.99
Standard Brass	286°F	12282AG	V121	\$42.99
Chrome	155°F	12282FB	V121	\$45.51
Chrome	175°F	12282FD	V121	\$45.51
Chrome	200°F	12282FE	V121	\$45.51
Chrome	286°F	12282FG	V121	\$45.51
White-Polyester ¹	155°F	12282MB/W	V121	\$45.51
White-Polyester	175°F	12282MD/W	V121	\$45.51
White-Polyester	200°F	12282ME/W	V121	\$45.51
White-Polyester	286°F	12282MG/W	V121	\$45.51
Black-Polyester ¹	155°F	12282MB/B	V121	\$70.80
Black-Polyester	175°F	12282MD/B	V121	\$91.03
Black-Polyester	200°F	12282ME/B	V121	\$91.03
Black-Polyester	286°F	12282MG/B	V121	\$91.03
Nickel PTFE (ENT) ²	155°F	12282MB/B	V121	\$70.80
Nickel PTFE (ENT)	175°F	12282MD/B	V121	\$91.03
Nickel PTFE (ENT)	200°F	12282ME/B	V121	\$91.03
Nickel PTFE (ENT)	286°F	12282MG/B	V121	\$91.03
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Recessed		13655W/B	V207	\$149.61

NOTE - High Pressure (HP) = Working pressure to 250 psi

Select Escutcheons - Recessed Pendent Sprinklers*



Recessed Escutcheon
Model E-1 (push-on)
(includes cup & adapter)
(OD = 3-1/16" / 78 mm)

Finish	Size	Part #	IPG	List Price
Bright Brass	1/2"	06419AB	V201	\$39.23
Polished Chrome	1/2"	06419AF	V200	\$8.28
White	1/2"	06419AM/W	V200	\$8.28
Black	1/2"	06419AM/B	V201	\$17.15



Threaded Escutcheon
Model E-2 (thread-on)
(includes cup & adapter)
(OD = 3-1/8" / 80 mm)

Finish	Size	Part #	IPG	List Price
Polished Chrome	1/2"	11038F	V200	\$8.31
White	1/2"	11038M/W	V200	\$8.31

*Refer to Page H-1 for complete list of available escutcheons

(1) Suitable for decorative applications; UL listed for corrosion resistance.

(2) Electroless Nickel PTFE (ENT) plating is UL Listed and FM Approved for corrosion resistance.

Microfast® Model M
HIGH PRESSURE - 250 PSI
Quick Response
Standard Coverage
Glass Bulb
Horizontal Sidewall



SIN: VK344¹
K Factor: 2.8 (40)
Thread Size: 1/2 inch NPT
Base Part #: 20995

Finish ⁴	Temp	Part #	IPG	List Price
Standard Brass	155°F	20995AB	V125	\$82.24
Standard Brass	175°F	20995AD	V125	\$82.24
Standard Brass	200°F	20995AE	V125	\$82.24
Standard Brass	286°F	20995AG	V125	\$82.24
Chrome	155°F	20995FB	V125	\$87.76
Chrome	175°F	20995FD	V125	\$87.76
Chrome	200°F	20995FE	V125	\$87.76
Chrome	286°F	20995FG	V125	\$87.76
White-Polyester ³	155°F	20995MB/W	V125	\$87.76
White-Polyester	175°F	20995MD/W	V125	\$87.76
White-Polyester	200°F	20995ME/W	V125	\$87.76
White-Polyester	286°F	20995MG/W	V125	\$87.76
Black-Polyester ³	155°F	20995MB/B	V125	\$100.80
Black-Polyester	175°F	20995MD/B	V125	\$100.80
Black-Polyester	200°F	20995ME/B	V125	\$100.80
Black-Polyester	286°F	20995MG/B	V125	\$100.80
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Recessed		13655W/B	V207	\$149.61

Microfast® Model M
HIGH PRESSURE - 250 PSI
Quick Response
Standard Coverage
Glass Bulb
Horizontal Sidewall



SIN: VK319²
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 12285

Finish ⁴	Temp	Part #	IPG	List Price
Standard Brass	155°F	12285AB	V125	\$54.76
Standard Brass	175°F	12285AD	V125	\$54.76
Standard Brass	200°F	12285AE	V125	\$54.76
Standard Brass	286°F	12285AG	V125	\$54.76
Chrome	155°F	12285FB	V125	\$58.97
Chrome	175°F	12285FD	V125	\$58.97
Chrome	200°F	12285FE	V125	\$58.97
Chrome	286°F	12285FG	V125	\$58.97
White-Polyester ³	155°F	12285MB/W	V125	\$59.68
White-Polyester	175°F	12285MD/W	V125	\$59.68
White-Polyester	200°F	12285ME/W	V125	\$59.68
White-Polyester	286°F	12285MG/W	V125	\$59.68
Black-Polyester ³	155°F	12285MB/B	V125	\$82.55
Black-Polyester	175°F	12285MD/B	V125	\$82.55
Black-Polyester	200°F	12285ME/B	V125	\$82.55
Black-Polyester	286°F	12285MG/B	V125	\$82.55
Nickel PTFE (ENT)	155°F	12285JNB	V188.A	\$103.65
Nickel PTFE (ENT)	175°F	12285JND	V188.A	\$103.65
Nickel PTFE (ENT)	200°F	12285JNE	V188.A	\$103.65
Nickel PTFE (ENT)	286°F	12285JNG	V188.A	\$103.65
Std Sprinkler Wrench		21475M/B	V207	\$77.63
Wrench for Recessed		13655W/B	V207	\$149.61

Select Escutcheons - Recessed Pendent Sprinklers*



Recessed Escutcheon
Model E-1 (push-on)
(includes cup & adapter)
(OD = 3-1/16" / 78 mm)

Finish	Size	Part #	IPG	List Price
Bright Brass	1/2"	06419AB	V201	\$39.23
Polished Chrome	1/2"	06419AF	V200	\$8.28
White	1/2"	06419AM/W	V200	\$8.28
Black	1/2"	06419AM/B	V201	\$17.15



Threaded Escutcheon
Model E-2 (thread-on)
(includes cup & adapter)
(OD = 3-1/8" / 80 mm)

Finish	Size	Part #	IPG	List Price
Polished Chrome	1/2"	11038F	V200	\$8.31
White	1/2"	11038M/W	V200	\$8.31

- (1) Light hazard
(2) Light / Ordinary hazard
(3) Suitable for decorative applications; UL listed for corrosion resistance.
(4) Also available with ENT (Electroless Nickel PTFE) plating for corrosion resistance (special order with extended lead time).
Contact customer service for price and availability. Special order ENT plated sprinklers may not have listings/approvals.



XT1
HIGH PRESSURE - 250 PSI
Quick Response
Standard Coverage
Glass Bulb
Upright

SIN: VK3001
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 23100



XT1
HIGH PRESSURE - 250 PSI
Quick Response
Standard Coverage
Glass Bulb
Pendent

SIN: VK3021
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 23101

Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	23100AA	V120	\$31.79
Standard Brass	155°F	23100AB	V120	\$31.79
Standard Brass	175°F	23100AD	V120	\$31.79
Standard Brass	200°F	23100AE	V120	\$31.79
Standard Brass	286°F	23100AG	V120	\$31.79
Chrome	135°F	23100FA	V120	\$42.49
Chrome	155°F	23100FB	V120	\$42.49
Chrome	175°F	23100FD	V120	\$42.49
Chrome	200°F	23100FE	V120	\$42.49
Chrome	286°F	23100FG	V120	\$42.49
White-Polyester ¹	135°F	23100MA/W	V120	\$42.49
White-Polyester	155°F	23100MB/W	V120	\$42.49
White-Polyester	175°F	23100MD/W	V120	\$42.49
White-Polyester	200°F	23100ME/W	V120	\$42.49
White-Polyester	286°F	23100MG/W	V120	\$42.49
Black-Polyester ¹	135°F	23100MA/B	V120	\$70.80
Black-Polyester	155°F	23100MB/B	V120	\$70.80
Black-Polyester	175°F	23100MD/B	V120	\$70.80
Black-Polyester	200°F	23100ME/B	V120	\$70.80
Black-Polyester	286°F	23100MG/B	V120	\$70.80
Nickel PTFE (ENT) ²	135°F	23100JNA	V120	\$76.08
Nickel PTFE (ENT) ²	155°F	23100JNB	V120	\$76.08
Nickel PTFE (ENT)	175°F	23100JND	V120	\$76.08
Nickel PTFE (ENT)	200°F	23100JNE	V120	\$76.08
Nickel PTFE (ENT)	286°F	23100JNG	V120	\$76.08

Installation Wrenches			
Wrench - Installer	22940MB	V207	\$77.63
Wrench - Spk Cabinet	20901M/B	V207	\$77.63
Wrench - Recessed	20951M/B	V207	\$149.61
Wrench - Straight	22940MB	V207	\$77.63

Finish	Temp	Part #	IPG	List Price
Standard Brass	135°F	23101AA	V120	\$31.79
Standard Brass	155°F	23101AB	V120	\$31.79
Standard Brass	175°F	23101AD	V120	\$31.79
Standard Brass	200°F	23101AE	V120	\$31.79
Standard Brass	286°F	23101AG	V120	\$31.79
Chrome	135°F	23101FA	V120	\$33.72
Chrome	155°F	23101FB	V120	\$33.72
Chrome	175°F	23101FD	V120	\$33.72
Chrome	200°F	23101FE	V120	\$33.72
Chrome	286°F	23101FG	V120	\$33.72
White-Polyester ¹	135°F	23101MA/W	V120	\$33.72
White-Polyester	155°F	23101MB/W	V120	\$33.72
White-Polyester	175°F	23101MD/W	V120	\$33.72
White-Polyester	200°F	23101ME/W	V120	\$33.72
White-Polyester	286°F	23101MG/W	V120	\$33.72
Black-Polyester ¹	135°F	23101MA/B	V120	\$60.51
Black-Polyester	155°F	23101MB/B	V120	\$60.51
Black-Polyester	175°F	23101MD/B	V120	\$60.51
Black-Polyester	200°F	23101ME/B	V120	\$60.51
Black-Polyester	286°F	23101MG/B	V120	\$60.51
Nickel PTFE (ENT) ²	135°F	23101JNA	V120	\$76.08
Nickel PTFE (ENT) ²	155°F	23101JNB	V120	\$76.08
Nickel PTFE (ENT)	175°F	23101JND	V120	\$76.08
Nickel PTFE (ENT)	200°F	23101JNE	V120	\$76.08
Nickel PTFE (ENT)	286°F	23101JNG	V120	\$76.08

Select Escutcheons - Recessed Pendent Sprinklers*			
NP-1 push-on (chrome, 1/2 in)	22066F	V200	\$8.28
NP-1 push-on (white, 1/2 in)	22066M/W	V200	\$8.28
NP-2 threaded (chrome, 1/2 in)	22067F	V200	\$8.31

*Refer to Page H-1 for complete list of available escutcheons

(1) Suitable for decorative application; UL listed for corrosion resistance.

(2) Electroless Nickel PTFE (ENT) plating is UL Listed and FM Approved for corrosion resistance.



Microfast® Stainless Steel
CORROSION RESISTANT

Quick Response
Standard Coverage
Glass Bulb
Stainless Steel - Upright

SIN: VK338
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 14692



Microfast® Stainless Steel
CORROSION RESISTANT

Quick Response
Standard Coverage
Glass Bulb
Stainless Steel - Pendant

SIN: VK339
K Factor: 5.6 (81)
Thread Size: 1/2 inch NPT
Base Part #: 14693

Finish	Temp	Part #	IPG	List Price
Stainless Steel	135°F	14692A	V110	\$568.61
Stainless Steel	155°F	14692B	V110	\$568.61
Stainless Steel	175°F	14692D	V110	\$568.61
Stainless Steel	200°F	14692E	V110	\$568.61
Stainless Steel	286°F	14692G	V110	\$568.61
Std Sprinkler Wrench		21475M/B	V207	\$77.63

Finish	Temp	Part #	IPG	List Price
Stainless Steel	135°F	14693A	V110	\$568.61
Stainless Steel	155°F	14693B	V110	\$568.61
Stainless Steel	175°F	14693D	V110	\$568.61
Stainless Steel	200°F	14693E	V110	\$568.61
Stainless Steel	286°F	14693G	V110	\$568.61
Std Sprinkler Wrench		21475M/B	V207	\$77.63

Stainless Steel Escutcheons*

Model E-1 (push-on) - Includes adapter and cup

Finish	Size	Part #	IPG	List Price
Polished Chrome	1/2"	07902F	V201	\$33.72
White	1/2"	07902M/W	V201	\$33.72
Nickel PTFE (ENT)	1/2"	07902JN	V188.A	\$64.59

*Refer to Page H-1 for complete list of available escutcheons