



**Section N**  
**Deluge Systems**

**TABLE OF CONTENTS**


Deluge System – Pneumatic Release .....	N-1 – N-2
Deluge System – Hydraulic Release.....	N-3 – N-4
Deluge System – Electric Release.....	N-5 – N-6
Components and Accessories (general) .....	N-7
Accessories (Pneumatic Release) .....	N-8
Accessories (Hydraulic Release) .....	N-8
Accessories (Electric Release) .....	N-9
Alarm Devices.....	N-10
Special Valves and Trim (Halar® coated valves, brass trim, stainless steel, etc.) .....	N-11 – N-12

**Notes**

1. Refer to Viking technical data pages for complete product specifications. You may print or download technical data by visiting [www.vikinggroupinc.com](http://www.vikinggroupinc.com).
2. List prices effective January 20, 2020. Supersedes January 2019 list price book.
3. All sales by Viking are subject to the terms & conditions found on the last page of this book.

**Deluge System - Pneumatic Release**

Straight-through valve shown. Also available in angle-style configuration.



**SYSTEM COMPONENTS**

- A. Valve
    - A.1 Deluge Valve
  - B. Deluge Valve Conventional Trim \*
    - (See Deluge Valve Conventional Trim Charts)
    - B.1 Priming Valve (Normally Open)
    - B.2 Strainer
    - B.3 1/16" Restriction
    - B.4 Spring Loaded Check Valve
    - B.5 Alarm Test Valve (Normally Closed)
    - B.6 Auxiliary Drain Valve (Normally Closed)
    - B.7 Drip Check Valve
    - B.8 Drain Check Valve
    - B.9 Alarm Shut-Off Valve (Normally Open)
    - B.10 Pressure Operated Relief Valve (P.O.R.V.)
    - B.11 Emergency Release
    - B.12 Priming Pressure Water Gauge and Valve
    - B.13 Water Supply Pressure Gauge and Valve
    - B.14 Drain cup
    - B.15 Flow Test Valve (Normally Closed)
  - C. Water Flow Alarm Equipment
    - C.1 Alarm Pressure Switch and/or
    - C.2 Water Motor Alarm (Strainer Required)
    - C.3 Strainer
  - D. Riser
    - D.1 Water Supply Control Valve
  - E. Release System
    - E.1 Pneumatic Actuator
    - E.2 Pneumatic Release Module  
(See Pneumatic Release Module Trim Chart)
    - E.3 Air Pressure Gauge and Valve
    - E.4 Soft Seat Check Valve
    - E.5 Air Pressure Supervisory Switch
    - E.6 Thermostatic Release and/or
    - E.7 Fixed Temperature Release and/or
    - E.8 Pilot Head (Sprinkler)
    - E.9 Accelerator (Optional. See Inset.)
    - E.10 Accelerator Isolation Valve. (See Inset.)
  - F. Air Supply
    - F.1 Automatic Air Supply. Air Compressor and Tank shown for clarity.
    - F.2 Air Supervisory Pressure Switch (Compressor On/Off Control Switch)
    - F.3 Soft Seat Check Valve
    - F.4 Shut Off Valve  
(Indicating Ball Valve recommended.)
    - F.5 Dehydrator
    - F.6 Air maintenance Device & By-Pass Trim
- Dashed lines indicate pipe required but not included with Deluge Valve Conventional Trim Packages.
- \* Viking Deluge Valve Trim Packages contain items B.1 through B.15 and associated nipples. Viking Accessory Package for Conventional Deluge Valve Trim contains B.2 through B.5, B.7 through B.11, and B.14.
- \*\* 1/2" (15 mm) NPT for Non-Interruptable Alarm Pressure Switch (Optional)

Above components are included in QuikPik packages as customized by user. See page N-2

**Model F Deluge / Preaction Valve\* - STRAIGHT THROUGH**

V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thread X Thread	<u>12126</u> \$3,008.59	<u>12059</u> \$3,109.63	<u>12401</u> \$4,106.31	N/A	N/A	N/A	N/A
Flange X Flange	N/A	N/A	N/A	<u>12014</u> \$4,106.31	<u>11953</u> \$5,348.85	<u>11955</u> \$7,316.26	<u>11991</u> \$16,572.21
Flange X Groove	N/A	N/A	N/A	<u>12018</u> \$4,106.31	<u>11952</u> \$5,348.85	<u>11954</u> \$7,316.26	N/A
Groove X Groove	<u>12125</u> \$3,008.59	<u>12057</u> \$3,109.63	<u>12403</u> \$4,106.31	<u>12022</u> \$4,106.31	<u>11513</u> \$5,348.85	<u>11524</u> \$7,316.26	<u>11018</u> \$16,572.21

**Model E Deluge / Preaction Valve\* - ANGLE STYLE**

V233.1	1-1/2"	2"	3"	4"	6"
Thread X Thread	<u>09889</u> \$1,559.56	<u>05852C</u> \$3,477.61	N/A	N/A	N/A
Flange X Flange	N/A	N/A	<u>05912C</u> \$4,592.20	<u>05909C</u> \$5,981.81	<u>05906C</u> \$8,182.05
Flange X Groove	N/A	N/A	<u>05835C</u> \$4,592.20	<u>05839C</u> \$5,981.81	<u>05456C</u> \$8,182.05
Groove X Groove	N/A	<u>22027</u> \$3,477.62	N/A	N/A	N/A

See page N-11/12 for additional valve and trim options, including Halar® coated valves, horizontal trim, and brass trim packages.

\* Valve is not included in trim packages. Please order separately. See following page for trim packages and equipment.

**Deluge System - Pneumatic Release**

TrimPac® V234	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Angle/Straight-Through	<u>13788B-2</u>	<u>13788B-2</u>	<u>13788B-2</u>	<u>13788B-2</u>	<u>13788B-2</u>	<u>13788B-2</u>	<u>13788B-2</u>
	\$5,315.49	\$5,315.49	\$5,315.49	\$5,315.49	\$5,315.49	\$5,315.49	\$5,315.49

TrimPac® includes conventional trim, releasing device (pneumatic actuator), releasing trim, and flexible hose kit.  
Drain package for TrimPac® must be ordered separately (see below).

**Drain Package (IPG V257)**

Use with TrimPac® (order separately)	11894-1	11894-2	11894-3	11894-3	11894-4	11894-4	11894-4
	\$548.37	\$443.55	\$502.66	\$502.66	\$645.13	\$645.13	\$645.13

1-1/2"	2"	2-1/2"	3"	4"	6"	8"
--------	----	--------	----	----	----	----

**Trim (Vertical - Straight Through Valve) - Galvanized (IPG V236)**

Loose Trim (incl. accessory pkg-09316)	<u>14634-1</u>	<u>14634-1</u>	<u>14636-1</u>	<u>14636-1</u>	<u>14639-1</u>	<u>14641-1</u>	<u>14642-1</u>
	\$3,353.17	\$3,353.17	\$3,281.51	\$3,281.51	\$3,433.76	\$3,441.82	\$4,985.62
Modular Trim (incl. accessory pkg-09316)	<u>14634-1P</u>	<u>14634-1P</u>	<u>14636-1P</u>	<u>14636-1P</u>	<u>14639-1P</u>	<u>14641-1P</u>	<u>14642-1P</u>
	\$3,655.92	\$3,655.92	\$3,584.22	\$3,584.22	\$3,737.92	\$3,745.94	\$5,289.75

**Trim (Vertical - Angle Style Valve) - Galvanized (IPG V236)**

Loose Trim (incl. accessory pkg-09316)	<u>14629-1</u>	<u>14630-1</u>	N/A	<u>14631-1</u>	<u>14632-1</u>	<u>14633-1</u>	N/A
	\$3,511.34	\$3,379.78		\$3,436.29	\$3,595.77	\$3,604.16	
Modular Trim (incl. accessory pkg-09316)	<u>14629-1P</u>	<u>14630-1P</u>	N/A	<u>14631-1P</u>	<u>14632-1P</u>	<u>14633-1P</u>	N/A
	\$3,814.07	\$3,682.53		\$3,739.03	\$3,898.48	\$3,906.91	

1-1/2"	2"	2-1/2"	3"	4"	6"	8"
--------	----	--------	----	----	----	----

**Releasing Devices (IPG V226)**

Pneumatic Actuator	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>
	\$643.93	\$643.93	\$643.93	\$643.93	\$643.93	\$643.93	\$643.93

**Releasing Trim - Galvanized (IPG V238)**

Loose Trim (releasing device not incl.)	<u>10809</u>	<u>10809</u>	<u>10809</u>	<u>10809</u>	<u>10809</u>	<u>10809</u>	<u>10809</u>
	\$100.89	\$100.89	\$100.89	\$100.89	\$100.89	\$100.89	\$100.89
Modular Trim (releasing device not incl.)	<u>10809P</u>	<u>10809P</u>	<u>10809P</u>	<u>10809P</u>	<u>10809P</u>	<u>10809P</u>	<u>10809P</u>
	\$449.63	\$449.63	\$449.63	\$449.63	\$449.63	\$449.63	\$449.63
Loose Trim-DOMESTIC <sup>1</sup> (releasing device not incl.)	<u>10809USA</u>	<u>10809USA</u>	<u>10809USA</u>	<u>10809USA</u>	<u>10809USA</u>	<u>10809USA</u>	<u>10809USA</u>
	\$134.52	\$134.52	\$134.52	\$134.52	\$134.52	\$134.52	\$134.52

Trim packages includes deluge valve accessory package (p/n 09316) - See page N-7 for package detail.  
See pages N-11/N-12 for additional valve and trim options, including Halar® coated valves, domestic trim, horizontal trim, brass trim packages.


Viking Quik Pik Packages - Complete packages customized to fit your requirements		
Viking's exclusive Quik Pik packages allow you to customize the components needed in your deluge or preaction system. Contact your customer service center today to see how quick & easy ordering a deluge or preaction system can be.	SQP00010 (1 1/2" - Thread)	SQP00050 (4" - F x G)
	SQP00020 (2" - Thread)	SQP00060 (4" - F x F)
	SQP00030 (3" - F x G)	SQP00070 (6" - F x G)
	SQP00040 (3" - F x F)	SQP00080 (6" - F x F)

See pages N-7 through N-10 for available deluge system accessories & related equipment.

(1) Meets sourcing requirements of the Buy American Act, American Reinvestment and Recovery Act, and Buy American Law.

**Deluge System - Hydraulic Release**

Straight-through valve shown.  
Also available in angle-style configuration.



**SYSTEM COMPONENTS**

- A. Valve
  - A.1 Deluge Valve
- B. Deluge Valve Conventional Trim \*
  - (See Deluge Valve Conventional Trim Charts)
  - B.1 Priming Valve (Normally Open)
  - B.2 Strainer
  - B.3 1/16" Restriction
  - B.4 Spring Loaded Check Valve
  - B.5 Alarm Test Valve (Normally Closed)
  - B.6 Auxiliary Drain Valve (Normally Closed)
  - B.7 Drip Check Valve
  - B.8 Drain Check Valve
  - B.9 Alarm Shut-Off Valve (Normally Open)
  - B.10 Pressure Operated Relief Valve (P.O.R.V.)
  - B.11 Emergency Release
  - B.12 Priming Pressure Water Gauge and Valve
  - B.13 Water Supply Pressure Gauge and Valve
  - B.14 Drain cup
  - B.15 Flow Test Valve (Normally Closed)
- C. Water Flow Alarm Equipment
  - C.1 Alarm Pressure Switch and/or
  - C.2 Water Motor Alarm (Strainer Required)
  - C.3 Strainer
- D. Riser
  - D.1 Water Supply Control Valve
- E. Release System
  - E.1 Thermostatic Release and/or
  - E.2 Fixed Temperature Release and/or
  - E.3 Pilot Head (Sprinkler)

**CAUTION**

DO NOT EXCEED MAXIMUM HEIGHT ALLOWED FOR THE HYDRAULIC RELEASE PIPING ABOVE THE DELUGE VALVE.

FOR MAXIMUM HEIGHT ALLOWED, REFER TO CURRENT TECHNICAL DATA DESCRIBING THE VIKING DELUGE VALVE USED.

----- Dashed lines indicate pipe required but not included with Deluge Valve Conventional Trim Packages.

\* Viking Deluge Valve Trim Packages contain items B.1 through B.15 and associated nipples. Viking Accessory Package for Conventional Deluge Valve Trim contains B.2 through B.5, B.7 through B.11, and B.14.

\*\* 1/2" (15 mm) NPT for Non-Interruptible Alarm Pressure Switch (Optional)

Components shown above are included in Quik Pik packages as customized by user. See page N-4.

**Model F Deluge / Preaction Valve\* - STRAIGHT THROUGH**

V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thread X Thread	<u>12126</u> \$3,008.59	<u>12059</u> \$3,109.63	<u>12401</u> \$4,106.31	N/A	N/A	N/A	N/A
Flange X Flange	N/A	N/A	N/A	<u>12014</u> \$4,106.31	<u>11953</u> \$5,348.85	<u>11955</u> \$7,316.26	<u>11991</u> \$16,572.21
Flange X Groove	N/A	N/A	N/A	<u>12018</u> \$4,106.31	<u>11952</u> \$5,348.85	<u>11954</u> \$7,316.26	N/A
Groove X Groove	<u>12125</u> \$3,008.59	<u>12057</u> \$3,109.63	<u>12403</u> \$4,106.31	<u>12022</u> \$4,106.31	<u>11513</u> \$5,348.85	<u>11524</u> \$7,316.26	<u>11018</u> \$16,572.21

**Model E Deluge / Preaction Valve\* - ANGLE STYLE**

V233.1	1-1/2"	2"	3"	4"	6"
Thread X Thread	<u>09889</u> \$1,559.56	<u>05852C</u> \$3,477.61	N/A	N/A	N/A
Flange X Flange	N/A	N/A	<u>05912C</u> \$4,592.20	<u>05909C</u> \$5,981.81	<u>05906C</u> \$8,182.05
Flange X Groove	N/A	N/A	<u>05835C</u> \$4,592.20	<u>05839C</u> \$5,981.81	<u>05456C</u> \$8,182.05
Groove X Groove	N/A	<u>22027</u> \$3,477.62	N/A	N/A	N/A

See page N-11/12 for additional valve and trim options, including Halar® coated valves, horizontal trim, and brass trim packages.

\* Valve is not included in trim packages. Please order separately. See following page for trim packages and equipment.

**Deluge System - Hydraulic Release**

	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<b>Trim (Vertical - Straight Through Valve) - Galvanized (IPG V236)</b>							
<u>Loose Trim</u> <i>(incl. accessory pkg-09316)</i>	<u>14634-1</u> \$3,353.17	<u>14634-1</u> \$3,353.17	<u>14636-1</u> \$3,281.51	<u>14636-1</u> \$3,281.51	<u>14639-1</u> \$3,433.76	<u>14641-1</u> \$3,441.82	<u>14642-1</u> \$4,985.62
<u>Modular Trim</u> <i>(incl. accessory pkg-09316)</i>	<u>14634-1P</u> \$3,655.92	<u>14634-1P</u> \$3,655.92	<u>14636-1P</u> \$3,584.22	<u>14636-1P</u> \$3,584.22	<u>14639-1P</u> \$3,737.92	<u>14641-1P</u> \$3,745.94	<u>14642-1P</u> \$5,289.75

<b>Trim (Vertical - Angle Style Valve) - Galvanized (IPG V236)</b>							
<u>Loose Trim</u> <i>(incl. accessory pkg-09316)</i>	<u>14629-1</u> \$3,511.34	<u>14630-1</u> \$3,379.78	<b>N/A</b>	<u>14631-1</u> \$3,436.29	<u>14632-1</u> \$3,595.77	<u>14633-1</u> \$3,604.16	<b>N/A</b>
<u>Modular Trim</u> <i>(incl. accessory pkg-09316)</i>	<u>14629-1P</u> \$3,814.07	<u>14630-1P</u> \$3,682.53	<b>N/A</b>	<u>14631-1P</u> \$3,739.03	<u>14632-1P</u> \$3,898.48	<u>14633-1P</u> \$3,906.91	<b>N/A</b>

Trim packages includes deluge valve accessory package (p/n 09316) - See page N-7 for package detail.


See pages N-11/12 for additional valve and trim options, including Halar® coated valves, horizontal trim, domestic trim, and brass trim packages.

<b>Viking Quik Pik Packages - Complete packages customized to fit your requirements</b>		
Viking's exclusive Quik Pik packages allow you to customize the components needed in your deluge or preaction system. Contact your customer service center today to see how quick & easy ordering a deluge or preaction system can be.	SQP00090 (1 1/2" - Thread)	SQP00130 (4" - F x G)
	SQP00100 (2" - Thread)	SQP00140 (4" - F x F)
	SQP00110 (3" - F x G)	SQP00150 (6" - F x G)
	SQP00120 (3" - F x F)	SQP00160 (6" - F x F)

See pages N-7 through N-10 for available deluge system accessories & related equipment.

**Deluge System - Electric Release**

Straight-through valve shown. Also available in angle-style configuration.



**SYSTEM COMPONENTS**

- A. Valve**
  - A.1 Deluge Valve
- B. Deluge Valve Conventional Trim \***  
(See Deluge Valve Conventional Trim Charts)
  - B.1 Priming Valve
  - B.2 Strainer
  - B.3 1/16" Restricted Orifice
  - B.4 Spring Loaded Check Valve
  - B.5 Alarm Test Valve (Normally Closed)
  - B.6 Auxiliary Drain Valve (Normally Closed)
  - B.7 Drip Check Valve
  - B.8 Drain Check Valve
  - B.9 Alarm Shut-Off Valve (Normally Open)
  - B.10 Pressure Operated Relief Valve (P.O.R.V.)
  - B.11 Emergency Release
  - B.12 Priming Pressure Water Gauge and Valve
  - B.13 Water Supply Pressure Gauge and Valve
  - B.14 Drain Cup
  - B.15 Flow Test Valve (Normally Closed)
- C. Water Flow Alarm Equipment**
  - C.1 Alarm Pressure Switch and/or
  - C.2 Water Motor Alarm (Strainer Required)
  - C.3 Strainer
  - C.4 Electric Alarm Bell
- D. Riser**
  - D.1 Water Supply Control Valve
- E. Release System**
  - E.1 Solenoid Valve
  - E.2 Electric Release Module Trim
  - E.3 System Control Panel configured for Single Zone Deluge operation.
  - E.4 Electric Detection System. Heat Detector shown for clarity.

Dashed lines indicate pipe required but not listed in "System Components" Table.

\* Viking Deluge Valve Trim Packages contain items B.1 through B.15 and associated nipples. Viking Accessory Package for Conventional Deluge Valve Trim contains B.2 through B.5, B.7 through B.11, and B.14.

..... Dotted lines indicate electrical system wiring required but not listed in "System Components" Table. For additional wiring requirements refer to technical data for components used.

Components shown above are included in Quik Pik packages as customized by user. See page N-6.

**Model F Deluge / Preaction Valve\* - STRAIGHT THROUGH**

V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thread X Thread	<u>12126</u> \$3,008.59	<u>12059</u> \$3,109.63	<u>12401</u> \$4,106.31	N/A	N/A	N/A	N/A
Flange X Flange	N/A	N/A	N/A	<u>12014</u> \$4,106.31	<u>11953</u> \$5,348.85	<u>11955</u> \$7,316.26	<u>11991</u> \$16,572.21
Flange X Groove	N/A	N/A	N/A	<u>12018</u> \$4,106.31	<u>11952</u> \$5,348.85	<u>11954</u> \$7,316.26	N/A
Groove X Groove	<u>12125</u> \$3,008.59	<u>12057</u> \$3,109.63	<u>12403</u> \$4,106.31	<u>12022</u> \$4,106.31	<u>11513</u> \$5,348.85	<u>11524</u> \$7,316.26	<u>11018</u> \$16,572.21

**Model E Deluge / Preaction Valve\* - ANGLE STYLE**

V233	1-1/2"	2"	3"	4"	6"
Thread X Thread	<u>09889</u> \$1,559.56	<u>05852C</u> \$3,477.61	N/A	N/A	N/A
Flange X Flange	N/A	N/A	<u>05912C</u> \$4,592.20	<u>05909C</u> \$5,981.81	<u>05906C</u> \$8,182.05
Flange X Groove	N/A	N/A	<u>05835C</u> \$4,592.20	<u>05839C</u> \$5,981.81	<u>05456C</u> \$8,182.05
Groove X Groove	N/A	<u>22027</u> \$3,477.62	N/A	N/A	N/A

See page N-11/12 for additional valve and trim options, including Halar® coated valves, horizontal trim, and brass trim packages.

\* Valve is not included in trim packages. Please order separately. See following page for trim packages and equipment.



**Deluge System - Electric Release**

TrimPac® IPG V234	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Angle/Straight-Through	<u>13787B-1</u>	<u>13787B-1</u>	<u>13787B-1</u>	<u>13787B-1</u>	<u>13787B-1</u>	<u>13787B-1</u>	<u>13787B-1</u>
	\$5,413.12	\$5,413.12	\$5,413.12	\$5,413.12	\$5,413.12	\$5,413.12	\$5,413.12

TrimPac® includes conventional trim, releasing device (solenoid valve), releasing trim, and flexible hose kit.  
Drain package for TrimPac® must be ordered separately (see below).

**Drain Package (IPG V257)**

Use with TrimPac® (order separately)	11894-1	11894-2	11894-3	11894-3	11894-4	11894-4	11894-4
	\$548.37	\$443.55	\$502.66	\$502.66	\$645.13	\$645.13	\$645.13

1-1/2"	2"	2-1/2"	3"	4"	6"	8"
--------	----	--------	----	----	----	----

**Trim (Vertical - Straight Through Valve) - Galvanized (IPG V236)**

Loose Trim (incl. accessory pkg-09316)	<u>14634-1</u>	<u>14634-1</u>	<u>14636-1</u>	<u>14636-1</u>	<u>14639-1</u>	<u>14641-1</u>	<u>14642-1</u>
	\$3,353.17	\$3,353.17	\$3,281.51	\$3,281.51	\$3,433.76	\$3,441.82	\$4,985.62
Modular Trim (incl. accessory pkg-09316)	<u>14634-1P</u>	<u>14634-1P</u>	<u>14636-1P</u>	<u>14636-1P</u>	<u>14639-1P</u>	<u>14641-1P</u>	<u>14642-1P</u>
	\$3,655.92	\$3,655.92	\$3,584.22	\$3,584.22	\$3,737.92	\$3,745.94	\$5,289.75

**Trim (Vertical - Angle Style Valve) - Galvanized (IPG V236)**

Loose Trim (incl. accessory pkg-09316)	<u>14629-1</u>	<u>14630-1</u>	N/A	<u>14631-1</u>	<u>14632-1</u>	<u>14633-1</u>	N/A
	\$3,511.34	\$3,379.78		\$3,436.29	\$3,595.77	\$3,604.16	
Modular Trim (incl. accessory pkg-09316)	<u>14629-1P</u>	<u>14630-1P</u>	N/A	<u>14631-1P</u>	<u>14632-1P</u>	<u>14633-1P</u>	N/A
	\$3,814.07	\$3,682.53		\$3,739.03	\$3,898.48	\$3,906.91	

1-1/2"	2"	2-1/2"	3"	4"	6"	8"
--------	----	--------	----	----	----	----

**Releasing Devices (IPG V240)**

Solenoid Valve	<u>11601</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>
	\$999.44	\$999.44	\$999.44	\$999.44	\$999.44	\$999.44	\$999.44

**Releasing Trim - Galvanized (IPG V238)**

Loose Trim (releasing device not incl.)	<u>10830</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>
	\$104.16	\$104.16	\$104.16	\$104.16	\$104.16	\$104.16	\$104.16
Modular Trim (releasing device not incl.)	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>
	\$449.63	\$449.63	\$449.63	\$449.63	\$449.63	\$449.63	\$449.63
Loose Trim-DOMESTIC <sup>1</sup> (releasing device not incl.)	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>
	\$138.86	\$138.86	\$138.86	\$138.86	\$138.86	\$138.86	\$138.86

Trim packages includes deluge valve accessory package (p/n 09316) - See page N-7 for package detail.

See pages N-11/N-12 for additional valve and trim options, including Halar® coated valves, horizontal trim, domestic trim, and brass trim packages.


**Viking Quik Pik Packages - Complete packages customized to fit your requirements**


Viking's exclusive Quik Pik packages allow you to customize the components needed in your deluge or preaction system. Contact your customer service center today to see how quick & easy ordering a deluge or preaction system can be.	SQP00170 (1 ½" - Thread)	SQP00210 (4" - F x G)
	SQP00180 (2" - Thread)	SQP00220 (4" - F x F)
	SQP00190 (3" - F x G)	SQP00230 (6" - F x G)
	SQP00200 (3" - F x F)	SQP00240 (6" - F x F)


See pages N-7 through N-10 for available deluge system accessories & related equipment.


(1) Meets sourcing requirements of the Buy American Act, American Reinvestment and Recovery Act, and Buy American Law.


**Accessories and Additional Components**


<p><b>Deluge Valve Accessory Package</b> (use with angle style and straight through valves) (included with deluge/preaction trim)</p> <p><b>Includes:</b></p> <ul style="list-style-type: none"> <li>- 1/16" Restricted Orifice <u>Galvanized</u></li> <li>- Emergency Release 09316</li> <li>- Drip Check \$2,304.59</li> <li>- 1/4" / 8mm Check Valve</li> <li>- 1/4" / 8mm Strainer <u>Stainless Steel *</u></li> <li>- Drain Cup 09743</li> <li>- PORV \$3,214.28</li> <li>- Drain Check * Does not include PORV</li> <li>- 1/2" Ball Valve IPG V226</li> </ul>	<p><b>Speed Control Assembly</b> (use with trim to control speed of valve opening)</p>  <p><u>Galvanized</u> 08780 \$1,648.45</p> <p><u>Stainless Steel</u> 11192 \$9,700.32</p> <p><u>Brass</u> 11181 \$1,942.26</p> <p>IPG V244</p>
---	---


<p><b>Pressure Operated Relief Valve (PORV) - Model D-3</b></p>  <p><u>1/2" / DN15</u> <u>Brass</u> 16970 \$1,503.36</p> <p>IPG V242</p>
---


<p><b>Pressure Operated Relief Valve (PORV) - Model D-4</b></p>  <p><u>1/2" / DN15</u> <u>Corrosion Resistant</u> 16971 \$2,312.86</p> <p>IPG V242</p>
---


<p><b>Globe Valve for Gauges (side outlet)</b></p>  <p><u>1/4" / DN8</u> 76V-25 \$21.58</p>
--


<p><b>Restricted Orifice</b></p>  <p><u>1/4" (DN8)</u> 1/16" (1.6mm) 10110 \$38.92</p> <p><u>Corrosion Resistant</u> 1/16" (1.6mm) 10110J \$90.73</p> <p>IPG V226</p>
--


<p><b>Ball Valve</b></p>  <p>IPG V226</p> <table border="1"> <tr> <th colspan="2">Brass</th> <th colspan="2">Stainless Steel</th> </tr> <tr> <td>1/4"</td> <td>10354</td> <td>\$32.17</td> <td>10644 \$276.67</td> </tr> <tr> <td>1/2"</td> <td>10355</td> <td>\$54.66</td> <td>10645 \$278.24</td> </tr> <tr> <td>1"</td> <td>10356</td> <td>\$81.12</td> <td>10646 \$443.81</td> </tr> <tr> <td></td> <td></td> <td></td> <td>10647 \$537.96</td> </tr> <tr> <td></td> <td></td> <td></td> <td>10648 \$1,025.44</td> </tr> <tr> <td></td> <td></td> <td></td> <td>10649 \$1,391.91</td> </tr> </table>	Brass		Stainless Steel		1/4"	10354	\$32.17	10644 \$276.67	1/2"	10355	\$54.66	10645 \$278.24	1"	10356	\$81.12	10646 \$443.81				10647 \$537.96				10648 \$1,025.44				10649 \$1,391.91
Brass		Stainless Steel																										
1/4"	10354	\$32.17	10644 \$276.67																									
1/2"	10355	\$54.66	10645 \$278.24																									
1"	10356	\$81.12	10646 \$443.81																									
			10647 \$537.96																									
			10648 \$1,025.44																									
			10649 \$1,391.91																									


<p><b>Drain Check Valve</b> IPG V226</p>  <p><u>1/2" / DN15</u> 05781A \$100.12</p> <p><u>Corrosion Resistant</u> 05781AJ \$209.45</p>
--


<p><b>Drain Cup</b></p>  <p><u>1 1/2" / DN40</u> 01019B \$19.27</p> <p>IPG V226</p>
--


<p><b>Emergency Release</b></p>  <table border="1"> <tr> <th>1/2" (Galvanized)</th> <th>Brass</th> <th>Corrosion Resistant</th> </tr> <tr> <td>Model C-1</td> <td>Model C-2</td> <td>Model C-3</td> </tr> <tr> <td>01553C \$384.59</td> <td>09387 \$641.52</td> <td>09734 \$787.05</td> </tr> </table> <p>IPG V226</p>	1/2" (Galvanized)	Brass	Corrosion Resistant	Model C-1	Model C-2	Model C-3	01553C \$384.59	09387 \$641.52	09734 \$787.05
1/2" (Galvanized)	Brass	Corrosion Resistant							
Model C-1	Model C-2	Model C-3							
01553C \$384.59	09387 \$641.52	09734 \$787.05							


<p><b>Prime Shut-Off Valve</b> IPG V226</p>  <p><u>1/2" / DN15</u> 10723 \$851.81</p> <p><u>Corrosion Resistant</u> 10724 \$1,522.56</p>
---

<p><b>Drip Check Valve - Model D-1</b></p> <p><u>Velocity Check</u> <u>3/4" / DN20</u></p>  <p>10730 \$196.74</p> <p><u>Corrosion Resistant</u> 10733 \$296.76</p> <p>IPG V25.1</p>
--

<p><b>Water Gauge</b></p>  <p><u>0-300 psi</u> 1/4" VWATERSF \$26.93</p>
---

<p><b>In-Line Check Valve</b> IPG V226</p>  <p><u>1/4" / DN8</u> 04947A \$93.13</p>
--

<p><b>Y Strainer</b> IPG SR260</p>  <p><u>1/4" / DN15</u> 14BYS \$45.90</p>
--

<p><b>Restricted Orifice</b></p> <p><u>5/64" / 2mm</u></p>  <p><u>1/2" / DN15</u> 11706 \$80.40</p> <p>IPG V226</p>
--


**Accessories for TrimPac®**


<p><b>Air Line Trim</b> (not for use with Deluge TrimPac System)</p> <ul style="list-style-type: none"> <li><u>Tank Mounted</u> 13770 \$1,869.64</li> <li><u>Tankless</u> 13771 \$659.19</li> </ul> <p>IPG V234</p>
---


<p><b>Replacement Hose</b></p> <p>PVC drain hose 12071 \$148.90</p> <p>IPG V234</p>
---

<p><b>Riser Mounting Kit</b> (when mounting TrimPac to riser)</p> <ul style="list-style-type: none"> <li><u>Vertical</u> 11900 \$1,034.04</li> <li><u>Horizontal</u> 11901 \$1,421.88</li> </ul> <p>IPG V234</p>
--

**Accessories for Old Style Trim**






<p><b>Model A-2 Strainer Orifice Check Vlv</b></p>  <p><u>1/4" (DN8)</u> 06579B \$365.65</p> <p>IPG V226</p>
---

<p><b>Alarm Test/Alarm Shut-Off Valve</b></p>  <p><u>1/2" (DN15)</u> 06174A \$393.71</p> <p>IPG V226</p>
---





<p><b>Spring Loaded Check Valve</b> (with viton disc)</p>  <p><u>1/2" (DN15)</u> 12WILC \$114.81</p> <p>SR140</p>
--



**Accessories for Pneumatic Release Systems**

<p><b>Pneumatic Actuator</b></p>  <p>1/2" (DN15) Model H-1 06459B \$643.93 Corrosion Resistant (Model R-1) 09733 \$1,452.69</p> <p style="text-align: right;">IPG V226</p>	<p><b>Accelerator (Model E-1)</b></p>  <p>Model E-1 List 08055 \$1,592.32</p> <p style="text-align: right;">IPG V226</p>																					
<p><b>Model D-2 - Air Pressure Maintenance Device</b></p>  <table border="1"> <thead> <tr> <th>Size</th> <th>Part #</th> <th>List Price</th> </tr> </thead> <tbody> <tr> <td>1/4" / DN8</td> <td>02280C</td> <td>\$760.27</td> </tr> </tbody> </table> <p style="text-align: right;">IPG V226</p>	Size	Part #	List Price	1/4" / DN8	02280C	\$760.27	<p><b>Model D-2 - Air Pressure Maintenance Device</b></p>  <table border="1"> <thead> <tr> <th>Size</th> <th>Part #</th> <th>List Price</th> </tr> </thead> <tbody> <tr> <td>1/2" / DN15</td> <td>07459</td> <td>\$1,336.01</td> </tr> <tr> <td colspan="3"><b>DOMESTIC</b></td> </tr> <tr> <th>Size</th> <th>Part #</th> <th>List Price</th> </tr> <tr> <td>1/2" / DN15</td> <td>07459USA</td> <td>\$1,781.34</td> </tr> </tbody> </table>	Size	Part #	List Price	1/2" / DN15	07459	\$1,336.01	<b>DOMESTIC</b>			Size	Part #	List Price	1/2" / DN15	07459USA	\$1,781.34
Size	Part #	List Price																				
1/4" / DN8	02280C	\$760.27																				
Size	Part #	List Price																				
1/2" / DN15	07459	\$1,336.01																				
<b>DOMESTIC</b>																						
Size	Part #	List Price																				
1/2" / DN15	07459USA	\$1,781.34																				
<p><b>Dehydrator Package</b></p> <p>Includes:</p> <ul style="list-style-type: none"> <li>- Desiccant 1/4" (DN8) 16854 \$1,798.84</li> <li>- Mounting Brackets 16855 \$407.29</li> <li>- Nipples Extra Desiccant* 16855 \$407.29</li> </ul> <p>*one unit fills dehydrator</p> <p style="text-align: right;">IPG V226</p>	<p><b>Replacement Restriction</b></p> <p>Release Line Air Supply</p>  <table border="1"> <thead> <tr> <th>Part #</th> <th>List Price</th> </tr> </thead> <tbody> <tr> <td>02902B</td> <td>\$184.20</td> </tr> </tbody> </table> <p style="text-align: right;">IPG V226</p>	Part #	List Price	02902B	\$184.20																	
Part #	List Price																					
02902B	\$184.20																					

**Accessories for Pneumatic and Hydraulic Systems**

<p><b>Thermostatic Release (Model C-1)</b></p> <p>(Includes 155°F/68°C fixed temperature release)</p> <p>- indoor and outdoor use Standard 01432C \$1,703.21</p> <p>Nitrogen Tested 05006A \$1,834.78</p> <p style="text-align: right;">IPG V226</p>	<p><b>Thermostatic Release (Model C-2)</b></p> <p>(Includes 155°F/68°C fixed temperature release)</p> <p>- indoor and outdoor use Standard 03991C-18 \$2,026.78</p> <p>- corrosion resistant 03991C-18 \$2,026.78</p> <p>- for use in salt water Nitrogen Tested 10367 \$2,158.36</p> <p style="text-align: right;">IPG V226</p>																																				
<p><b>Fixed Temperature Release (Model M HP - VK800)</b></p> <p>1/2" (15 mm) - RATED TO 250 PSI (1724 kPa) IPG V226</p>  <table border="1"> <tbody> <tr> <td>Brass</td> <td>07848AB</td> <td>\$54.03</td> </tr> <tr> <td>Chrome</td> <td>07848FA</td> <td>\$57.92</td> </tr> <tr> <td>White</td> <td>07848MA/W</td> <td>\$57.92</td> </tr> </tbody> </table> <p>Add the temperature suffix to the part number (135 shown): (°F/°C) A=135°/57°, B=155°/68°, D=175°/79°, E=200°/93°, G=286°/141°</p>	Brass	07848AB	\$54.03	Chrome	07848FA	\$57.92	White	07848MA/W	\$57.92	<p><b>Replacement Fixed Temperature Release</b></p> <p>155°F/68°C</p>  <table border="1"> <thead> <tr> <th>Model</th> <th>Part #</th> <th>List Price</th> </tr> </thead> <tbody> <tr> <td>Model C-1</td> <td>07848FB</td> <td>\$57.92</td> </tr> <tr> <td>Model C-2</td> <td>07848CB</td> <td>\$69.06</td> </tr> </tbody> </table> <p style="text-align: right;">IPG V226</p>	Model	Part #	List Price	Model C-1	07848FB	\$57.92	Model C-2	07848CB	\$69.06																		
Brass	07848AB	\$54.03																																			
Chrome	07848FA	\$57.92																																			
White	07848MA/W	\$57.92																																			
Model	Part #	List Price																																			
Model C-1	07848FB	\$57.92																																			
Model C-2	07848CB	\$69.06																																			
<p><b>Operation Indicator</b></p> <p>Includes: 1/2" (DN15) 02944A \$66.82</p> <p>- indoor and outdoor use</p> <p>- corrosion resistant</p> <p style="text-align: right;">IPG V226</p>	<p><b>Adjustment Kit</b></p> <p>Includes:</p> <p>- indoor and outdoor use</p> <p>- corrosion resistant</p>  <p>Model C-1 and C-2 01714A \$203.64</p> <p style="text-align: right;">IPG V226</p>																																				
<p><b>Release Line Hangers</b> IPG V226</p> <p>- includes two screws/nuts</p>  <table border="1"> <tbody> <tr> <td>1" / DN25</td> <td>09574</td> <td>\$22.75</td> <td>3 1/2" / DN90</td> <td>09580</td> <td>\$22.75</td> </tr> <tr> <td>1 1/4" / DN32</td> <td>09575</td> <td>\$22.75</td> <td>4" / DN100</td> <td>09581</td> <td>\$33.27</td> </tr> <tr> <td>1 1/2" / DN40</td> <td>09576</td> <td>\$22.75</td> <td>5" / DN125</td> <td>09582</td> <td>\$33.27</td> </tr> <tr> <td>2" / DN50</td> <td>09577</td> <td>\$22.75</td> <td>6" / DN150</td> <td>09583</td> <td>\$33.27</td> </tr> <tr> <td>2 1/2" / DN65</td> <td>09578</td> <td>\$22.75</td> <td>8" / DN200</td> <td>09584</td> <td>\$33.27</td> </tr> <tr> <td>3" / DN80</td> <td>09579</td> <td>\$22.75</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>Stainless steel available upon request at additional cost. Add suffix "SST" to base part number.</p>		1" / DN25	09574	\$22.75	3 1/2" / DN90	09580	\$22.75	1 1/4" / DN32	09575	\$22.75	4" / DN100	09581	\$33.27	1 1/2" / DN40	09576	\$22.75	5" / DN125	09582	\$33.27	2" / DN50	09577	\$22.75	6" / DN150	09583	\$33.27	2 1/2" / DN65	09578	\$22.75	8" / DN200	09584	\$33.27	3" / DN80	09579	\$22.75			
1" / DN25	09574	\$22.75	3 1/2" / DN90	09580	\$22.75																																
1 1/4" / DN32	09575	\$22.75	4" / DN100	09581	\$33.27																																
1 1/2" / DN40	09576	\$22.75	5" / DN125	09582	\$33.27																																
2" / DN50	09577	\$22.75	6" / DN150	09583	\$33.27																																
2 1/2" / DN65	09578	\$22.75	8" / DN200	09584	\$33.27																																
3" / DN80	09579	\$22.75																																			

**Accessories for Electric Release Systems**

**SOLENOID VALVES (1/2" / DN15) IPG V240**

**Normally Closed (rated to 250 psi (1724 kPa))**



<u>Deluge &amp; Preaction, SureFire</u>			<u>Part No.</u>	<u>List Price</u>
NEMA 1,2,3,3S,4,4X	24 VDC		11601	\$999.44
<u>Explosion Proof</u>				
NEMA 3,3S,4,4X,6,6P,7,9	24 VDC		11602	\$1,670.31

**Normally Closed (rated to 300 psi (2068 kPa))**



<u>Firecycle III, TotalPac &amp; Special Application</u>				
NEMA 2,3,3S,4,4X	24 VDC		11591	\$1,276.06
NEMA 1,2,3,3S,4,4X	110 VAC/50 HZ		11593	\$1,085.84
NEMA 1,2,3,3S,4,4X	120 VAC/60 HZ		11594	\$1,476.63
<u>Explosion Proof</u>				
NEMA 3,3S,4,4X,6,6P,7,9	24 VDC		11592	\$1,670.31
NEMA 3,3S,4,4X,6,6P,7,9	110 VAC/50 HZ		11594	\$1,476.63
NEMA 3,3S,4,4X,6,6P,7,9	120 VAC/60 HZ		11594	\$1,476.63
ATEX, EEx, mII, T4/T5	110 VAC/50 HZ		12359	\$1,753.24
ATEX, EEx, mII, T4/T5	24 VDC		12360	\$1,946.93

**Normally Open (rated to 300 psi (2068 kPa))**



<u>Firecycle III</u>				
NEMA 2,3,3S,4,4X	24 VDC		11595	\$2,123.32
<u>Surefire &amp; TrimPac</u>				
NEMA 2,3,3S,4,4X	24 VDC		13215	\$2,123.32
<u>Explosion Proof</u>				
NEMA 3,3S,4,4X,6,6P,7,9	24 VDC		11596	\$2,960.17
ATEX, EEx, mII, T4/T5	24 VDC		12358	\$3,236.75

**RELEASE CONTROL PANEL (VFR-400) IPG V241**

**VFR-400 Release Control Panel**

- Multi-hazard operation
- Features on board, menu driven programming
- Four Class B initiating circuits
- Two Class B supervisory circuits\*\*
- Four Class B output circuits
- Programmable cross zoning
- 12 standard programs (program options for Viking preaction, deluge, Surefire® and Firecycle® systems)



<u>Part No.</u>	<u>List Price</u>
14152-1	\$4,160.38



\* see below for accessories and optional modules

\*\*Can be used for Supervisory, Tamper, Low Air or High Air

<u>Optional Modules / Accessories</u>	<u>Part No.</u>	<u>List Price</u>	<u>Batteries</u> <small>(two required per panel)</small>	
CA2Z Module (class A initiating device circuit):	14155	\$248.38		
CAM2 Module (class A indicating appliance circuit):	14156	\$285.63		
ARM-1/ARM-2 Module (auxiliary relay module):	14157	\$360.15		
RA-4410-RC (remote annunciator):	14154	\$1,303.98		
	<u>Part No.</u>	<u>List Price</u>	<u>Part No.</u>	<u>List Price</u>
MR-101/T SPDT Relay Module:	14159	\$145.95	8 Amp	07920 \$95.43
MR-201 DPDT Relay Module:	14160	\$183.17	12 Amp	07921 P.O.A.
MR801/T SPDT Relay w/Led Indicator:	14161	\$77.62	18 Amp	09867 P.O.A.
ELOD Resistor/Diode:	14162	\$37.26		
ELOR Resistor:	14163	\$3.12		
			<b>Battery Cabinet (for 18 amp hr battery)</b>	
			<u>Part No.</u>	<u>List Price</u>
			09866	\$727.01



**Alarm Devices**

**Alarm Pressure Switch - SR020**

<u>Adjustable Range (4-20 psi)</u> 1/2" / DN50 Single SPDT PS101A \$232.62 Dual SPDT PS102A \$279.81  * Manufactured by Potter		<u>Explosion Proof</u> Dual SPDT PS10-EX \$1,460.48 Dual SPDT PS40EX \$1,460.48 * Cenelec approved <u>Pressure Adj Access Key</u> 10600 \$28.54 <u>Cover Removal Key</u> 10601 \$28.54 	
---	--	--	--


\* Appropriate hex keys included with switches.

**Pressure Supervisory Switch (Air, Nitrogen, Water) - IPG SR020**






<u>Adjustable Range (10-175 psi)</u> 1/2" / DN50 Single SPDT PS401A \$232.62 Dual SPDT PS402A \$279.81  * Manufactured by Potter <u>Cover Tamper Switch Kit</u> 09601 \$145.95		<u>Explosion Proof</u> Dual SPDT 10379 \$1,880.32 * Cenelec approved <u>Pressure Adj Access Key</u> 10600 \$28.54 <u>Cover Removal Key</u> 10601 \$28.54 	
---	--	---	--

\* Appropriate hex keys included with switches.

**Flow Switch - SR010**

<u>Waterflow Indicators</u> (adjustable retard up to 120 sec. - 2 SPDT contacts) <u>Model VSR</u>			
1-2" / DN40	VSRF0100	\$332.34	
2" / DN50	VSRF0200	\$360.22	
2½" / DN65	VSRF0250	\$360.22	
3" / DN80	VSRF0300	\$360.22	
3½" / DN90	VSRF0350	\$360.22	
4" / DN100	VSRF0400	\$360.22	
5" / DN125	VSRF0500	\$360.22	
6" / DN150	VSRF0600	\$360.22	
8" / DN200	VSRF0800	\$403.10	

**Water Motor Alarm and Accessories - IPG V226**

<u>Water Motor Alarm</u>  <u>Model F-2</u> 07862 \$648.58		<u>Closure Plate</u>  05820B \$132.37	
<u>Adjustable Shaft</u> (wall thickness up to 30-1/4 in / 768 mm)  03312B \$127.01		<u>Alarm Line Y Strainer</u>  ¾" (DN20) 01489A \$193.13	
<u>Extension Cup</u>  05957B \$105.90			

**Special Valves and Trim**

**HALAR® Coated Deluge / Preaction Valves (Model E-2/F-2)**

**Straight-Through (Model F-2)**

IPG V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thread X Thread	N/A	N/A	<u>12402Q/B</u> \$6,433.28	N/A	N/A	N/A	N/A
Flange X Flange	N/A	N/A	N/A	<u>12015Q/B</u> \$6,433.28	<u>11960Q/B</u> \$8,607.19	<u>11962Q/B</u> \$11,517.71	<u>11992Q/B</u> \$24,111.59
Flange X Groove	N/A	N/A	N/A	<u>12019Q/B</u> \$6,433.28	<u>11959Q/B</u> \$8,607.19	<u>11961Q/B</u> \$11,517.71	N/A
Groove X Groove	<u>12127Q/B</u> \$4,766.38	<u>12058Q/B</u> \$4,779.35	<u>12404Q/B</u> \$6,433.28	<u>12023Q/B</u> \$6,433.28	<u>11514Q/B</u> \$8,607.19	<u>11525Q/B</u> \$11,517.71	<u>11118Q/B</u> \$22,946.78

**Angle Style (Model E-2)**

IPG V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Flange X Flange	N/A	N/A	N/A	<u>08362Q/B</u> \$7,194.59	<u>08363Q/B</u> \$9,358.37	<u>08364Q/B</u> \$12,522.88	N/A
Flange X Groove	N/A	N/A	N/A	<u>11064Q/B</u> \$7,194.59	<u>11065Q/B</u> \$9,625.75	<u>11001Q/B</u> \$12,880.69	N/A

**HORIZONTAL TRIM - Conventional Deluge / Preaction Trim**

**Galvanized (use with straight through valves)**

IPG V236	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<u>Loose Trim</u> <i>(incl. accessory pkg-09316)</i>	<u>14635-1</u> \$3,353.17	<u>14635-1</u> \$3,353.17	<u>14637-1</u> \$3,281.51	<u>14637-1</u> \$3,281.51	<u>14638-1</u> \$3,433.76	<u>14640-1</u> \$3,441.82	<u>14643-1</u> \$4,985.62
<u>Modular Trim</u> <i>(incl. accessory pkg-09316)</i>	<u>14635-1P</u> \$3,655.92	<u>14635-1P</u> \$3,655.92	<u>14637-1P</u> \$3,584.22	<u>14637-1P</u> \$3,584.22	<u>14638-1P</u> \$3,737.92	<u>14640-1P</u> \$3,745.94	<u>14643-1P</u> \$5,289.75

\* Galvanized vertical trim found on page N-6.

**BRASS TRIMS - Conventional Deluge / Preaction Trim**

**Angle Style Valves**

IPG V237	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<u>Loose Trim</u> <i>(incl. accessory pkg-09316)</i>	<u>14629-2</u> \$5,926.04	<u>14630-2</u> \$5,495.93	N/A	<u>14631-2</u> \$5,628.25	<u>14632-2</u> \$6,013.86	<u>14633-2</u> \$6,083.26	N/A
<u>Modular Trim</u> <i>(incl. accessory pkg-09316)</i>	<u>14629-2P</u> P.O.A.	<u>14630-2P</u> \$5,813.38	N/A	<u>14631-2P</u> P.O.A.	<u>14632-2P</u> \$6,331.30	<u>14633-2P</u> \$6,400.78	N/A

**Straight Through Valves - VERTICAL**

IPG V237	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<u>Loose Trim</u> <i>(incl. accessory pkg-09316)</i>	<u>14634-2</u> \$5,659.12	<u>14634-2</u> \$5,659.12	<u>14636-2</u> \$5,374.73	<u>14636-2</u> \$5,374.73	<u>14639-2</u> \$5,742.96	<u>14641-2</u> \$5,809.24	<u>14642-2</u> \$7,238.40
<u>Modular Trim</u> <i>(incl. accessory pkg-09316)</i>	<u>14634-2P</u> \$5,976.63	<u>14634-2P</u> \$5,976.63	<u>14636-2P</u> \$5,692.24	<u>14636-2P</u> \$5,692.24	<u>14639-2P</u> \$6,060.47	<u>14641-2P</u> \$6,126.74	<u>14642-2P</u> P.O.A.

**Straight Through Valves - HORIZONTAL**

IPG V237	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<u>Loose Trim</u> <i>(incl. accessory pkg-09316)</i>	<u>14635-2</u> \$5,659.12	<u>14635-2</u> \$5,659.12	<u>14637-2</u> \$5,374.73	<u>14637-2</u> \$5,374.73	<u>14638-2</u> \$5,742.96	<u>14640-2</u> \$5,809.24	<u>14643-2</u> \$7,238.40
<u>Modular Trim</u> <i>(incl. accessory pkg-09316)</i>	<u>14635-2P</u> \$5,976.63	<u>14635-2P</u> \$5,976.63	<u>14637-2P</u> P.O.A.	<u>14637-2P</u> P.O.A.	<u>14638-2P</u> P.O.A.	<u>14640-2P</u> \$6,126.74	<u>14643-2P</u> P.O.A.

**Special Valves and Trim**

**BRASS - Releasing Trims**

V239	Pneumatic	Electric Pneumatic	Electric	Pneumatic Pneumatic	DOMESTIC <sup>1</sup> Electric
<u>Loose Trim</u> (releasing device not incl.)	<u>10811</u> \$280.12	<u>12661-2</u> \$233.83	<u>10832</u> \$315.20	<u>12662-2</u> \$1,491.94	<u>10832USA</u> \$420.26
<u>Modular Trim</u> (releasing device not incl.)	<u>10811P</u> \$612.91	<u>126612P</u> P.O.A.	<u>10832P</u> P.O.A.	<u>126622P</u> P.O.A.	<u>10832USA-P</u> P.O.A.

**STAINLESS STEEL - Conventional Deluge Trim**

**Straight Through Valves - VERTICAL**

V251	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<u>Loose Trim</u>	<u>14649</u> \$9,955.26	<u>14649</u> \$9,955.26	<u>14651</u> \$10,673.95	<u>14651</u> \$10,673.95	<u>14654</u> \$11,666.22	<u>14656</u> \$11,714.16	<u>14657</u> \$11,755.11
<u>Modular Trim</u>	<u>14649P</u> \$10,281.84	<u>14649P</u> \$10,281.84	<u>14651P</u> \$11,000.46	<u>14651P</u> \$11,000.46	<u>14654P</u> \$11,992.79	<u>14656P</u> \$12,040.73	<u>14657P</u> P.O.A.

**Angle Style Valves - VERTICAL**

V251	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<u>Loose Trim</u>	N/A	N/A	N/A	<u>14646</u> \$10,206.20	<u>14647</u> \$11,404.45	<u>14648</u> \$11,633.92	N/A

**DOMESTIC TRIM<sup>1</sup> - Model F - Galvanized**

**Straight Through Valves - VERTICAL**

V236	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<u>Loose Trim</u>	<u>14634-1USA</u> \$4,470.89	<u>14634-1USA</u> \$4,470.89	<u>14636-1USA</u> \$4,375.35	<u>14636-1USA</u> \$4,375.35	<u>14639-1USA</u> \$4,578.37	<u>14641-1USA</u> \$4,589.08	<u>14642-1USA</u> \$6,647.49

(1) Meets sourcing requirements of the Buy American Act, American Reinvestment and Recovery Act, and the Buy American Law. Contact customer service for availability.

