



Section O **Preaction Systems**

TABLE OF CONTENTS

Model G Preaction Systems	O-1
Single Interlocked – Pneumatic Release.....	O-2 – O-3
Single Interlocked – Electric Release	O-4 – O-5
Double Interlocked – Pneumatic/Pneumatic Release.....	O-6– O-7
Double Interlocked – Electric/Pneumatic Release	O-8 – O-9
Double Interlocked – Electric/Pneu-lectric Release	O-10 – O-11
SureFire® Preaction Systems	O-12 – O-13
Components and Accessories (general)	O-14
Accessories (Pneumatic Release)	O-15
Accessories (Hydraulic Release)	O-15
Accessories (Electric Release)	O-16
Alarm Devices.....	O-17
Special Valves and Trim (Halar® coated valves, brass trim, etc.)	O-18 – O-19

Notes

1. Refer to Viking technical data pages for complete product specifications. You may print or download technical data by visiting www.vikinggroupinc.com.
2. List prices effective January 20, 2020. Supersedes January 2019 list price book.
3. All sales by Viking are subject to the Terms & Conditions found on the last page of this book.

SureFire® is a registered trademark of The Viking Corporation

Model G (Complete, Factory Assembled Preaction Systems)




Model G preaction systems include the following:

- Model G Deluge Valve
- Model G Preaction Trim Package
- Water Supply Control Valve
- Air Pressure Supervisory Switch (PS40-2A)
- Alarm Pressure Switch (PS10-1A)
- 12" (0,3 m) Section of Galvanized Schedule 10 Pipe (w/ coupling)

Model	System Type	Size	Part Number	IPG	List Price
G-2000P	Single Interlock, Electric Release	2"	16187-1	V243	\$10,623.55
G-3000P	Single Interlock, Electric Release	3"	16190-1	V243	\$11,084.20
G-4000P	Single Interlock, Electric Release	4"	15651-1	V243	\$11,783.91
G-6000P	Single Interlock, Electric Release	6"	17049-1	V243	\$13,862.47
G-2000P	Double Interlock, Electric/Pneu-lectric Release	2"	16187-1	V243	\$10,623.55
G-3000P	Double Interlock, Electric/Pneu-lectric Release	3"	16190-1	V243	\$11,084.20
G-4000P	Double Interlock, Electric/Pneu-lectric Release	4"	15651-1	V243	\$11,783.91
G-6000P	Double Interlock, Electric/Pneu-lectric Release	6"	17049-1	V243	\$13,862.47
G-2000P	Double Interlock, Electric/Pneumatic Release	2"	16188-1	V243	\$11,933.90
G-3000P	Double Interlock, Electric/Pneumatic Release	3"	16191-1	V243	\$13,467.49
G-4000P	Double Interlock, Electric/Pneumatic Release	4"	15653-1	V243	\$14,644.83
G-6000P	Double Interlock, Electric/Pneumatic Release	6"	17050-1	V243	\$17,458.48
G-2000P	SureFire® Fail Safe Preaction System	2"	16189-1	V243	\$13,726.51
G-3000P	SureFire® Fail Safe Preaction System	3"	16192-1	V243	\$15,422.76
G-4000P	SureFire® Fail Safe Preaction System	4"	15648-1	V243	\$16,556.38
G-6000P	SureFire® Fail Safe Preaction System	6"	17051-1	V243	\$19,478.11

Optional Accessories - Model G Preaction Systems

Model G Optional Drain Manifold Assembly *




Model	Size	Part Number	List Price
G-2000	2"	16211	\$474.19
G-3000	3"	16212	\$610.02
G-4000	4"	15588	\$684.37
G-6000	6"	17056	\$684.37

* Optional drain manifold assemblies also available in 100% domestic option. Contact customer service for details.
Refer to pages O-14 through O-17 for additional preaction components and accessories.

Preaction System - Single Interlocked - Pneumatic Release

Straight-through valve shown. Also available in angle-style configuration.



SYSTEM COMPONENTS

- A. Valve
 - A.1 Deluge Valve
- B. Deluge Valve Conventional Trim *
 - (See Deluge Valve Conventional Trim Charts)
 - B.1 Priming Valve (Normally Open)
 - B.2 Strainer
 - B.3 1/16" Restricted Orifice
 - B.4 Spring Loaded Check Valve
 - B.5 Alarm Test Valve (Normally Closed)
 - B.6 Auxiliary Drain Valve (Normally Closed)
 - B.7 Drip Check Valve
 - B.8 Drain Check Valve
 - B.9 Alarm Shut-Off Valve (Normally Open)
 - B.10 Pressure Operated Relief Valve (P.O.R.V.)
 - B.11 Emergency Release
 - B.12 Priming Pressure Water Gauge and Valve
 - B.13 Water Supply Pressure Gauge and Valve
 - B.14 Drain Cup
 - B.15 Flow Test Valve (Normally Closed)
- C. Water Flow Alarm Equipment
 - C.1 Alarm Pressure Switch and/or
 - C.2 Water Motor Alarm (Strainer Required)
 - C.3 Strainer
- D. Riser
 - D.1 Water Supply Control Valve
 - D.2 Easy Riser Check Valve or rubber seated check valve
 - D.3 Sprinkler System Main Drain
- E. Supervisory Air Supply
 - E.1 System Pressure Gauge and Valve
 - E.2 Soft Seat Swing Check Valve
 - E.3 Air Pressure Supervisory Switch
- F. Release System
 - F.1 Pneumatic Actuator
 - F.2 Pneumatic Release Module Trim
 - F.3 Air Pressure Gauge and Valve
 - F.4 Soft Seat Check Valve
 - F.5 Air Pressure Supervisory Switch
 - F.6 Thermostatic Release and/or
 - F.7 Fixed Temperature Release and/or
 - F.8 Pilot Head (Sprinkler)
 - F.9 Accelerator (Optional. See Inset.)
 - F.10 Accelerator Isolation Valve (See Inset.)
- G. Air Supply
 - G.1 Automatic Air Supply. Air Compressor and Tank shown for clarity.
 - G.2 Air Supervisory Pressure Switch (Compressor On/Off Control Switch)
 - G.3 Soft Seat Check Valve
 - G.4 Shut Off Valve (Indicating Ball Valve recommended.)
 - G.5 Dehydrator
 - G.6 Air maintenance Device & By-Pass Trim
 - G.7 Air maintenance Device

Components shown above are included in Quik Pik packages as customized by user. See page O-3.

Model F Deluge / Preaction Valve* - STRAIGHT THROUGH

V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thread X Thread	<u>12126</u>	<u>12059</u>	<u>12401</u>	N/A	N/A	N/A	N/A
	\$3,008.59	\$3,109.63	\$4,106.31				
Flange X Flange	N/A	N/A	N/A	<u>12014</u>	<u>11953</u>	<u>11955</u>	<u>11991</u>
				\$4,106.31	\$5,348.85	\$7,316.26	\$16,572.21
Flange X Groove	N/A	N/A	N/A	<u>12018</u>	<u>11952</u>	<u>11954</u>	N/A
				\$4,106.31	\$5,348.85	\$7,316.26	
Groove X Groove	<u>12125</u>	<u>12057</u>	<u>12403</u>	<u>12022</u>	<u>11513</u>	<u>11524</u>	<u>11018</u>
	\$3,008.59	\$3,109.63	\$4,106.31	\$4,106.31	\$5,348.85	\$7,316.26	\$16,572.21

Model E Deluge / Preaction Valve* - ANGLE STYLE

V233	1-1/2"	2"	3"	4"	6"
Thread X Thread	<u>09889</u>	<u>05852C</u>	N/A	N/A	N/A
	\$1,559.56	\$3,477.61			
Flange X Flange	N/A	N/A	<u>05912C</u>	<u>05909C</u>	<u>05906C</u>
			\$4,592.20	\$5,981.81	\$8,182.05
Flange X Groove	N/A	N/A	<u>05835C</u>	<u>05839C</u>	<u>05456C</u>
			\$4,592.20	\$5,981.81	\$8,182.05

See page O-18-19 for additional valve and trim options, including Halar® coated valves, horizontal trim, domestic trim, and brass trim packages.

* Valve is not included in trim packages. Please order separately. See following page for trim packages and equipment.

Preaction System - Single Interlocked - Pneumatic Release

TrimPac® V251	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Angle/Straight-Through	<u>13793B-4</u>	<u>13793B-4</u>	<u>13793B-4</u>	<u>13793B-4</u>	<u>13793B-4</u>	<u>13793B-4</u>	<u>13793B-4</u>
	\$5,315.49	\$5,315.49	\$5,315.49	\$5,315.49	\$5,315.49	\$5,315.49	\$5,315.49

TrimPac® includes conventional trim, releasing device (pneumatic actuator), releasing trim, and flexible hose kit.

Drain package for TrimPac® must be ordered separately (see below).

Drain Package (IPG V257)

Use with TrimPac® (order separately)	<u>11894-1</u>	<u>11894-2</u>	<u>11894-3</u>	<u>11894-3</u>	<u>11894-4</u>	<u>11894-4</u>	<u>11894-4</u>
	\$548.37	\$443.55	\$502.66	\$502.66	\$645.13	\$645.13	\$645.13

1-1/2"	2"	2-1/2"	3"	4"	6"	8"
--------	----	--------	----	----	----	----

Trim (Vertical - Straight Through Valve) - Galvanized (IPG 236)

Loose Trim (incl. accessory pkg-09316)	<u>14634-1</u>	<u>14634-1</u>	<u>14636-1</u>	<u>14636-1</u>	<u>14639-1</u>	<u>14641-1</u>	<u>14642-1</u>
	\$3,353.17	\$3,353.17	\$3,281.51	\$3,281.51	\$3,433.76	\$3,441.82	\$4,985.62
Modular Trim (incl. accessory pkg-09316)	<u>14634-1P</u>	<u>14634-1P</u>	<u>14636-1P</u>	<u>14636-1P</u>	<u>14639-1P</u>	<u>14641-1P</u>	<u>14642-1P</u>
	\$3,655.92	\$3,655.92	\$3,584.22	\$3,584.22	\$3,737.92	\$3,745.94	\$5,289.75

Trim (Vertical - Angle Style Valve) - Galvanized (IPG 236)

Loose Trim (incl. accessory pkg-09316)	<u>14629-1</u>	<u>14630-1</u>	N/A	<u>14631-1</u>	<u>14632-1</u>	<u>14633-1</u>	N/A
	\$3,511.34	\$3,379.78		\$3,436.29	\$3,595.77	\$3,604.16	
Modular Trim (incl. accessory pkg-09316)	<u>14629-1P</u>	<u>14630-1P</u>	N/A	<u>14631-1P</u>	<u>14632-1P</u>	<u>14633-1P</u>	N/A
	\$3,814.07	\$3,682.53		\$3,739.03	\$3,898.48	\$3,906.91	

1-1/2"	2"	2-1/2"	3"	4"	6"	8"
--------	----	--------	----	----	----	----

Releasing Devices (IPG V226)

Pneumatic Actuator	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>	<u>06459B</u>
	\$643.93	\$643.93	\$643.93	\$643.93	\$643.93	\$643.93	\$643.93

Releasing Trim - Galvanized (IPG V238)

Loose Trim (releasing device not incl.)	<u>10809</u>	<u>10809</u>	<u>10809</u>	<u>10809</u>	<u>10809</u>	<u>10809</u>	<u>10809</u>
	\$100.89	\$100.89	\$100.89	\$100.89	\$100.89	\$100.89	\$100.89
Modular Trim (releasing device not incl.)	<u>10809P</u>	<u>10809P</u>	<u>10809P</u>	<u>10809P</u>	<u>10809P</u>	<u>10809P</u>	<u>10809P</u>
	\$449.63	\$449.63	\$449.63	\$449.63	\$449.63	\$449.63	\$449.63
Loose Trim-DOMESTIC ¹ (releasing device not incl.)	<u>10809USA</u>	<u>10809USA</u>	<u>10809USA</u>	<u>10809USA</u>	<u>10809USA</u>	<u>10809USA</u>	<u>10809USA</u>
	\$134.52	\$134.52	\$134.52	\$134.52	\$134.52	\$134.52	\$134.52

1-1/2"	2"	2-1/2"	3"	4"	6"	8"
--------	----	--------	----	----	----	----

Riser Check Valve and Trim (IPG V259 / V222)

Riser Check Valve Threaded	<u>10659</u>	<u>10667</u>	N/A	N/A	N/A	N/A	N/A
	\$714.05	\$825.57					
Riser Check Valve Flange / Flange	N/A	N/A	N/A	<u>08505</u>	<u>08508</u>	<u>08511</u>	N/A
				\$1,204.63	\$1,241.21	\$2,046.52	
Riser Check Valve Flange / Groove	N/A	N/A	N/A	<u>08506</u>	<u>08509</u>	<u>08512</u>	<u>08515</u>
				\$1,021.65	\$1,051.58	\$1,740.35	\$2,463.31
Riser Check Valve Groove / Groove	<u>11054</u>	<u>11059</u>	<u>07929</u>	<u>08507</u>	<u>08510</u>	<u>08513</u>	<u>08516</u>
	\$714.05	\$825.57	\$868.53	\$868.53	\$868.53	\$1,607.28	\$2,276.15
Riser Check Valve Trim (For Preaction)	<u>12960</u>	<u>12960</u>	<u>13776</u>	<u>13776</u>	<u>13777</u>	<u>13777</u>	<u>13777</u>
	\$236.98	\$236.98	\$593.68	\$593.68	\$627.57	\$627.57	\$627.57


Riser check valve trim includes system main drain valve and air pressure gauge.

Viking Quik Pik Packages - Complete packages customized to fit your requirements				See pgs O-14-17 for available accessories & related equipment
Viking's exclusive Quik Pik packages allow you to customize the components needed in your deluge or preaction system. Contact your customer service center today to see how quick & easy ordering a deluge or preaction system can be.	SQP00490 (1 1/2" - Thread)		SQP00530 (4" - F x G)	
	SQP00500 (2" - Thread)		SQP00540 (4" - F x F)	
	SQP00510 (3" - F x G)		SQP00550 (6" - F x G)	
	SQP00520 (3" - F x F)		SQP00560 (6" - F x F)	

Please contact your customer service center for price and availability of non-interlocked preaction systems.

Praction System - Single Interlocked - Electric Release

Straight-through valve shown. Also available in angle-style configuration.



----- Dashed lines indicate pipe required but not listed in "System Components" Table.
..... Dotted lines indicate electrical detection system wiring required but not listed in "System Components" Table. For additional wiring requirements refer to technical data for components used.

SYSTEM COMPONENTS

- A. Valve
 - A.1 Deluge Valve
- B. Deluge Valve Conventional Trim *
 - (See Deluge Valve Conventional Trim Charts)
 - B.1 Priming Valve (Normally Open)
 - B.2 Strainer
 - B.3 1/16" Restricted Orifice
 - B.4 Spring Loaded Check Valve
 - B.5 Alarm Test Valve (Normally Closed)
 - B.6 Auxiliary Drain Valve (Normally Closed)
 - B.7 Drip Check Valve
 - B.8 Drain Check Valve
 - B.9 Alarm Shut-Off Valve (Normally Open)
 - B.10 Pressure Operated Relief Valve (P.O.R.V.)
 - B.11 Emergency Release
 - B.12 Priming Pressure Water Gauge and Valve
 - B.13 Water Supply Pressure Gauge and Valve
 - B.14 Drain Cup
 - B.15 Flow Test Valve (Normally Closed)
- C. Water Flow Alarm Equipment
 - C.1 Alarm Pressure Switch and/or
 - C.2 Water Motor Alarm (Strainer Required)
 - C.3 Strainer
 - C.4 Electric Alarm Bell
- D. Riser
 - D.1 Water Supply Control Valve
 - D.2 Easy Riser Check Valve or rubber seated check valve
 - D.3 Sprinkler System Main Drain
- E. Supervisory Air Supply
 - E.1 System Pressure Gauge and Valve
 - E.2 Soft Seat Swing Check Valve
 - E.3 Air Pressure Supervisory Switch
- F. Release System
 - F.1 Solenoid Valve (Normally Closed)
 - F.2 Electric Release Trim
 - F.3 System Control Panel configured for Non-Interlocked Praction operation.
 - F.4 Electric Detection System. Heat Detector shown for clarity.
- G.1 Automatic Air Supply. Air Compressor and Tank shown for clarity.
- G.2 Air Supervisory Pressure Switch (Compressor On/Off Control Switch)
- G.3 Soft Seat Check Valve
- G.4 Shut Off Valve (Indicating Ball Valve recommended.)
- G.5 Dehydrator
- G.6 Air maintenance Device & By-Pass Trim
- G.7 1/2" x 1/4" Reducing Coupling

Components shown above are included in Quik Pik packages as customized by user. See page O-5.

Model F Deluge / Praction Valve* - STRAIGHT THROUGH

V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thread X Thread	<u>12126</u> \$3,008.59	<u>12059</u> \$3,109.63	<u>12401</u> \$4,106.31	N/A	N/A	N/A	N/A
Flange X Flange	N/A	N/A	N/A	<u>12014</u> \$4,106.31	<u>11953</u> \$5,348.85	<u>11955</u> \$7,316.26	<u>11991</u> \$16,572.21
Flange X Groove	N/A	N/A	N/A	<u>12018</u> \$4,106.31	<u>11952</u> \$5,348.85	<u>11954</u> \$7,316.26	N/A
Groove X Groove	<u>12125</u> \$3,008.59	<u>12057</u> \$3,109.63	<u>12403</u> \$4,106.31	<u>12022</u> \$4,106.31	<u>11513</u> \$5,348.85	<u>11524</u> \$7,316.26	<u>11018</u> \$16,572.21

Model E Deluge / Praction Valve* - ANGLE STYLE

V233	1-1/2"	2"	3"	4"	6"
Thread X Thread	<u>09889</u> \$1,559.56	<u>05852C</u> \$3,477.61	N/A	N/A	N/A
Flange X Flange	N/A	N/A	<u>05912C</u> \$4,592.20	<u>05909C</u> \$5,981.81	<u>05906C</u> \$8,182.05
Flange X Groove	N/A	N/A	<u>05835C</u> \$4,592.20	<u>05839C</u> \$5,981.81	<u>05456C</u> \$8,182.05

See page O-18-19 for additional valve and trim options, including Halar® coated valves, horizontal trim, domestic trim, and brass trim packages.

* Valve is not included in trim packages. Please order separately. See following page for trim packages and equipment.

Preaction System - Single Interlocked - Electric Release

TrimPac® V234	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Angle/Straight-Through	<u>13792B-3</u>	<u>13792B-3</u>	<u>13792B-3</u>	<u>13792B-3</u>	<u>13792B-3</u>	<u>13792B-3</u>	<u>13792B-3</u>
	\$5,413.12	\$5,413.12	\$5,413.12	\$5,413.12	\$5,413.12	\$5,413.12	\$5,413.12

TrimPac® includes conventional trim, releasing device (solenoid valve), releasing trim, and flexible hose kit.
Drain package for TrimPac® must be ordered separately (see below).

Drain Package (IPG V257)

Use with TrimPac® (order separately)	<u>11894-1</u>	<u>11894-2</u>	<u>11894-3</u>	<u>11894-3</u>	<u>11894-4</u>	<u>11894-4</u>	<u>11894-4</u>
	\$548.37	\$443.55	\$502.66	\$502.66	\$645.13	\$645.13	\$645.13

1-1/2"	2"	2-1/2"	3"	4"	6"	8"
--------	----	--------	----	----	----	----

Trim (Vertical - Straight Through Valve) - Galvanized (IPG V236)

Loose Trim (incl. accessory pkg-09316)	<u>14634-1</u>	<u>14634-1</u>	<u>14636-1</u>	<u>14636-1</u>	<u>14639-1</u>	<u>14641-1</u>	<u>14642-1</u>
	\$3,353.17	\$3,353.17	\$3,281.51	\$3,281.51	\$3,433.76	\$3,441.82	\$4,985.62
Modular Trim (incl. accessory pkg-09316)	<u>14634-1P</u>	<u>14634-1P</u>	<u>14636-1P</u>	<u>14636-1P</u>	<u>14639-1P</u>	<u>14641-1P</u>	<u>14642-1P</u>
	\$3,655.92	\$3,655.92	\$3,584.22	\$3,584.22	\$3,737.92	\$3,745.94	\$5,289.75

Trim (Vertical - Angle Style Valve) - Galvanized (IPG V236)

Loose Trim (incl. accessory pkg-09316)	<u>14629-1</u>	<u>14630-1</u>	N/A	<u>14631-1</u>	<u>14632-1</u>	<u>14633-1</u>	N/A
	\$3,511.34	\$3,379.78		\$3,436.29	\$3,595.77	\$3,604.16	
Modular Trim (incl. accessory pkg-09316)	<u>14629-1P</u>	<u>14630-1P</u>	N/A	<u>14631-1P</u>	<u>14632-1P</u>	<u>14633-1P</u>	N/A
	\$3,814.07	\$3,682.53		\$3,739.03	\$3,898.48	\$3,906.91	

1-1/2"	2"	2-1/2"	3"	4"	6"	8"
--------	----	--------	----	----	----	----

Releasing Devices (IPG V240)

Solenoid Valve	<u>11601</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>
	\$999.44	\$999.44	\$999.44	\$999.44	\$999.44	\$999.44	\$999.44

Releasing Trim - Galvanized (IPG V238)

Loose Trim (releasing device not incl.)	<u>10830</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>
	\$104.16	\$104.16	\$104.16	\$104.16	\$104.16	\$104.16	\$104.16
Modular Trim (releasing device not incl.)	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>
	\$449.63	\$449.63	\$449.63	\$449.63	\$449.63	\$449.63	\$449.63
Loose Trim - DOMESTIC (releasing device not incl.)	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>
	\$138.86	\$138.86	\$138.86	\$138.86	\$138.86	\$138.86	\$138.86

1-1/2"	2"	2-1/2"	3"	4"	6"	8"
--------	----	--------	----	----	----	----

Riser Check Valve and Trim (IPG V259 / V222)


Riser Check Valve Threaded	<u>10659</u>	<u>10667</u>	N/A	N/A	N/A	N/A	N/A
	\$714.05	\$825.57					
Riser Check Valve Flange / Flange	N/A	N/A	N/A	<u>08505</u>	<u>08508</u>	<u>08511</u>	N/A
				\$1,204.63	\$1,241.21	\$2,046.52	
Riser Check Valve Flange / Groove	N/A	N/A	N/A	<u>08506</u>	<u>08509</u>	<u>08512</u>	<u>08515</u>
				\$1,021.65	\$1,051.58	\$1,740.35	\$2,463.31
Riser Check Valve Groove / Groove	<u>11054</u>	<u>11059</u>	<u>07929</u>	<u>08507</u>	<u>08510</u>	<u>08513</u>	<u>08516</u>
	\$714.05	\$825.57	\$868.53	\$868.53	\$868.53	\$1,607.28	\$2,276.15
Riser Check Valve Trim (For Preaction)	<u>12960</u>	<u>12960</u>	<u>13776</u>	<u>13776</u>	<u>13777</u>	<u>13777</u>	<u>13777</u>
	\$236.98	\$236.98	\$593.68	\$593.68	\$627.57	\$627.57	\$627.57

Riser check valve trim includes system main drain valve and air pressure gauge.

Viking Quik Pik Packages - Complete packages customized to fit your requirements				See pgs O-14-17 for available accessories & related equipment
Viking's exclusive Quik Pik packages allow you to customize the components needed in your deluge or preaction system. Contact your customer service center today to see how quick & easy ordering a deluge or preaction system can be.	SQP00490 (1 1/2" - Thread)		SQP00530 (4" - F x G)	
	SQP00500 (2" - Thread)		SQP00540 (4" - F x F)	
	SQP00510 (3" - F x G)		SQP00550 (6" - F x G)	
	SQP00520 (3" - F x F)		SQP00560 (6" - F x F)	

Please contact your customer service center for price and availability of non-interlocked preaction systems.

Preaction System - Double Interlocked - Pneumatic/Pneumatic Release



SYSTEM COMPONENTS

- A. Valve**
 - A.1 Deluge Valve
- B. Deluge Valve Conventional Trim ***
(See Deluge Valve Conventional Trim Charts)
 - B.1 Priming Valve (Normally Open)
 - B.2 Strainer
 - B.3 1/16" Restricted Orifice
 - B.4 Spring Loaded Check Valve
 - B.5 Alarm Test Valve (Normally Closed)
 - B.6 Auxiliary Drain Valve (Normally Closed)
 - B.7 Drip Check Valve
 - B.8 Drain Check Valve
 - B.9 Alarm Shut-Off Valve (Normally Open)
 - B.10 Pressure Operated Relief Valve (P.O.R.V.)
 - B.11 Emergency Release
 - B.12 Priming Pressure Water Gauge and Valve
 - B.13 Water Supply Pressure Gauge and Valve
 - B.14 Drain Cup
 - B.15 Flow Test Valve (Normally Closed)
- C. Water Flow Alarm Equipment**
 - C.1 Alarm Pressure Switch and/or
 - C.2 Water Motor Alarm (Strainer Required)
 - C.3 Strainer
- D. Riser**
 - D.1 Water Supply Control Valve
 - D.2 Easy Riser Check Valve or rubber seated check valve
 - D.3 Sprinkler System Main Drain
 - D.4 System Pressure Gauge and Valve
- E. Release System**
 - E.1 Pneumatic/Pneumatic Release Module Trim
 - E.2 Air Pressure Gauge and Valve
 - E.3 Air Pressure Supervisory Switch
 - E.4 Thermostatic Release and/or
 - E.5 Fixed Temperature Release and/or
 - E.6 Pilot Head (Sprinkler)
 - E.7 Accelerator (Optional. See Inset.)
 - E.8 Accelerator Isolation Valve (See Inset.)
- F. Air Supply**
 - F.1 Tank Mounted Air Compressor
 - F.2 Air Supervisory Pressure Switch (Compressor On/Off Control Switch)
 - F.3 Soft Seat Check Valve
 - F.4 Shut Off Valve (Indicating Ball Valve recommended.)
 - F.5 Dehydrator
 - F.6 Air maintenance Device & By-Pass Trim
 - F.7 Air maintenance Device
 - F.8 Air Pressure Supervisory Switch
 - F.9 Soft Seat Swing Check Valve

----- Dashed lines indicate pipe required but not included with Deluge Valve Conventional Trim and Easy Riser Check Valve Trim Packages.

* Viking Deluge Valve Trim Packages contain items B.1 through B.15 and associated nipples. Viking Accessory Package for Conventional Deluge Valve Trim contains B.2 through B.5, B.7 through B.11, and B.14.

Components shown above are included in Quik Pik packages as customized by user. See page O-7.

Model F Deluge / Preaction Valve* - STRAIGHT THROUGH

V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thread X Thread	<u>12126</u>	<u>12059</u>	<u>12401</u>	N/A	N/A	N/A	N/A
	\$3,008.59	\$3,109.63	\$4,106.31				
Flange X Flange	N/A	N/A	N/A	<u>12014</u>	<u>11953</u>	<u>11955</u>	<u>11991</u>
				\$4,106.31	\$5,348.85	\$7,316.26	\$16,572.21
Flange X Groove	N/A	N/A	N/A	<u>12018</u>	<u>11952</u>	<u>11954</u>	N/A
				\$4,106.31	\$5,348.85	\$7,316.26	
Groove X Groove	<u>12125</u>	<u>12057</u>	<u>12403</u>	<u>12022</u>	<u>11513</u>	<u>11524</u>	<u>11018</u>
	\$3,008.59	\$3,109.63	\$4,106.31	\$4,106.31	\$5,348.85	\$7,316.26	\$16,572.21

Model E Deluge / Preaction Valve* - ANGLE STYLE

V233	1-1/2"	2"	3"	4"	6"
Thread X Thread	<u>09889</u>	<u>05852C</u>	N/A	N/A	N/A
	\$1,559.56	\$3,477.61			
Flange X Flange	N/A	N/A	<u>05912C</u>	<u>05909C</u>	<u>05906C</u>
			\$4,592.20	\$5,981.81	\$8,182.05
Flange X Groove	N/A	N/A	<u>05835C</u>	<u>05839C</u>	<u>05456C</u>
			\$4,592.20	\$5,981.81	\$8,182.05

See page O-18-19 for additional valve and trim options, including Halar® coated valves, horizontal trim, domestic trim, and brass trim packages.

* Valve is not included in trim packages. Please order separately. See following page for trim packages and equipment.

Preaction System - Double Interlocked - Pneumatic/Pneumatic Release

	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Trim (Vertical - Straight Through Valve) - Galvanized (IPG V236)							
<u>Loose Trim</u> (incl. accessory pkg-09316)	<u>14634-1</u> \$3,353.17	<u>14634-1</u> \$3,353.17	<u>14636-1</u> \$3,281.51	<u>14636-1</u> \$3,281.51	<u>14639-1</u> \$3,433.76	<u>14641-1</u> \$3,441.82	<u>14642-1</u> \$4,985.62
<u>Modular Trim</u> (incl. accessory pkg-09316)	<u>14634-1P</u> \$3,655.92	<u>14634-1P</u> \$3,655.92	<u>14636-1P</u> \$3,584.22	<u>14636-1P</u> \$3,584.22	<u>14639-1P</u> \$3,737.92	<u>14641-1P</u> \$3,745.94	<u>14642-1P</u> \$5,289.75

Trim (Vertical - Angle Style Valve) - Galvanized (IPG V236)

<u>Loose Trim</u> (incl. accessory pkg-09316)	<u>14629-1</u> \$3,511.34	<u>14630-1</u> \$3,379.78	N/A	<u>14631-1</u> \$3,436.29	<u>14632-1</u> \$3,595.77	<u>14633-1</u> \$3,604.16	N/A
<u>Modular Trim</u> (incl. accessory pkg-09316)	<u>14629-1P</u> \$3,814.07	<u>14630-1P</u> \$3,682.53	N/A	<u>14631-1P</u> \$3,739.03	<u>14632-1P</u> \$3,898.48	<u>14633-1P</u> \$3,906.91	N/A

	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Releasing Devices (IPG V226)							
<u>Pneumatic Actuator</u>	<u>06459B</u> \$643.93	<u>06459B</u> \$643.93	<u>06459B</u> \$643.93	<u>06459B</u> \$643.93	<u>06459B</u> \$643.93	<u>06459B</u> \$643.93	<u>06459B</u> \$643.93

On pneumatic/pneumatic preaction systems only, releasing devices (pneumatic actuators) are included in releasing trim.

Releasing Trim - Galvanized (IPG V238)

<u>Loose Trim</u>	<u>12662-1</u> \$1,733.75	<u>12662-1</u> \$1,733.75	<u>12662-1</u> \$1,733.75	<u>12662-1</u> \$1,733.75	<u>12662-1</u> \$1,733.75	<u>12662-1</u> \$1,733.75	<u>12662-1</u> \$1,733.75
<u>Modular Trim</u>	<u>12662-1P</u> P.O.A.	<u>12662-1P</u> P.O.A.	<u>12662-1P</u> P.O.A.	<u>12662-1P</u> P.O.A.	<u>12662-1P</u> P.O.A.	<u>12662-1P</u> P.O.A.	<u>12662-1P</u> P.O.A.

On pneumatic/pneumatic preaction systems only, releasing devices (pneumatic actuators) are included in releasing trim.


	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Riser Check Valve and Trim (IPG V259 / V222)							
<u>Riser Check Valve</u> Threaded	<u>10659</u> \$714.05	<u>10667</u> \$825.57	N/A	N/A	N/A	N/A	N/A
<u>Riser Check Valve</u> Flange / Flange	N/A	N/A	N/A	<u>08505</u> \$1,204.63	<u>08508</u> \$1,241.21	<u>08511</u> \$2,046.52	N/A
<u>Riser Check Valve</u> Flange / Groove	N/A	N/A	N/A	<u>08506</u> \$1,021.65	<u>08509</u> \$1,051.58	<u>08512</u> \$1,740.35	<u>08515</u> \$2,463.31
<u>Riser Check Valve</u> Groove / Groove	<u>11054</u> \$714.05	<u>11059</u> \$825.57	<u>07929</u> \$868.53	<u>08507</u> \$868.53	<u>08510</u> \$868.53	<u>08513</u> \$1,607.28	<u>08516</u> \$2,276.15
<u>Riser Check Valve Trim</u> (For Preaction)	<u>12960</u> \$236.98	<u>12960</u> \$236.98	<u>13776</u> \$593.68	<u>13776</u> \$593.68	<u>13777</u> \$627.57	<u>13777</u> \$627.57	<u>13777</u> \$627.57

Riser check valve trim includes system main drain valve and air pressure gauge.

Viking Quik Pik Packages - Complete packages customized to fit your requirements						See pgs O-14-17 for available accessories & related equipment
Viking's exclusive Quik Pik packages allow you to customize the components needed in your deluge or preaction system. Contact your customer service center today to see how quick & easy ordering a deluge or preaction system can be.			SQP00650 (1 1/2" - Thread)	SQP00690 (4" - F x G)		
			SQP00660 (2" - Thread)	SQP00700 (4" - F x F)		
			SQP00670 (3" - F x G)	SQP00710 (6" - F x G)		
			SQP00680 (3" - F x F)	SQP00720 (6" - F x F)		

Preaction System - Double Interlocked - Electric/Pneumatic Release

Straight-through valve shown.
Also available in angle-style
configuration



Description

- A.1 Model F deluge valve
Deluge valve conventional trim including:
B.1 Priming connection ball valve (N.O.)
B.2 Y strainer
B.3 Restricted orifice
B.4 Spring loaded in-line check valve
B.5 Alarm test valve (normally closed)
B.6 Auxiliary drain valve (normally closed)
B.7 Drip check valve
B.8 Drain check valve
B.9 Alarm shut-off valve (normally open)
B.10 Pressure operated relief valve (porv)
B.11 Model C emergency release
B.12 Priming pressure water gauge & valve
B.13 Water supply pressure gauge & valve
B.14 Drain cup
B.15 Flow test valve (normally closed)
C.1 Alarm pressure switch and/or
C.2 Model F-2 water motor alarm including:
C.3 3/4" / DN20 alarm line Y strainer
C.4 Electric alarm bell
D.1 Water supply control valve
D.2 Easy Riser® check valve & trim including:
D.3 System main drain valve
E.1 Air pressure gauge and valve
E.2 Soft seat air supply check valve
E.3 Air pressure supervisory switch
F.1 Electric/pneumatic release module trim
F.1 Solenoid valve (normally closed)
F.1 Pneumatic actuator
F.3 VFR400 release control panel
F.4 Electric detection system
F.4 Model E-1 accelerator (optional)
F.5 Accelerator isolation ball valve
G.1 Automatic air supply
G.2 Air pressure supervisory switch
G.3 Soft seat air supply check valve
G.4 Shut-off ball valve
G.5 Dehydrator package
G.6 D-2 air maintenance device and by-pass trim

Components shown above are included in QuikPik packages as customized by user. See page O-9.

Model F Deluge / Preaction Valve* - STRAIGHT THROUGH

V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thread X	<u>12126</u>	<u>12059</u>	<u>12401</u>	N/A	N/A	N/A	N/A
Thread	\$3,008.59	\$3,109.63	\$4,106.31				
Flange X	N/A	N/A	N/A	<u>12014</u>	<u>11953</u>	<u>11955</u>	<u>11991</u>
Flange				\$4,106.31	\$5,348.85	\$7,316.26	\$16,572.21
Flange X	N/A	N/A	N/A	<u>12018</u>	<u>11952</u>	<u>11954</u>	N/A
Groove				\$4,106.31	\$5,348.85	\$7,316.26	
Groove X	<u>12125</u>	<u>12057</u>	<u>12403</u>	<u>12022</u>	<u>11513</u>	<u>11524</u>	<u>11018</u>
Groove	\$3,008.59	\$3,109.63	\$4,106.31	\$4,106.31	\$5,348.85	\$7,316.26	\$16,572.21

Model E Deluge / Preaction Valve* - ANGLE STYLE

V233	1-1/2"	2"	3"	4"	6"
Thread X	<u>09889</u>	<u>05852C</u>	N/A	N/A	N/A
Thread	\$1,559.56	\$3,477.61			
Flange X	N/A	N/A	<u>05912C</u>	<u>05909C</u>	<u>05906C</u>
Flange			\$4,592.20	\$5,981.81	\$8,182.05
Flange X	N/A	N/A	<u>05835C</u>	<u>05839C</u>	<u>05456C</u>
Groove			\$4,592.20	\$5,981.81	\$8,182.05

* Valve is not included in trim packages. Please order separately. See following page for trim packages and equipment.

Preaction System - Double Interlocked - Electric/Pneumatic Release

TrimPac® V234	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Angle/Straight-Through	<u>13794B-5</u> \$6,362.45	<u>13794B-5</u> \$6,362.45	<u>13794B-5</u> \$6,362.45	<u>13794B-5</u> \$6,362.45	<u>13794B-5</u> \$6,362.45	<u>13794B-5</u> \$6,362.45	<u>13794B-5</u> \$6,362.45

TrimPac® includes conventional trim, releasing devices, releasing trim, and flexible hose kit.

Drain package for TrimPac® must be ordered separately (see below).

Drain Package (IPG V257)

Use with TrimPac® (order separately)	<u>11894-1</u> \$548.37	<u>11894-2</u> \$443.55	<u>11894-3</u> \$502.66	<u>11894-3</u> \$502.66	<u>11894-4</u> \$645.13	<u>11894-4</u> \$645.13	<u>11894-4</u> \$645.13
---	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------

1-1/2"	2"	2-1/2"	3"	4"	6"	8"
--------	----	--------	----	----	----	----

Trim (Vertical - Straight Through Valve) - Galvanized (IPG V236)

Loose Trim (incl. accessory pkg-09316)	<u>14634-1</u> \$3,353.17	<u>14634-1</u> \$3,353.17	<u>14636-1</u> \$3,281.51	<u>14636-1</u> \$3,281.51	<u>14639-1</u> \$3,433.76	<u>14641-1</u> \$3,441.82	<u>14642-1</u> \$4,985.62
Modular Trim (incl. accessory pkg-09316)	<u>14634-1P</u> \$3,655.92	<u>14634-1P</u> \$3,655.92	<u>14636-1P</u> \$3,584.22	<u>14636-1P</u> \$3,584.22	<u>14639-1P</u> \$3,737.92	<u>14641-1P</u> \$3,745.94	<u>14642-1P</u> \$5,289.75

Trim (Vertical - Angle Style Valve) - Galvanized (IPG V236)

Loose Trim (incl. accessory pkg-09316)	<u>14629-1</u> \$3,511.34	<u>14630-1</u> \$3,379.78	N/A	<u>14631-1</u> \$3,436.29	<u>14632-1</u> \$3,595.77	<u>14633-1</u> \$3,604.16	N/A
Modular Trim (incl. accessory pkg-09316)	<u>14629-1P</u> \$3,814.07	<u>14630-1P</u> \$3,682.53	N/A	<u>14631-1P</u> \$3,739.03	<u>14632-1P</u> \$3,898.48	<u>14633-1P</u> \$3,906.91	N/A

1-1/2"	2"	2-1/2"	3"	4"	6"	8"
--------	----	--------	----	----	----	----

Releasing Devices

Solenoid Valve IPG V240	<u>11601</u> \$999.44	<u>11601</u> \$999.44	<u>11601</u> \$999.44	<u>11601</u> \$999.44	<u>11601</u> \$999.44	<u>11601</u> \$999.44	<u>11601</u> \$999.44
Pneumatic Actuator IPG V226	<u>06459B</u> \$643.93	<u>06459B</u> \$643.93	<u>06459B</u> \$643.93	<u>06459B</u> \$643.93	<u>06459B</u> \$643.93	<u>06459B</u> \$643.93	<u>06459B</u> \$643.93

Releasing Trim - Galvanized (IPG V238)

Loose Trim (releasing device not incl.)	<u>12661-1</u> \$108.09	<u>12661-1</u> \$108.09	<u>12661-1</u> \$108.09	<u>12661-1</u> \$108.09	<u>12661-1</u> \$108.09	<u>12661-1</u> \$108.09	<u>12661-1</u> \$108.09
Modular Trim (releasing device not incl.)	<u>12661-1P</u> \$431.64	<u>12661-1P</u> \$431.64	<u>12661-1P</u> \$431.64	<u>12661-1P</u> \$431.64	<u>12661-1P</u> \$431.64	<u>12661-1P</u> \$431.64	<u>12661-1P</u> \$431.64
Loose Trim - DOMESTIC (releasing device not incl.)	<u>12661-1USA</u> \$144.12	<u>12661-1USA</u> \$144.12	<u>12661-1USA</u> \$144.12	<u>12661-1USA</u> \$144.12	<u>12661-1USA</u> \$144.12	<u>12661-1USA</u> \$144.12	<u>12661-1USA</u> \$144.12

1-1/2"	2"	2-1/2"	3"	4"	6"	8"
--------	----	--------	----	----	----	----


Riser Check Valve and Trim (IPG V259 / V222)

Riser Check Valve Threaded	<u>10659</u> \$714.05	<u>10667</u> \$825.57	N/A	N/A	N/A	N/A	N/A
Riser Check Valve Flange / Flange	N/A	N/A	N/A	<u>08505</u> \$1,204.63	<u>08508</u> \$1,241.21	<u>08511</u> \$2,046.52	N/A
Riser Check Valve Flange / Groove	N/A	N/A	N/A	<u>08506</u> \$1,021.65	<u>08509</u> \$1,051.58	<u>08512</u> \$1,740.35	<u>08515</u> \$2,463.31
Riser Check Valve Groove / Groove	<u>11054</u> \$714.05	<u>11059</u> \$825.57	<u>07929</u> \$868.53	<u>08507</u> \$868.53	<u>08510</u> \$868.53	<u>08513</u> \$1,607.28	<u>08516</u> \$2,276.15
Riser Check Valve Trim (For Preaction)	<u>12960</u> \$236.98	<u>12960</u> \$236.98	<u>13776</u> \$593.68	<u>13776</u> \$593.68	<u>13777</u> \$627.57	<u>13777</u> \$627.57	<u>13777</u> \$627.57

Riser check valve trim includes system main drain valve and air pressure gauge.

Viking Quik Pik Packages - Complete packages customized to fit your requirements						See pgs O-14-17 for available accessories & related equipment
Viking's exclusive Quik Pik packages allow you to customize the components needed in your deluge or preaction system. Contact your customer service center today to see how quick & easy ordering a deluge or preaction system can be.			SQP00570 (1 1/2" - Thread)		SQP00610 (4" - F x G)	
			SQP00580 (2" - Thread)		SQP00620 (4" - F x F)	
			SQP00590 (3" - F x G)		SQP00630 (6" - F x G)	
			SQP00600 (3" - F x F)		SQP00640 (6" - F x F)	

Preaction System - Double Interlocked - Electric/Pneumatic Release



Description

- A.1 Model E deluge valve
Deluge valve conventional trim including:
B.1 Priming connection ball valve (N.O.)
B.2 Y strainer
B.3 Restricted orifice
B.4 Spring loaded in-line check valve
B.5 Alarm test valve (normally closed)
B.6 Auxiliary drain valve (normally closed)
B.7 Drip check valve
B.8 Drain check valve
B.9 Alarm shut-off valve (normally open)
B.10 Pressure operated relief valve (PORV)
B.11 Model c emergency release
B.12 Priming pressure water gauge & valve
B.13 Water supply pressure gauge & valve
B.14 Drain cup
B.15 Flow test valve (normally closed)
- C.1 Alarm pressure switch and/or
C.2 Model F-2 water motor alarm including:
C.3 3/4" / DN20 alarm line Y strainer
C.4 Electric alarm bell
- D.1 Water supply control valve
D.2 Easy Riser® check valve
Easy Riser® trim for preaction (including)
D.3 System main drain valve
E.1 Air pressure gauge and valve
E.2 Soft seat air supply check valve
E.3 Air pressure supervisory switch
F.1 Solenoid valve (normally closed)
F.2 Electric release module trim
F.3 VFR-400 Release control panel
F.4 Electric detection system
F.5 Model E-1 accelerator (optional)
F.6 Accelerator isolation ball valve
G.1 Automatic air supply
G.2 Air pressure supervisory switch
G.3 Soft seat air supply check valve
G.4 Shut-off ball valve
G.5 Dehydrator package
G.6 D-2 air maintenance device & by-pass trim

Components shown above are included in Quik Pik packages as customized by user. See page O-11.

Model F Deluge / Preaction Valve* - STRAIGHT THROUGH

V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thread X Thread	<u>12126</u> \$3,008.59	<u>12059</u> \$3,109.63	<u>12401</u> \$4,106.31	N/A	N/A	N/A	N/A
Flange X Flange	N/A	N/A	N/A	<u>12014</u> \$4,106.31	<u>11953</u> \$5,348.85	<u>11955</u> \$7,316.26	<u>11991</u> \$16,572.21
Flange X Groove	N/A	N/A	N/A	<u>12018</u> \$4,106.31	<u>11952</u> \$5,348.85	<u>11954</u> \$7,316.26	N/A
Groove X Groove	<u>12125</u> \$3,008.59	<u>12057</u> \$3,109.63	<u>12403</u> \$4,106.31	<u>12022</u> \$4,106.31	<u>11513</u> \$5,348.85	<u>11524</u> \$7,316.26	<u>11018</u> \$16,572.21

Model E Deluge / Preaction Valve* - ANGLE STYLE

V233	1-1/2"	2"	3"	4"	6"
Thread X Thread	<u>09889</u> \$1,559.56	<u>05852C</u> \$3,477.61	N/A	N/A	N/A
Flange X Flange	N/A	N/A	<u>05912C</u> \$4,592.20	<u>05909C</u> \$5,981.81	<u>05906C</u> \$8,182.05
Flange X Groove	N/A	N/A	<u>05835C</u> \$4,592.20	<u>05839C</u> \$5,981.81	<u>05456C</u> \$8,182.05

See page O-18-19 for additional valve and trim options, including Halar® coated valves, horizontal trim, domestic trim, and brass trim packages.

* Valve is not included in trim packages. Please order separately. See following page for trim packages and equipment.

Preaction System - Double Interlocked - Electric/Pneu-lectric Release

TrimPac® V234	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Angle/Straight-Through	<u>13796B-6</u>	<u>13796B-6</u>	<u>13796B-6</u>	<u>13796B-6</u>	<u>13796B-6</u>	<u>13796B-6</u>	<u>13796B-6</u>
	\$5,413.12	\$5,413.12	\$5,413.12	\$5,413.12	\$5,413.12	\$5,413.12	\$5,413.12

TrimPac® includes conventional trim, releasing device (solenoid valve), releasing trim, and flexible hose kit.
Drain package for TrimPac® must be ordered separately (see below).

Drain Package (IPG V257)

Use with TrimPac® (order separately)	<u>11894-1</u>	<u>11894-2</u>	<u>11894-3</u>	<u>11894-3</u>	<u>11894-4</u>	<u>11894-4</u>	<u>11894-4</u>
	\$548.37	\$443.55	\$502.66	\$502.66	\$645.13	\$645.13	\$645.13

1-1/2"	2"	2-1/2"	3"	4"	6"	8"
--------	----	--------	----	----	----	----

Trim (Vertical - Straight Through Valve) - Galvanized (IPG V236)

Loose Trim (incl. accessory pkg-09316)	<u>14634-1</u>	<u>14634-1</u>	<u>14636-1</u>	<u>14636-1</u>	<u>14639-1</u>	<u>14641-1</u>	<u>14642-1</u>
	\$3,353.17	\$3,353.17	\$3,281.51	\$3,281.51	\$3,433.76	\$3,441.82	\$4,985.62
Modular Trim (incl. accessory pkg-09316)	<u>14634-1P</u>	<u>14634-1P</u>	<u>14636-1P</u>	<u>14636-1P</u>	<u>14639-1P</u>	<u>14641-1P</u>	<u>14642-1P</u>
	\$3,655.92	\$3,655.92	\$3,584.22	\$3,584.22	\$3,737.92	\$3,745.94	\$5,289.75

Trim (Vertical - Angle Style Valve) - Galvanized (IPG V236)

Loose Trim (incl. accessory pkg-09316)	<u>14629-1</u>	<u>14630-1</u>	N/A	<u>14631-1</u>	<u>14632-1</u>	<u>14633-1</u>	N/A
	\$3,511.34	\$3,379.78		\$3,436.29	\$3,595.77	\$3,604.16	
Modular Trim (incl. accessory pkg-09316)	<u>14629-1P</u>	<u>14630-1P</u>	N/A	<u>14631-1P</u>	<u>14632-1P</u>	<u>14633-1P</u>	N/A
	\$3,814.07	\$3,682.53		\$3,739.03	\$3,898.48	\$3,906.91	

1-1/2"	2"	2-1/2"	3"	4"	6"	8"
--------	----	--------	----	----	----	----

Releasing Devices (IPG V240)

Solenoid Valve	<u>11601</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>	<u>11601</u>
	\$999.44	\$999.44	\$999.44	\$999.44	\$999.44	\$999.44	\$999.44

Releasing Trim - Galvanized (IPG V238)

Loose Trim (releasing device not incl.)	<u>10830</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>	<u>10830</u>
	\$104.16	\$104.16	\$104.16	\$104.16	\$104.16	\$104.16	\$104.16
Modular Trim (releasing device not incl.)	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>	<u>10830P</u>
	\$449.63	\$449.63	\$449.63	\$449.63	\$449.63	\$449.63	\$449.63
Loose Trim - DOMESTIC (releasing device not incl.)	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>	<u>10830USA</u>
	\$138.86	\$138.86	\$138.86	\$138.86	\$138.86	\$138.86	\$138.86

1-1/2"	2"	2-1/2"	3"	4"	6"	8"
--------	----	--------	----	----	----	----


Riser Check Valve and Trim (IPG V259 / V222)

Riser Check Valve Threaded	<u>10659</u>	<u>10667</u>	N/A	N/A	N/A	N/A	N/A
	\$714.05	\$825.57					
Riser Check Valve Flange / Flange	N/A	N/A	N/A	<u>08505</u>	<u>08508</u>	<u>08511</u>	N/A
				\$1,204.63	\$1,241.21	\$2,046.52	
Riser Check Valve Flange / Groove	N/A	N/A	N/A	<u>08506</u>	<u>08509</u>	<u>08512</u>	<u>08515</u>
				\$1,021.65	\$1,051.58	\$1,740.35	\$2,463.31
Riser Check Valve Groove / Groove	<u>11054</u>	<u>11059</u>	<u>07929</u>	<u>08507</u>	<u>08510</u>	<u>08513</u>	<u>08516</u>
	\$714.05	\$825.57	\$868.53	\$868.53	\$868.53	\$1,607.28	\$2,276.15
Riser Check Valve Trim (For Preaction)	<u>12960</u>	<u>12960</u>	<u>13776</u>	<u>13776</u>	<u>13777</u>	<u>13777</u>	<u>13777</u>
	\$236.98	\$236.98	\$593.68	\$593.68	\$627.57	\$627.57	\$627.57

Riser check valve trim includes system main drain valve and air pressure gauge.

Viking Quik Pik Packages - Complete packages customized to fit your requirements						See pgs O-14-17 for available accessories & related equipment
Viking's exclusive Quik Pik packages allow you to customize the components needed in your deluge or preaction system. Contact your customer service center today to see how quick & easy ordering a deluge or preaction system can be.			SQP00730 (1 1/2" - Thread)		SQP00770 (4" - F x G)	
			SQP00740 (2" - Thread)		SQP00780 (4" - F x F)	
			SQP00750 (3" - F x G)		SQP00790 (6" - F x G)	
			SQP00760 (3" - F x F)		SQP00800 (6" - F x F)	

SureFire® Preaction System - Single/Double Interlocked



Components shown above are included in Quik Pik packages as customized by user. See page O-13.

TrimPac can be used with either straight through or angle style valves (straight through shown)

Model F Deluge / Preaction Valve* - STRAIGHT THROUGH

V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thread X	<u>12126</u>	<u>12059</u>	<u>12401</u>	N/A	N/A	N/A	N/A
Thread	\$3,008.59	\$3,109.63	\$4,106.31				
Flange X	N/A	N/A	N/A	<u>12014</u>	<u>11953</u>	<u>11955</u>	<u>11991</u>
Flange				\$4,106.31	\$5,348.85	\$7,316.26	\$16,572.21
Flange X	N/A	N/A	N/A	<u>12018</u>	<u>11952</u>	<u>11954</u>	N/A
Groove				\$4,106.31	\$5,348.85	\$7,316.26	
Groove X	<u>12125</u>	<u>12057</u>	<u>12403</u>	<u>12022</u>	<u>11513</u>	<u>11524</u>	<u>11018</u>
Groove	\$3,008.59	\$3,109.63	\$4,106.31	\$4,106.31	\$5,348.85	\$7,316.26	\$16,572.21

Model E Deluge / Preaction Valve* - ANGLE STYLE

V233	1-1/2"	2"	3"	4"	6"
Thread X	<u>09889</u>	<u>05852C</u>	N/A	N/A	N/A
Thread	\$1,559.56	\$3,477.61			
Flange X	N/A	N/A	<u>05912C</u>	<u>05909C</u>	<u>05906C</u>
Flange			\$4,592.20	\$5,981.81	\$8,182.05
Flange X	N/A	N/A	<u>05835C</u>	<u>05839C</u>	<u>05456C</u>
Groove			\$4,592.20	\$5,981.81	\$8,182.05

See page O-18-19 for additional valve and trim options, including Halar® coated valves, horizontal trim, domestic trim, and brass trim packages.

* Valve is not included in trim packages. Please order separately. See following page for trim packages and equipment.

SureFire® Preaction System - Single/Double Interlocked

Viking's SureFire® fail safe preaction system is available in TrimPac arrangement only. Loose or modular trim not offered.

TrimPac® ^{1,2,3} V234	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Single Interlock (includes release & trim)	<u>13798D-1</u> \$7,308.81	<u>13798D-1</u> \$7,308.81	<u>13798D-1</u> \$7,308.81	<u>13798D-1</u> \$7,308.81	<u>13798D-1</u> \$7,308.81	<u>13798D-1</u> \$7,308.81	<u>13798D-1</u> \$7,308.81
Double Interlock (includes release & trim)	<u>13799D-2</u> \$7,993.14	<u>13799D-2</u> \$7,993.14	<u>13799D-2</u> \$7,993.14	<u>13799D-2</u> \$7,993.14	<u>13799D-2</u> \$7,993.14	<u>13799D-2</u> \$7,993.14	<u>13799D-2</u> \$7,993.14

(1) SureFire® TrimPac® systems include conventional trim, releasing device, releasing trim, and flexible hose kit.

Use with both angle and straight through style valves.

(2) Drain package for TrimPac® must be ordered separately (see below).

(3) Galvanized trim. Brass trim options shown on page O-18.

Drain Package (IPG V257)

Use with TrimPac® (order separately)	<u>11894-1</u> \$548.37	<u>11894-2</u> \$443.55	<u>11894-3</u> \$502.66	<u>11894-3</u> \$502.66	<u>11894-4</u> \$645.13	<u>11894-4</u> \$645.13	<u>11894-4</u> \$645.13
--	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------

	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Riser Check Valve and Trim (IPG V259 / V222)							
Riser Check Valve Threaded	<u>10659</u> \$714.05	<u>10667</u> \$825.57	N/A	N/A	N/A	N/A	N/A
Riser Check Valve Flange / Flange	N/A	N/A	N/A	<u>08505</u> \$1,204.63	<u>08508</u> \$1,241.21	<u>08511</u> \$2,046.52	N/A
Riser Check Valve Flange / Groove	N/A	N/A	N/A	<u>08506</u> \$1,021.65	<u>08509</u> \$1,051.58	<u>08512</u> \$1,740.35	<u>08515</u> \$2,463.31
Riser Check Valve Groove / Groove	<u>11054</u> \$714.05	<u>11059</u> \$825.57	<u>07929</u> \$868.53	<u>08507</u> \$868.53	<u>08510</u> \$868.53	<u>08513</u> \$1,607.28	<u>08516</u> \$2,276.15
Riser Check Valve Trim (For Preaction)	<u>12960</u> \$236.98	<u>12960</u> \$236.98	<u>13776</u> \$593.68	<u>13776</u> \$593.68	<u>13777</u> \$627.57	<u>13777</u> \$627.57	<u>13777</u> \$627.57

Riser check valve trim includes system main drain valve and air pressure gauge.

Viking Quik Pik Packages - Complete packages customized to fit your requirements


Viking's Quik Pik packages allow you to customize the components needed in your deluge or preaction system. Contact your customer service center today to see how quick & easy ordering a system can be.

SureFire® - Single Interlocked		SureFire® - Double Interlocked	
SQP01050 (1 1/2" / DN40)	SQP01080 (4" / DN100)	SQP01110 (1 1/2" / DN40)	SQP01140 (4" / DN100)
SQP01060 (2" / DN50)	SQP01090 (6" / DN150)	SQP01120 (2" / DN50)	SQP01150 (6" / DN150)
SQP01070 (3" / DN80)	SQP01100 (8" / DN200)	SQP01130 (3" / DN80)	SQP01160 (8" / DN200)

Accessories for TrimPac®			
Replacement Hose V234		Riser Mounting Kit V234	
PVC drain hose		(use when mounting TrimPac® unit to riser)	
	12071 \$148.90	Vertical	11900 \$1,034.04
		Horizontal	11901 \$1,421.88
Air Line Trim - TANK MOUNTED V234		Air Line Trim - TANKLESS V234	
(not for use with Deluge TrimPac® Systems)		(not for use with Deluge TrimPac® Systems)	
13770 \$1,869.64		13771 \$659.19	








See pages O-14 through O-17 for additional accessories and related components.

Accessories and Additional Components

In-Line Check Valves			In-Line Check Valve Trim (1-1/2" - 2")			Ball Valve			 IPG V226		
						Brass			Stainless Steel		
<u>Model K-1 (threaded)</u>			<u>Model L-1 / K-1</u>			1/4"	10354	\$32.17	10644	\$276.67	
1 1/2"	10659	\$714.05	12960			1/2"	10355	\$54.66	10645	\$278.24	
2"	10667	\$825.57	\$236.98			1"	10356	\$81.12	10646	\$443.81	
<u>Model L-1 (grooved)</u>									10647	\$537.96	
1 1/2"	11054	\$714.05							10648	\$1,025.44	
2"	11059	\$825.57							10649	\$1,391.91	
IPG V259			IPG V222								

Pressure Operated Relief Valve (PORV) - Model D-3		
		
<u>1/2" / DN15</u>		
<u>Brass</u>		
16970	\$1,503.36	
IPG V242		




Pressure Operated Relief Valve (PORV) - Model D-4		
		
<u>1/2" / DN15</u>		
<u>Corrosion Resistant</u>		
16971	\$2,312.86	
IPG V242		

Restricted Orifice			Air Gauge			Globe Valve for Gauges (side outlet)		
								
<u>1/4" (DN8)</u>			0-300 psi (2068 kPa)			<u>1/4" / DN8</u>		
1/16" (1.6mm)	10110	\$38.92	<u>1/4" / DN8</u>			76V-25	\$21.58	
<u>Corrosion Resistant</u>			VAIRSF			IPG V226		
1/16" (1.6mm)	10110J	\$90.73	IPG SR295					
Drip Check Valve - Model D-1			Drain Cup			Drain Check Valve		
Velocity Check <u>3/4" / DN20</u>								
	10730	\$196.74	<u>1 1/2" / DN40</u>			<u>1/2" / DN15</u>		
<u>Corrosion Resistant (D-4)</u>			01019B			05781A	\$100.12	
IPG V226	10733	\$296.76	IPG V226			<u>Corrosion Resistant</u>		
						05781AJ	\$209.45	
Y Strainer			Water Gauge			Prime Shut-Off Valve		
								
<u>1/4" / DN15</u>			0-300 psi			<u>1/2" / DN15</u>		
14BYS	\$45.90		<u>1/4" VWATERSF</u>			10723	\$851.81	
IPG SR260			IPG SR295			<u>Corrosion Resistant</u>		
						10724	\$1,522.56	
			Restricted Orifice			In-Line Check Valve		
								
			<u>5/64" / 2mm</u>			<u>1/4" / DN8</u>		
			<u>1/2" / DN15</u>			04947A	\$93.13	
			11706			IPG V226		
			\$80.40					
			Emergency Release					
			<u>1/2" (Galvanized)</u>			<u>Brass</u>		
			<u>Model C-1</u>			<u>Model C-2</u>		
			01553C	\$384.59		09387	\$641.52	
						<u>Corrosion Resistant</u>		
						<u>Model C-3</u>		
						09734	\$787.05	
						IPG V226		

Accessories for TrimPac® (IPG V234)

Air Line Trim			Replacement Hose			Riser Mounting Kit		
(not for use with Deluge TrimPac System)			<u>PVC drain hose</u>			(when mounting TrimPac to riser)		
<u>Tank Mounted</u>			12071	\$148.90		Vertical	11900	\$1,034.04
<u>Tankless</u>						Horizontal	11901	\$1,421.88
13770	\$1,869.64							
13771	\$659.19							

Accessories for Old Style Trim

Model A-2 Strainer Orifice Check Vlv			Alarm Test/Alarm Shut-Off Valve			Spring Loaded Check Valve		
								
<u>1/4" (DN8)</u>			<u>1/2" (DN15)</u>			<u>1/2" (DN15)</u>		
06579B	\$365.65		06174A	\$393.71		12WILC	\$114.81	
V226			V226			SR140		

Accessories for Electric Release Systems

SOLENOID VALVES (1/2" / DN15)				IPG V240
Normally Closed (rated to 250 psi (1724 kPa))				
	<u>Deluge & Preaction, SureFire</u>		<u>Part No.</u>	<u>List Price</u>
	NEMA 1,2,3,3S,4,4X	24 VDC	11601	\$999.44
	<u>Explosion Proof</u>			
	NEMA 3,3S,4,4X,6,6P,7,9	24 VDC	11602	\$1,670.31
Normally Closed (rated to 300 psi (2068 kPa))				
	<u>Firecycle III, TotalPac & Special Application</u>			
	NEMA 2,3,3S,4,4X	24 VDC	11591	\$1,276.06
	NEMA 1,2,3,3S,4,4X	110 VAC/50 HZ	11593	\$1,085.84
	NEMA 1,2,3,3S,4,4X	120 VAC/60 HZ	11594	\$1,476.63
	<u>Explosion Proof</u>			
	NEMA 3,3S,4,4X,6,6P,7,9	24 VDC	11592	\$1,670.31
	NEMA 3,3S,4,4X,6,6P,7,9	110 VAC/50 HZ	11594	\$1,476.63
	NEMA 3,3S,4,4X,6,6P,7,9	120 VAC/60 HZ	11594	\$1,476.63
	ATEX, EEx, mII, T4/T5	110 VAC/50 HZ	12359	\$1,753.24
	ATEX, EEx, mII, T4/T5	24 VDC	12360	\$1,946.93
Normally Open (rated to 300 psi (2068 kPa))				
	<u>Firecycle III</u>			
	NEMA 2,3,3S,4,4X	24 VDC	11595	\$2,123.32
	<u>Surefire & TrimPac</u>			
	NEMA 2,3,3S,4,4X	24 VDC	13215	\$2,123.32
	<u>Explosion Proof</u>			
	NEMA 3,3S,4,4X,6,6P,7,9	24 VDC	11596	\$2,960.17
	ATEX, EEx, mII, T4/T5	24 VDC	12358	\$3,236.75

RELEASE CONTROL PANEL (VFR-400)			IPG V241		
VFR-400 Release Control Panel				<u>Part No.</u>	<u>List Price</u>
- Multi-hazard operation - Features on board, menu driven programming - Four Class B initiating circuits - Two Class B supervisory circuits** - Four Class B output circuits - Programmable cross zoning - 12 standard programs (program options for Viking preaction, deluge, Surefire® and Firecycle® systems)				14152-1	\$4,160.38
**Can be used for Supervisory, Tamper, Low Air or High Air				* see below for accessories and optional modules	
Optional Modules / Accessories				Batteries (two required per panel)	
	<u>Part No.</u>	<u>List Price</u>		<u>Part No.</u>	<u>List Price</u>
CA2Z Module (class A initiating device circuit):	14155	\$248.38	8 Amp	07920 \$95.43	
CAM2 Module (class A indicating appliance circuit):	14156	\$285.63	12 Amp	07921 P.O.A.	
ARM-1/ARM-2 Module (auxiliary relay module):	14157	\$360.15	18 Amp	09867 P.O.A.	
RA-4410-RC (remote annunciator):	14154	\$1,303.98	Battery Cabinet (for 18 amp hr battery)		
MR-101/T SPDT Relay Module:	14159	\$145.95	<u>Part No.</u>	<u>List Price</u>	
MR-201 DPDT Relay Module:	14160	\$183.17	09866	\$727.01	
MR801/T SPDT Relay w/Led Indicator:	14161	\$77.62			
ELOD Resistor/Diode:	14162	\$37.26			
ELOR Resistor:	14163	\$3.12			

Alarm Devices

Alarm Pressure Switch - SR020

<u>Adjustable Range (4-20 psi)</u>			<u>Explosion Proof</u>		
<u>1/2" / DN50</u>			Dual SPDT	PS10-EX	\$1,460.48
Single SPDT	PS101A	\$232.62	Dual SPDT	PS40EX	\$1,460.48
Dual SPDT	PS102A	\$279.81	<i>* Cenelec approved</i>		
 <i>* Manufactured by Potter</i>			<u>Pressure Adj Access Key</u>		
			10600		
			<u>Cover Removal Key</u>		
			10601		
			10601		\$28.54

** Appropriate hex keys included with switches.*

Pressure Supervisory Switch (Air, Nitrogen, Water) - IPG SR020

<u>Adjustable Range (10-175 psi)</u>			<u>Explosion Proof</u>		
<u>1/2" / DN50</u>			Dual SPDT	10379	\$1,880.32
Single SPDT	PS401A	\$232.62	<i>* Cenelec approved</i>		
Dual SPDT	PS402A	\$279.81	<u>Pressure Adj Access Key</u>		
 <i>* Manufactured by Potter</i>			10600		
<u>Cover Tamper Switch Kit</u>			<u>Cover Removal Key</u>		
09601			10601		
			\$145.95		
			\$28.54		

** Appropriate hex keys included with switches.*


Flow Switch - SR010

Waterflow Indicators


(adjustable retard up to 120 sec. - 2 SPDT contacts)

Model VSR

1-2" / DN40	VSRF0100	\$332.34
2" / DN50	VSRF0200	\$360.22
2½" / DN65	VSRF0250	\$360.22
3" / DN80	VSRF0300	\$360.22
3½" / DN90	VSRF0350	\$360.22
4" / DN100	VSRF0400	\$360.22
5" / DN125	VSRF0500	\$360.22
6" / DN150	VSRF0600	\$360.22
8" / DN200	VSRF0800	\$403.10



Water Motor Alarm and Accessories - IPG V226

<u>Water Motor Alarm</u>			<u>Closure Plate</u>		
 <u>Model F-2</u>					
07862			05820B		
\$648.58			\$132.37		
<u>Adjustable Shaft</u>			<u>Alarm Line Y Strainer</u>		
(wall thickness up to 30-1/4 in / 768 mm)					
			<u>3/4" (DN20)</u>		
03312B			01489A		
\$127.01			\$193.13		
<u>Extension Cup</u>					
					
05957B					
\$105.90					

Special Valves and Trim

Halar® Coated Deluge / Preaction Valves (Model E-2/F-2)

Straight-Through (Model F-2)

IPG V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Thread X Thread	N/A	N/A	<u>12402Q/B</u> \$6,433.28	N/A	N/A	N/A	N/A
Flange X Flange	N/A	N/A	N/A	<u>12015Q/B</u> \$6,433.28	<u>11960Q/B</u> \$8,607.19	<u>11962Q/B</u> \$11,517.71	<u>11992Q/B</u> \$24,111.59
Flange X Groove	N/A	N/A	N/A	<u>12019Q/B</u> \$6,433.28	<u>11959Q/B</u> \$8,607.19	<u>11961Q/B</u> \$11,517.71	N/A
Groove X Groove	<u>12127Q/B</u> \$4,766.38	<u>12058Q/B</u> \$4,779.35	<u>12404Q/B</u> \$6,433.28	<u>12023Q/B</u> \$6,433.28	<u>11514Q/B</u> \$8,607.19	<u>11525Q/B</u> \$11,517.71	<u>11118Q/B</u> \$22,946.78

Angle Style (Model E-2)

IPG V233	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Flange X Flange	N/A	N/A	N/A	<u>08362Q/B</u> \$7,194.59	<u>08363Q/B</u> \$9,358.37	<u>08364Q/B</u> \$12,522.88	N/A
Flange X Groove	N/A	N/A	N/A	<u>11064Q/B</u> \$7,194.59	<u>11065Q/B</u> \$9,625.75	<u>11001Q/B</u> \$12,880.69	N/A

HORIZONTAL TRIM - Conventional Deluge / Preaction Trim

Galvanized (use with straight through valves)

IPG V236	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<u>Loose Trim</u> (incl. accessory pkg-09316)	<u>14635-1</u> \$3,353.17	<u>14635-1</u> \$3,353.17	<u>14637-1</u> \$3,281.51	<u>14637-1</u> \$3,281.51	<u>14638-1</u> \$3,433.76	<u>14640-1</u> \$3,441.82	<u>14643-1</u> \$4,985.62
<u>Modular Trim</u> (incl. accessory pkg-09316)	<u>14635-1P</u> \$3,655.92	<u>14635-1P</u> \$3,655.92	<u>14637-1P</u> \$3,584.22	<u>14637-1P</u> \$3,584.22	<u>14638-1P</u> \$3,737.92	<u>14640-1P</u> \$3,745.94	<u>14643-1P</u> \$5,289.75

BRASS TRIMS - Conventional Deluge / Preaction Trim

Angle Style Valves

IPG V237	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<u>Loose Trim</u> (incl. accessory pkg-09316)	<u>14629-2</u> \$5,926.04	<u>14630-2</u> \$5,495.93	N/A	<u>14631-2</u> \$5,628.25	<u>14632-2</u> \$6,013.86	<u>14633-2</u> \$6,083.26	N/A
<u>Modular Trim</u> (incl. accessory pkg-09316)	<u>14629-2P</u> P.O.A.	<u>14630-2P</u> \$5,813.38	N/A	<u>14631-2P</u> P.O.A.	<u>14632-2P</u> \$6,331.30	<u>14633-2P</u> \$6,400.78	N/A

Straight Through Valves - VERTICAL

IPG V237	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<u>Loose Trim</u> (incl. accessory pkg-09316)	<u>14634-2</u> \$5,659.12	<u>14634-2</u> \$5,659.12	<u>14636-2</u> \$5,374.73	<u>14636-2</u> \$5,374.73	<u>14639-2</u> \$5,742.96	<u>14641-2</u> \$5,809.24	<u>14642-2</u> \$7,238.40
<u>Modular Trim</u> (incl. accessory pkg-09316)	<u>14634-2P</u> \$5,976.63	<u>14634-2P</u> \$5,976.63	<u>14636-2P</u> \$5,692.24	<u>14636-2P</u> \$5,692.24	<u>14639-2P</u> \$6,060.47	<u>14641-2P</u> \$6,126.74	<u>14642-2P</u> P.O.A.

Straight Through Valves - HORIZONTAL

IPG V237	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
<u>Loose Trim</u> (incl. accessory pkg-09316)	<u>14635-2</u> \$5,659.12	<u>14635-2</u> \$5,659.12	<u>14637-2</u> \$5,374.73	<u>14637-2</u> \$5,374.73	<u>14638-2</u> \$5,742.96	<u>14640-2</u> \$5,809.24	<u>14643-2</u> \$7,238.40
<u>Modular Trim</u> (incl. accessory pkg-09316)	<u>14635-2P</u> \$5,976.63	<u>14635-2P</u> \$5,976.63	<u>14637-2P</u> P.O.A.	<u>14637-2P</u> P.O.A.	<u>14638-2P</u> P.O.A.	<u>14640-2P</u> \$6,126.74	<u>14643-2P</u> P.O.A.


Special Valves and Trim

DOMESTIC TRIM¹ - Model F - Galvanized

Straight Through Valves - VERTICAL

V236	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Loose Trim	<u>14634-1USA</u>	<u>14634-1USA</u>	<u>14636-1USA</u>	<u>14636-1USA</u>	<u>14639-1USA</u>	<u>14641-1USA</u>	<u>14642-1USA</u>
	\$4,470.89	\$4,470.89	\$4,375.35	\$4,375.35	\$4,578.37	\$4,589.08	\$6,647.49


DOMESTIC TRIM - Easy Riser® System



* 2-1/2 - 6 inch trim shown

Size	Trim (loose)	
IPG	V222	
Model K-1/L-1		
1-1/2"	12960USA	\$338.55
2"	12960USA	\$338.55
Model E-1/F-1		
2-1/2"	13776USA	\$848.15
3"	13776USA	\$848.15
4"	13777USA	\$652.81
6"	13777USA	\$652.81
8"	13777USA	\$652.81

BRASS TRIM - Easy Riser® System



* 2-1/2 - 6 inch trim shown

Size	Trim (loose)		Trim (modular)	
IPG	V222		V222	
Model K-1/L-1 - In-Line Check Valve Trim				
1-1/2"	12960-1	\$400.69	12960-1P	P.O.A.
2"	12960-1	\$400.69	12960-1P	P.O.A.
Model E-1/F-1 - Easy Riser Valve Trim				
2-1/2"	07236-1	\$1,003.68	07236-1P	P.O.A.
3"	07236-1	\$1,003.68	07236-1P	P.O.A.
4"	07237-1	\$1,060.96	07237-1P	P.O.A.
6"	07237-1	\$1,060.96	07237-1P	P.O.A.
8"	07237-1	\$1,060.96	07237-1P	P.O.A.

BRASS - SureFire® TrimPac®

Single Interlocked	
V234	
13798D-1B	\$9,984.20

Double Interlocked	
V234	
13799D-2B	\$10,256.95

BRASS - Releasing Trims

	Pneumatic	Electric Pneumatic	Electric	Pneumatic Pneumatic	<u>DOMESTIC¹</u> Electric
IPG	V239	V239	V239	V239	V239
Loose Trim (releasing device not incl.)	<u>10811</u> \$280.12	<u>12661-2</u> \$233.83	<u>10832</u> \$315.20	<u>12662-2</u> \$1,491.94	<u>10832USA</u> \$420.26
Modular Trim (releasing device not incl.)	<u>10811-P</u> P.O.A.	<u>12661-2P</u> P.O.A.	<u>10832-P</u> P.O.A.	<u>12662-2P</u> P.O.A.	<u>10832USA-P</u> P.O.A.

(1) Meets sourcing requirements of the Buy American Act, American Reinvestment and Recovery Act, and the Buy American Law. Contact customer service for availability.